



ID. GUIDELINE

Logo & Wordmark

Version: VW_ID_Guideline_Logo&Wordmark_EN

*This manual is for illustrative purposes only and should not be associated with the actual model names or images used for marketing.

生而电动

Classification: Internal

Wordmark

ID.

VW logo



Moving Frame



Brand Claim (tbc)

生而电动

Color



Product name badge

ID. UNYX

Information typography



Imagery





The design of the logo is clear and simple.

A close-up, low-angle shot of the front left wheel and fender of a dark blue car. The wheel features a multi-spoke alloy design with a gold-colored center cap and brake calipers. The car is parked on a dark, reflective surface, and the background is a soft, hazy landscape under a pale sky.

*It determines our look & feel from the vehicle
through to all of the brand's relevant interfaces.*

Logo & Wordmark

Color versions | Primary colors



Plain and simple. No effects. And – depending on the background – simply Yellow or Dark Grey.
The VW logo is a world-famous symbol and represents the brand.

The VW Logo stands out clearly against the background.
Elements with a similar line thickness or coloring may not be placed behind the rings.
The VW logo in Yellow serves as the point of departure for design.


This colorization is preferred and is used in all office applications, stationery, brand flags and corporate branding applications, for example.

When using the VW Logo, care should be taken to ensure a calm background without additional graphic elements or dominating structures. If the design is to be viewed from a great distance, bigger logo sizes (please refer to application sizes) are suitable. A distortion of the VW logo or a combination with other elements is ruled out.

Competing logos (e.g. for events, departments, and logos of other group brands) and sub-brands for subsidiaries and products are excluded from the VW corporate design.

Logo & Wordmark

Protected zone | Design and exception rule



The protected zone is an integral part of the logo. Design elements or type must not be positioned in or intrude on this zone.

Design

The protected zone is half of the logo diameter on all sides.

Good to know

The distance to both the moving frame and the protected zone is already incorporated in the logo files for digital and print applications.

Adobe InDesign: Frame around positioned .eps file = protected zone

Frame around positioned .ai file = distance between logo and moving frame

Protected zone = half of the logo diameter on all sides

Logo & Wordmark

Logo versions | Regular and small versions



Regular version



Digital


≥ 57 px

Print

≥ 10 mm



small version



Digital

32 - 56 px

Print

6- 9 mm

We have developed two logo versions so that the logo can always be readily identified. These are the regular logo and the small logo.

1 Regular logo

Our regular logo is the one we use primarily. It is used in digital media from a size of 57 pixels and in print media from a size of 10 mm.

2 Small logo

We changed the line thicknesses and inner spaces of the small logo to improve legibility in small sizes. It is only used in very small depictions: between 32 and 56 pixels in digital applications and between 6 and 9 mm in print media.

Good to know

To differentiate easily: the small logo is recognizable by the thicker outer ring.

Logo & Wordmark

Do's and Don'ts



Do's



Midnight Yellow on Zero



Midnight Yellow on Midnight Grey



Zero on Midnight Yellow



Color versions

The logo in the three primary colors.

Don'ts

Our logo must not be modified; please refer to figures on the left.

Good to know

You will find additional information and color definitions in the section → Basic elements | Colors

Don'ts




No image within the logo



No color gradient



No foreign colors



Modern and bold, our logo represents our new family of ID. It appears consistently on our cars, and our communications. It shows both the confidence and simplicity of our design language.

Lighter and simpler

The ID. logo is created using VW Product font, and is strictly used in ID. applications.

1 Midnight Yellow

The Midnight Yellow ID. logo is always the first choice – in all applications.

2 Zero

Only use the Zero ID. logo if the color version cannot be used for production-related reasons e.g. embossing, decal, fax etc.

Note

Please use the artwork provided for the ID. logo and refer to ID. guideline colors.

1



Midnight Yellow
Pantone 7403C
sRGB 238, 212, 132
HEX #EED484
LAB 86, 3, 43

2



ZERO
Pantone 20-0194 TPM
sRGB 13, 23, 26
HEX #0D171A

Unified and legible


The ID. logo only appears in ID. Zero or Midnight Yellow depending on the scenario and image content. All versions of the ID. logo should be well recognized when placed with background colors.

Please follow the preferred appearance of the ID. logo on the background colors shown opposite. When placing the logo on an image, ensure there is sufficient clear space, contrast and legibility.



Protect and respect

- 1 Our ID. logo must be surrounded by optimum space, shown in the protected zone opposite to prevent interference from other visual elements and ensure the independence and legibility of the ID. logo across all communications.
- 2 Make sure the legibility when it is used in minimum size applications across all of media types.




*d is defined as the ID. logo height

	Digital - Web (height)	Digital - Mobile (height)	Printed (height)
Minimum size	≥ 12px	≥ 20px	≥ 3mm

*Smallest sizes for all materials including merchandise


Logo usage Don'ts



ID. logo can't appear in VW Sky Blue color.



ID. logo can't be in VW Dark Blue color.




ID. logo can't appear in gradient.



ID. logo can't appear in ID. Zero color when using VW midnight grey color background.



Inadequate contrast between logo and image.



Do not cover cars.

