

MERA: Trading Precision for Performance



Niklas Semmler (PhD student)
Anja Feldmann (Supervisor)





The Why: Compute function chains over large datasets.





Fast




Cost-efficient



Accurate



Causes for Backpressure




Prior Knowledge: Straggler Mitigation


- Learn over iterations to identify the best configuration options?
 - Herodotou, Herodotos, et al. "Starfish: a self-tuning system for big data analytics." *Cidr*. Vol. 11. No. 2011. 2011.
- Use speculative execution, i.e. execute the same task multiple times in parallel, and use the result from the fastest tasks.
 - Ananthanarayanan, Ganesh, et al. "Effective Straggler Mitigation: Attack of the Clones." *NSDI*. Vol. 13. 2013.

Does not work for streaming!


Data Streams are different



Methods to deal with Backpressure



Filter - Sampling



StreamApprox presented by *Pramod Bhatotia*
and *Do Le Quoc* at FlinkForward'17


Generate a representative subset

Filter - Loadshedding




Generate a subset fulfilling a given property

Introducing...




MERA - Monitor



Insights

No provisioning &
state migration!

Causes for Performance Degradation



- Dynamic approximation is faster than scaling
- Backpressure needs to be handled everywhere at the job!
 - Filtering at the source is sub optimal!
- There is more to approximation than sampling!

Filter - Loadshedding





Hendrik von
Kiedrowski
Frontend

Paula
Breitbach
Optimization

Kajetan
Maliszewski
Backend


Myself

Thanks!

Results

- No optimization vs optimization
 - Bottleneck latency
 - Input rate
 - Output rate
 - Drop rate
 - Latency?
- Drop only at source or everywhere
- Bar charts
 - Bottleneck Latency
 - Latency Mean
 - Without Opt/Only at Source/Full


Future



Re-Read

- Load Shedding Techniques for Data Stream Systems
- STREAMAPPROX: APPROXIMATE STREAM ANALYTICS IN APACHE FLINK
- Approximation papers

Future



Combine aggregation with task

Open issues

- Problem: The ILP will select only a single or only few places to shed items, leading to a loss of high-scoring items.
 - Fix: Include the distribution factor into the ILP.
- Problem: By shedding at reducers, the distribution of data will change in one direction.
 - Fix: Shed only at mappers