

## Definition of SCRUM

Scrum is one of the Agile frameworks followed to complete challenging projects wherein there are dynamic changes in the requirements by using one or more cross-functional, self-organizing teams of about 7 +/- 2 people on each team.

## Standards of Scrum

- Scrum consists of 3 roles: product owner, ScrumMaster, and development team/engineering team. Roles and responsibilities of each role will be elaborated in the following sections.
- Scrum uses fixed-length iterations called sprints ranging from one Week four weeks (or 30 days long).
- Scrum teams should consist of 7 +/- 2 people.
- Sprint cannot exceed more than 30 days.
- Sprint is time bound.
- Scrum team aims to build a potentially shippable product by end of each sprint.
- Daily Scrum / Stand-up meeting should be only for 15 mins. and as the name goes, the team should be standing during entire meeting time.

## Estimation and Techniques

It's nowhere a rule saying you have to adopt one of the techniques to estimate. The team can use any logic to estimate their user stories.

Once the team has worked for awhile in Agile projects, their ability to estimate the user stories becomes much better and more accurate.

But teams new to Agile sometimes face difficulty in estimating the points for the user stories.

Below are the few estimation techniques, which can be used to estimate the user stories accordingly:

### Planning Poker

Planning Poker is a game that the team members can play during planning meetings to make sure everyone participates.

To begin with, each team member is given with set of cards with numbers on them. Usually the team follows the Fibonacci sequence: 0, 1, 2, 3, 5, 8, 13, and 21.

Then each story is read aloud. After each story presentation, each of the team member is asked to hold up the card showing the level of effort involved according to them.

Once every team members gives the points for the story, the one with lowest value and the one with highest value will be asked to explain why they have chosen that value. Experts with detailed knowledge will be able to explain to the team why a certain story is much easier/more difficult than it first appears.

Then the team will come to an agreement on the estimate for that user story and conclude on that.

### T-Shirt Sizes

At times it happens that the team members start aligning the story points with the hours of effort, which can create confusion. To avoid this, it may be more effective to switch to a non-numeric estimation technique.

With T-Shirt Sizing, the team is asked to estimate the story effort in terms of extra-small, small, medium, large, extra-large, or double extra-large. By removing the numeric concept, team will be free to think in more abstract way. But there is a practical issue involved with this method. Non-numerical scales are generally less granular. While that can speed up the voting process by reducing the number of options, it may also reduce the accuracy of velocity estimates.

For the above reason, the T-Shirt Sizes method of estimates will be good for the teams just starting with Agile projects. Eventually it's a good idea to move toward numeric method of estimation.

## Relative Mass Valuation

Usually the process of deciding the story point for each story will consume lot of time. With this method, it consumes less time.

## Agile Manifesto

While there is value in the items on the right, we value the items on the left more:

Individuals & interaction  
Working software  
Customer Collaboration  
Responding to Change

over  
over  
over  
over

Processes & Tools  
Comprehensive Documentation  
Contract Negotiation  
Following a Plan

## Scrum Roles and Responsibilities

### Product owner

- Responsible person for release burn-down chart.
- Responsible for the product vision.
- Person who maintains the product backlog and the responsible person for the same.
- Only person who can make a decision whether the product is ready to ship.
- Only authoritative person to take a decision about abruptly discontinuing/stopping the sprint.
- Person responsible to provide clarification on the user story to the development team whenever needed.
- Only authoritative person to take the decision of including any further functionality to the product backlog.
- Person to constantly reprioritize the product backlog.

### ScrumMaster

- Facilitator of the Scrum process.
- Helps resolving any issues / impediments faced by the Scrum team.
- Shields the team from external interferences and distractions.
- Creates a positive environment for the team to be self-organizing.
- Enforces timeboxes.
- Person who maintains sprint burn-down / burn-up charts.
- Person who facilitates the required meetings.
- Has no management authority for the team (for example, he or she cannot command the team to do a specific task).
- Promotes improved practices of engineering.
- Only POC for escalations.
- Only person who can take the escalations or request to the top management.

### Development Team

- Should be a self-organizing and cross-functional team (consists of the members with testing, development, business analyst, domain expertise, etc., skills).
- Should self-manage the tasks among the team.
- Should resolve people management issues if any among the team and should only take it to ScrumMaster if it has gone out of the team's control.
- Works with product owner in reprioritizing the product backlog items.
- Consists of 7+/- 2 members.
- Responsible to complete the committed task for the sprint.

## Typical Sprint Phases

### 1. Product Backlog

The product backlog is the list of functionalities with the short descriptions derived from the requirements and the roadmap of the project; and they are displayed in terms of user stories. Product backlog is the single source of requirements for any changes to be made to the end product.

User stories are prioritized by the product owner in discussion with the development team considering the business priority of those user stories and the dependencies on the other stories, if any.

Responsibility of managing the product backlog lies with the product owner.

### 3. Sprint Backlog:

Sprint Backlog is the list of the product backlog item for which the Development team commits to deliver as part of that particular sprint.

### 4. Sprint

Defined period of time in which the specific committed work has to be completed.

Sprint is timeboxed and cannot be extended under any circumstance, irrespective of whether all the user stories committed are delivered or not. If any user story or part of a user story is pending after the sprint completion time, that particular user story will be moved back to the product backlog for reprioritization.

### 2. Sprint Planning

Sprint planning meeting is attended by the product owner, ScrumMaster, and the development team.

Sprint planning meeting will last the length based on the following rule of thumb:

**'Multiply the number of weeks in your sprint by 2 hours'** and this defines the duration of the sprint planning.

How and when it will be decided what should be the duration of the sprint and into how many sprints the project be divided into to address the requirements in the product backlog.

What is 'Sprint 0'?

Sprint 0 is the phase wherein the resource planning, project planning, sprint duration, and the number of sprints will be decided and also a bit more discussion happens on the product backlog items.

Sprint planning is basically divided into 2 parts:

**Sprint Goal**

**Sprint Backlog**

**Sprint Goal:** The first half of sprint planning goes with deciding the sprint goal. Here the team discusses on what needs to be achieved at the end of that particular sprint. It is discussed and decided collaboratively by the team and the product owner.

Sprint goal can be used for quick reporting on what has been decided to complete as part of that sprint to the interested stakeholders who are keen to know what is happening.

**Sprint Backlog:** This is the other output of sprint planning. The Sprint backlog is the list of the product backlog item for which the development team commits to deliver as part of that particular sprint.

**Sprint Velocity:** Sprint velocity is the capability of the development team to deliver the number of user stories based on the estimated story points. Sprint velocity of the first sprint decides the capacity of the development team and hence will be useful for planning further sprints accordingly.

*For a better explanation of the entire sprint process, I consider the various stages of the sprint as user stories and explain the progress along with each phase of the sprint.*

**Example:**

**Product Backlog**

Let's say below are user stories with story points. Let's say it has been decided to complete all these user stories in 4 sprints, and the team has assumed a velocity of 10 story points per sprint. Let's say it's a 1 week sprint.

Product Backlog		
S.No	User Story	Estimation (User Story points)
1	Scrum Introduction	2
2	Product Backlog	4
3	Sprint Planning	4
4	Sprint backlog	3
5	Sprint	8
6	Sprint Burndown charts	6
7	Daily Scrum	4
8	Sprint Review	4
9	Sprint Retrospective	4

As part of sprint planning, the goal for sprint 1 is to complete first 3 user stories and the same has been moved to the Sprint backlog as below.

**Sprint backlog:**

Day 1:

Sprint Backlog - Sprint 1				
S.No	User Story	Estimation (User Story points)	In Progress	Done
1	Scrum Introduction	2	YES	
2	Product Backlog	4	YES	
3	Sprint Planning	4		

Day 2:

Sprint Backlog - Sprint 1				
S.No	User Story	Estimation (User Story points)	In Progress	Done
1	Scrum Introduction	2		YES
2	Product Backlog	4	YES	
3	Sprint Planning	4		

..

..  
..

Day 3


Sprint Backlog - Sprint 1				
S.No	User Story	Estimation (User Story points)	In Progress	Done
1	Scrum Introduction	2		YES
2	Product Backlog	4		YES
3	Sprint Planning	4	YES	



..  
..  
..

Day 5

Sprint Backlog - Sprint 1				
S.No	User Story	Estimation (User Story points)	In Progress	Done
1	Scrum Introduction	2		YES
2	Product Backlog	4		YES
3	Sprint Planning	4		YES

**Sprint Burn-down charts:**







X Axis – Represents Days

Y Axis – Represents Estimation for the User stories committed for sprint 1.

**Release Burn-down chart:**





X Axis – Represents Weeks


Y Axis – Represents Estimation for the User stories committed for Entire project.

**The example above shows the happy scenario where in everything goes per the plan.**

**What happens if the development team has completed the committed user stories well before the sprint time line and they still have time?**

In this scenario, the Scrum team can have a quick sprint planning meeting again and, based on the capacity and capability of the development team, they can commit to additional user stories and execute them. In this scenario, the sprint burn-down charts looks like those below.

Let's say, for example, the development team has committed to an additional user story of 2 points to complete after completing their usual capacity of 10 points. Let's say there is one more day left for them.



**What happens if the development team couldn't complete all the committed user stories with in the specified sprint time line?**

As the sprint is timeboxed, the sprint time line cannot be extended. The leftover user story will be pushed back to the product backlog for further prioritization and accordingly it will be considered for a future sprint.

## 5. Daily Scrum

In Scrum, on each day of the sprint, the team holds a meeting called the Daily Scrum. Usually this meeting is held at the same location and at the same time every day. This is a strictly timeboxed meeting of 15 minutes. In this meeting the following 3 things will be discussed/ answered by each team member.

- What I did yesterday.
- What I am going to do today
- Impediments I may have

All team members are required to attend, and the product owner and ScrumMaster are expected to attend the meeting.

Any issues raised in the Daily Scrum becomes the ScrumMaster's responsibility to resolve by facilitating another meeting with the appropriate group of people as soon as possible.

Daily Scrum meetings are not used for issue discussion and problem-solving. A separate meeting should be held outside Daily Scrum to address any issues.

## 6. MVP (Minimum Viable Product)

At the end of each sprint, the team expects to be ready with a potentially shippable product. At the start of each sprint, user stories are selected in such a logical manner that after the sprint, the will be in a position to deliver a potentially shippable product that can be shipped and used and can add to ROI.

## 7. Sprint Review

After the completion of every sprint, the Scrum team holds a sprint review meeting to demonstrate the working product that was developed and tested as part of the sprint. Attendees: ScrumMaster, product owner, and Scrum team, all the stakeholder/sponsors, customers.

Duration: **Multiply the number of weeks in your sprint by 1 hour.**

## 8. Sprint Retrospective

No matter how good a Scrum team is, there is always room for improvement. After every sprint, the Scrum team schedules an internal meeting that is the last meeting in the sprint, to assess what went wrong and what went well.

The ScrumMaster facilitates this meeting by asking everyone to explain their ideas.

Attendees: ScrumMaster, product owner, Scrum team

Duration: **Multiply the number of weeks in your sprint by 1 hour.**

## Typical Sprint Flow Diagram

