

Exploratory Data Analysis on los_angeles_12.csv

USC Machine Learning Team

11/2/2017

Data Loading

```
# load data file
if (!exists("LA12.raw")) {
  LA12.raw <- read.csv("./los_angeles_12.csv")
}
print(nrow(LA12.raw))
```

```
## [1] 1140
```

Data Cleaning & Exploratory Analysis

Data Cleaning & Exploratory Analysis are iterative, starting at next page.

Epoch 1: Display of Vertical Acceleration with Natural Gravity

Date: the time stamp of a data point

Speed: traveling speed of the vehicle

forw_accel: forward acceleration (front and back) of the vehicle

hori_accel: horizontal acceleration (left and right) of the vehicle


vert_accel_G: vertical acceleration (up and down) of the vehicle with natural gravity (-1G)

speedbump: whether this data point is a speedbump

```
LA12.valid = LA12.raw[, c("Date", "Latitude", "Longitude", "Speed")]
# validate DateTime format
LA12.valid$Date <- as.POSIXct(LA12.valid$Date, format="%Y-%m-%d %H:%M:%OS")
# specify orientation of acceleration
LA12.valid$forw_accel = LA12.raw$X
LA12.valid$hori_accel = LA12.raw$Y
LA12.valid$vert_accel_G = LA12.raw$Z
# mark speed bumps
for (i in 1:nrow(LA12.valid)) {
  LA12.valid$speedbump[i] = "no"
}
for (i in c(109)) {
  LA12.valid$speedbump[i] = "yes"
}
```

Loading required package: ggplot2

Time-Indexed Vertical Acceleration with Natural Gravity




Note: Speed bumps are labeled as *red* points on the graph.

Epoch 2: Display of Vertical Acceleration without Natural Gravity

vert_accel: vertical acceleration (up and down) of the vehicle without natural gravity

```
# remove natural gravity in vertical acceleration  
LA12.valid$vert_accel = LA12.valid$vert_accel_G + 1
```




Note: Speed bumps are labeled as *red* points on the graph.

Epoch 3: Display of Ratio between Vertical Acceleration (w/o Natural G) and Speed

`vert_accel_ratio_speed`: the ratio between vertical acceleration (without natural gravity) and traveling speed

```
# calculate ratio between vertical acceleration and speed
for (i in 1:nrow(LA12.valid)) {
  if (LA12.valid$Speed[i] == 0) {
    LA12.valid$vert_accel_ratio_speed[i] = 0
  }
  else {
    LA12.valid$vert_accel_ratio_speed[i] = LA12.valid$vert_accel[i] / LA12.valid$Speed[i]
  }
}
```




Note: Speed bumps are labeled as *red* points on the graph.

Epoch 4: Display of Ratio between Vertical Acceleration (w/o Natural G) and Speed

sq_vert_accel_ratio_speed: the ratio between squared vertical acceleration (without natural gravity) and traveling speed

```
# calculate ratio between vertical acceleration and speed
for (i in 1:nrow(LA12.valid)) {
  if (LA12.valid$Speed[i] == 0) {
    LA12.valid$sq_vert_accel_ratio_speed[i] = 0
  }
  else {
    LA12.valid$sq_vert_accel_ratio_speed[i] = (LA12.valid$vert_accel[i] * LA12.valid$vert_accel[i]) /
    LA12.valid$Speed[i]
  }
}
```




Note: Speed bumps are labeled as *red* points on the graph.

Epoch 5: Display of Vertical Jolt (Incremental Change of Vert. Accel.)

`vert_jolt`: vertical jolt of the vehicle (incremental change of vertical acceleration)

```
# calculate vertical jolt
for (i in 1:nrow(LA12.valid)) {
  if (i == 1) {
    LA12.valid$vert_jolt[i] = 0
  }
  else {
    LA12.valid$vert_jolt[i] = LA12.valid$vert_accel[i] - LA12.valid$vert_accel[i - 1]
  }
}
```




Note: Speed bumps are labeled as *red* points on the graph.

Epoch 6: Display of Ratio between Vertical Jolt and Speed

vert_jolt_ratio_speed: the ratio between vertical jolt and traveling speed

```
# calculate ratio between vertical jolt and speed
for (i in 1:nrow(LA12.valid)) {
  if (LA12.valid$Speed[i] == 0) {
    LA12.valid$vert_jolt_ratio_speed[i] = 0
  }
  else {
    LA12.valid$vert_jolt_ratio_speed[i] = LA12.valid$vert_jolt[i] / LA12.valid$Speed[i]
  }
}
```




Note: Speed bumps are labeled as *red* points on the graph.

Epoch 7: Display of Ratio between Squared Vertical Jolt and Speed

`sq_vert_jolt_ratio_speed`: the ratio between squared vertical jolt and traveling speed

```
# calculate ratio between vertical jolt and speed
for (i in 1:nrow(LA12.valid)) {
  if (LA12.valid$Speed[i] == 0) {
    LA12.valid$sq_vert_jolt_ratio_speed[i] = 0
  }
  else {
    LA12.valid$sq_vert_jolt_ratio_speed[i] = (LA12.valid$vert_jolt[i] * LA12.valid$vert_jolt[i]) / LA12.valid$Speed[i]
  }
}
```



Note: Speed bumps are labeled as *red* points on the graph.

Epoch 8: Display of Sliding-Window Statistics of Vertical Jolt


vert_jolt_mean: 5-sliding-window mean of vertical jolt
vert_jolt_sd: 5-sliding-window standard deviation of vertical jolt
vert_jolt_min: 5-sliding-window minimum of vertical jolt
vert_jolt_max: 5-sliding-window maximum of vertical jolt
vert_jolt_range: 5-sliding-window range of vertical jolt

```
# calculate 5-sliding-window mean of vertical jolt
for (i in 3:nrow(LA12.valid)-2) {
  LA12.valid$vert_jolt_mean[i] = mean(c(LA12.valid$vert_jolt[i-2],
                                        LA12.valid$vert_jolt[i-1],
                                        LA12.valid$vert_jolt[i],
                                        LA12.valid$vert_jolt[i+1],
                                        LA12.valid$vert_jolt[i+2]))
}
LA12.valid$vert_jolt_mean[1] = 0
LA12.valid$vert_jolt_mean[2] = 0
LA12.valid$vert_jolt_mean[nrow(LA12.valid) - 1] = 0
LA12.valid$vert_jolt_mean[nrow(LA12.valid)] = 0
# calculate 5-sliding-window standard deviation of vertical jolt
for (i in 3:nrow(LA12.valid)-2) {
  LA12.valid$vert_jolt_sd[i] = sd(c(LA12.valid$vert_jolt[i-2],
                                   LA12.valid$vert_jolt[i-1],
                                   LA12.valid$vert_jolt[i],
                                   LA12.valid$vert_jolt[i+1],
                                   LA12.valid$vert_jolt[i+2]))
}
LA12.valid$vert_jolt_sd[1] = 0
LA12.valid$vert_jolt_sd[2] = 0
LA12.valid$vert_jolt_sd[nrow(LA12.valid) - 1] = 0
LA12.valid$vert_jolt_sd[nrow(LA12.valid)] = 0
# calculate 5-sliding-window minimum of vertical jolt
for (i in 3:nrow(LA12.valid)-2) {
  LA12.valid$vert_jolt_min[i] = min(c(LA12.valid$vert_jolt[i-2],
                                      LA12.valid$vert_jolt[i-1],
                                      LA12.valid$vert_jolt[i],
                                      LA12.valid$vert_jolt[i+1],
                                      LA12.valid$vert_jolt[i+2]))
}
LA12.valid$vert_jolt_min[1] = 0
LA12.valid$vert_jolt_min[2] = 0
LA12.valid$vert_jolt_min[nrow(LA12.valid) - 1] = 0
LA12.valid$vert_jolt_min[nrow(LA12.valid)] = 0
# calculate 5-sliding-window maximum of vertical jolt
for (i in 3:nrow(LA12.valid)-2) {
  LA12.valid$vert_jolt_max[i] = max(c(LA12.valid$vert_jolt[i-2],
                                      LA12.valid$vert_jolt[i-1],
                                      LA12.valid$vert_jolt[i],
                                      LA12.valid$vert_jolt[i+1],
                                      LA12.valid$vert_jolt[i+2]))
}
LA12.valid$vert_jolt_max[1] = 0
```

```

LA12.valid$vert_jolt_max[2] = 0
LA12.valid$vert_jolt_max[nrow(LA12.valid) - 1] = 0
LA12.valid$vert_jolt_max[nrow(LA12.valid)] = 0
# calculate 5-sliding-window range of vertical jolt
LA12.valid$vert_jolt_range = LA12.valid$vert_jolt_max - LA12.valid$vert_jolt_min


```



Note: Speed bumps are labeled as *red* points on the graph.

Epoch 9: Comparative Display of Two Most Promising Factors

Comparison of Two Most Promising Factors



Note: Ratio of Sq. Vert. Jolt & Speed is negatively flipped for visualization purpose.

Note: Speed bumps are labeled as *red* points on the graph.

Data Writing

Date: the time stamp of a data point

Latitude:

Longitude:

Speed: traveling speed of the vehicle

speedbump: whether this data point is a speedbump

forw_accel: forward acceleration (front and back) of the vehicle

hori_accel: horizontal acceleration (left and right) of the vehicle

vert_accel_G: vertical acceleration (up and down) of the vehicle with natural gravity (-1G)

vert_accel: vertical acceleration (up and down) of the vehicle without natural gravity

vert_accel_ratio_speed: the ratio between vertical acceleration (without natural gravity) and traveling speed

sq_vert_accel_ratio_speed: the ratio between squared vertical acceleration (without natural gravity) and traveling speed

vert_jolt: vertical jolt of the vehicle (incremental change of vertical acceleration)

vert_jolt_ratio_speed: the ratio between vertical jolt and traveling speed

sq_vert_jolt_ratio_speed: the ratio between squared vertical jolt and traveling speed

vert_jolt_mean: 5-sliding-window mean of vertical jolt

vert_jolt_sd: 5-sliding-window standard deviation of vertical jolt

vert_jolt_min: 5-sliding-window minimum of vertical jolt

vert_jolt_max: 5-sliding-window maximum of vertical jolt

vert_jolt_range: 5-sliding-window range of vertical jolt

```
jpeg("./Epoch1_LA12.vert_accel_G.plot.jpeg", width = 1200, height = 750, units = "px")
print(LA12.vert_accel_G.plot)
dev.off()
```

```
## pdf
## 2
```

```
jpeg("./Epoch2_LA12.vert_accel.plot.jpeg", width = 1200, height = 750, units = "px")
print(LA12.vert_accel.plot)
dev.off()
```

```
## pdf
## 2
```

```
jpeg("./Epoch3_LA12.vert_accel_ratio_speed.plot.jpeg", width = 1200, height = 750, units = "px")
print(LA12.vert_accel_ratio_speed.plot)
dev.off()
```

```
## pdf
## 2
```

```
jpeg("./Epoch4_LA12.sq_vert_accel_ratio_speed.plot.jpeg", width = 1200, height = 750, units = "px")
print(LA12.sq_vert_accel_ratio_speed.plot)
dev.off()
```

```
## pdf
## 2
```

```
jpeg("./Epoch5_LA12.vert_jolt.plot.jpeg", width = 1200, height = 750, units = "px")
print(LA12.vert_jolt.plot)
dev.off()
```

```
## pdf
```

```

## 2
jpeg("./Epoch6_LA12.vert_jolt_ratio_speed.plot.jpeg", width = 1200, height = 750, units = "px")
print(LA12.vert_jolt_ratio_speed.plot)
dev.off()

## pdf
## 2
jpeg("./Epoch7_LA12.sq_vert_jolt_ratio_speed.plot.jpeg", width = 1200, height = 750, units = "px")
print(LA12.sq_vert_jolt_ratio_speed.plot)
dev.off()

## pdf
## 2
jpeg("./Epoch8_LA12.vert_jolt_5.plot.jpeg", width = 1200, height = 750, units = "px")
print(LA12.vert_jolt_5.plot)
dev.off()

## pdf
## 2
jpeg("./Epoch9_LA12.comparative.plot.jpeg", width = 1200, height = 750, units = "px")
print(LA12.comparative.plot)
dev.off()

## pdf
## 2
write.csv(LA12.valid, "./los_angeles_12_labeled.csv")

```