Panel A. Swap events against full-day Ethereum logs

Venue	Days	Provider swaps	Provider only	Chain only	Precision [%]	Recall [%]
Uniswap v2	74	8,837,588	0	48	100.0000	99.9995
SushiSwap v2	70	599,721	0	0	100.0000	100.0000
Uniswap v3	62	4,444,960	7	2,957	99.9998	99.9335

Panel B. Assignments in transactions touched by a swap correction

Assignment	Linked transactions	Changed	Unchanged [%]
Ordered endpoint pair	4,881	363	92.563
Intermediary token set	4,881	363	92.563
Intermediary asset-type set	4,881	363	92.563
Leg count	4,881	376	92.297
Exact two-leg inclusion	4,881	206	95.780

Panel C. Stablecoin shares on corrected route dates

Measure	Provider rows [%]	Corrected rows [%]	Change [pp]
Route count	24.446	24.438	-0.008
Routed value	47.836	47.820	-0.016

Panel D. January–June sampled decomposition, 2024 to 2026 [pp]

	Route count			Routed value		
Component	Provider	Corrected	Change	Provider	Corrected	Change
Stablecoin-share change	+25.920	+25.921	+0.001	+40.566	+40.566	-0.000
Within continuing pairs	+0.078	+0.078	+0.000	+1.484	+1.484	-0.000
Across continuing pairs	+6.888	+6.888	+0.000	+14.635	+14.635	-0.000
Continuing-pair support mass	+0.895	+0.895	+0.000	-2.717	-2.717	-0.000
Pairs observed in one window	+18.059	+18.060	+0.001	+27.164	+27.164	+0.000

Note: Panel A uses 206 release-bound full-day venue ledgers across 74 dates. Provider-only events are provider rows absent from the corresponding Ethereum logs; chain-only events are Ethereum-log events absent from the provider rows. Panels B and C rerun the route engine on the 50 dates with at least one swap action. Panel D is the same pair decomposition on the six common January–June audit dates in each endpoint year. The current releases omit 35 historical auxiliary venue-days. Auxiliary log-order corrections would collide with another provider-ordered leg in 2 transactions; together they contain 47 legs and 2 reconstructed routes. The exercise validates the release-bound dates; it does not measure transaction-trace recall outside them.