Formulae for Tertiary Mathematics

Curtis Millar < curtis@xurtis.pw> 25 January, 2019

Trigonometry

$$\cos \theta = \frac{1}{\sin \theta} \qquad \sec \theta = \frac{1}{\cos \theta} \qquad \tan \theta = \frac{\sin \theta}{\cos \theta} \qquad \cot \theta = \frac{\cos \theta}{\sin \theta}$$

$$\frac{a}{\sin A} = \frac{b}{\sin B} = \frac{c}{\sin C} \qquad c^2 = a^2 + b^2 - 2ab \cos C$$

$$\sin^2 \theta + \cos^2 \theta = 1 \qquad \tan^2 \theta - \sec^2 \theta = 1$$

$$\sin(\alpha + \beta) = \sin \alpha \cos \beta + \cos \alpha \sin \beta \qquad \cos(\alpha + \beta) = \cos \alpha \cos \beta - \sin \alpha \sin \beta$$

$$\tan(\alpha + \beta) = \frac{\tan \alpha + \tan \beta}{1 - \tan \alpha \tan \beta} \qquad \cot(\alpha \pm \beta) = \frac{\cot \alpha \cot \beta \mp 1}{\cot \beta \pm \cot \beta}$$

The Exponential & Hyperbolic Trigonometric Functions

$$\sinh x = \frac{e^x - e^{-x}}{2} \qquad \cosh x = \frac{e^x + e^{-x}}{2} \qquad \tanh x = \frac{\sinh x}{\cosh x} = \frac{e^x - e^{-x}}{e^x + e^{-x}}$$

$$\operatorname{csch} x = \frac{1}{\sinh 1} = \frac{2}{e^x - e^{-x}} \qquad \operatorname{sech} x = \frac{1}{\cosh 1} = \frac{2}{e^x + e^{-x}} \qquad \operatorname{coth} x = \frac{\cosh x}{\sinh x} = \frac{e^x + e^{-x}}{e^x - e^{-x}}$$

$$\operatorname{csch} x = \frac{1}{\sinh 1} = \frac{2}{e^x - e^{-x}} \qquad \operatorname{sech} x = \frac{1}{\cosh 1} = \frac{2}{e^x + e^{-x}} \qquad \operatorname{coth} x = \frac{\cosh x}{\sinh x} = \frac{e^x + e^{-x}}{e^x - e^{-x}}$$

$$\operatorname{cosh}^2 x - \sinh^2 x = 1 \qquad \tanh^2 x + \operatorname{sech}^2 x = 1 \qquad \operatorname{coth}^2 x - \operatorname{csch}^2 x = 1$$

Differentiation

$$\frac{\Delta x^n}{\Delta x} = nx^{n-1} \qquad \frac{\Delta uv}{\Delta x} = v\frac{\Delta u}{\Delta x} + u\frac{\Delta v}{\Delta x} \qquad \frac{\Delta e^u}{\Delta x} = \frac{\Delta u}{\Delta x} \times e^u$$

$$\frac{\Delta f(u)}{\Delta x} = \frac{\Delta f}{\Delta u}(u) \times \frac{\Delta u}{\Delta x} \qquad \frac{\Delta \frac{u}{v}}{\Delta x} = \frac{v\frac{\Delta u}{\Delta x} - u\frac{\Delta v}{\Delta x}}{v^2} \qquad \frac{\Delta \ln(u)}{\Delta x} = \frac{\Delta u}{u}$$

$$\frac{\Delta \sin(u)}{\Delta x} = \frac{\Delta u}{\Delta x} \cos u \qquad \frac{\Delta \cos(u)}{\Delta x} = -\frac{\Delta u}{\Delta x} \sin u \qquad \frac{\Delta \tan(u)}{\Delta x} = \frac{\Delta u}{\Delta x} \sec^2 u$$

$$\frac{\delta F(x_1, x_2, ..., x_n)}{\delta t} = \frac{\delta F}{\delta x_1} \frac{\Delta x_1}{\Delta t} + \frac{\delta F}{\delta x_2} \frac{\Delta x_2}{\Delta t} + \dots + \frac{\delta F}{\delta x_n} \frac{\Delta x_n}{\Delta t}$$

Infinitesimal Calculus

Trigonometric and Hyperbolic Substitutions

Expression in integrand	Trigonometric substitution	Hyperbolic substitution
$\sqrt{a^2-x^2}$	$x = a\sin\theta$	$x = a \tanh \theta$
$\sqrt{a^2+x^2}$	$x = a \tan \theta$	$x = a \sinh \theta$
$\sqrt{x^2-a^2}$	$x = a \sec \theta$	$x = a \cosh \theta$