

```
0001 /* ===== 文件: native-dist/app.js ===== */
0002 const cloudEnv = 'cloudbase-d4g93f0re5f3274c1';
0003
0004 App({
0005   onLaunch() {
0006     if (wx.cloud) {
0007       wx.cloud.init({
0008         env: cloudEnv,
0009         traceUser: true
0010       });
0011     }
0012   },
0013   globalData: {
0014     cloudEnv,
0015     cloudEnvName: 'cloudbase'
0016   }
0017 });
0018 /* ===== 文件: native-dist/app.json ===== */
0019 {
0020   "pages": [
0021     "pages/login/index",
0022     "pages/home/index",
0023     "pages/quick-match/index",
0024     "pages/scorer/index",
0025     "pages/scorer-board/index",
0026     "pages/products/index",
0027     "pages/mc-system/index",
0028     "pages/data/index",
0029     "pages/education/index",
0030     "pages/stats-scorer/index",
0031     "pages/order/index",
0032     "pages/pay-result/index",
0033     "pages/tournament/index",
0034     "pages/tournament-create/index",
0035     "pages/tournament-detail/index",
0036     "pages/game-detail/index",
0037     "pages/team/index",
0038     "pages/team-create/index",
0039     "pages/player-add/index",
0040     "pages/mc-settings/index",
0041     "pages/mine/index"
0042   ],
0043   "window": {
0044     "backgroundTextStyle": "light",
0045     "navigationBarBackgroundColor": "#101820",
0046     "navigationBarTitleText": "赛小蜂篮球",
0047     "navigationBarTextStyle": "white",
0048     "backgroundColor": "#05080b"
0049   }
0050 }
```

赛小蜂篮球赛事管理软件 V1.0 源程序

```
0051 /* ===== 文件: native-dist/app.wxss ===== */
0052 page {
0053   min-height: 100%;
0054   background: #05080b;
0055   font-family: -apple-system, BlinkMacSystemFont, "PingFang SC", "Helvetica Neue", Arial, sans-serif;
0056   color: #111827;
0057 }
0058
0059 view, text, input, button {
0060   box-sizing: border-box;
0061 }
0062
0063 button::after {
0064   border: 0;
0065 }
0066
0067 /* hide page-level legacy tabbars; use components/sxf-tabbar only */
0068 .legacy-tabbar,
0069 .bottom-tabbar,
0070 .custom-tabbar {
0071   display: none !important;
0072 }
0073 /* ===== 文件: native-dist/components/sxf-tabbar/index.js ===== */
0074 const TAB_BASE = 'cloud://cloudbase-d4g93f0re5f3274c1.636c-cloudbase-d4g93f0re5f3274c1-1446269281/ui-assets/assets/common/tabbar/';
0075
0076 const TAB_ITEMS = [
0077   { key: 'home', label: '\u5de5\u4f5c\u53f0', icon: TAB_BASE + 'workbench.png', activeIcon: TAB_BASE + 'workbench-active.png', url: '/pages...
0078   { key: 'tournament', label: '\u8d5b\u4e8b', icon: TAB_BASE + 'tournament.png', activeIcon: TAB_BASE + 'tournament-active.png', url: '/pag...
0079   { key: 'player', label: '\u7403\u5458', icon: TAB_BASE + 'player.png', activeIcon: TAB_BASE + 'player-active.png', url: '/pages/team/inde...
0080   { key: 'education', label: '\u6559\u52a1', icon: TAB_BASE + 'education.png', activeIcon: TAB_BASE + 'education-active.png', url: '/pages/...
0081   { key: 'data', label: '\u6570\u636e', icon: TAB_BASE + 'data.png', activeIcon: TAB_BASE + 'data-active.png', url: '/pages/data/index' },
0082   { key: 'mine', label: '\u6211\u7684', icon: TAB_BASE + 'mine.png', activeIcon: TAB_BASE + 'mine-active.png', url: '/pages/mine/index' }
0083 ];
0084
0085 Component({
0086   properties: {
0087     active: {
0088       type: String,
0089       value: 'home'
0090     }
0091   },
0092
0093   data: {
0094     items: []
0095   },
0096
0097   observers: {
0098     active() {
0099       this.syncItems();
0100     }
0101   }
0102 })
```

```

0101   },
0102
0103   lifetimes: {
0104     attached() {
0105       this.syncItems();
0106     }
0107   },
0108
0109   methods: {
0110     syncItems() {
0111       const active = this.properties.active;
0112       const items = TAB_ITEMS.map((item) => {
0113         const isActive = item.key === active;
0114         return {
0115           ...item,
0116           iconSrc: isActive ? item.activeIcon : item.icon,
0117           activeClass: isActive ? 'active' : ''
0118         };
0119       });
0120       this.setData({ items });
0121     },
0122
0123     onTap(event) {
0124       const key = event.currentTarget.dataset.key;
0125       const target = TAB_ITEMS.find((item) => item.key === key);
0126       if (!target || key === this.properties.active) return;
0127
0128       wx.redirectTo({ url: target.url });
0129     }
0130   }
0131 });
0132 /* ===== 文件: native-dist/components/sxf-tabbar/index.json ===== */
0133 {
0134   "component": true
0135 }
0136 /* ===== 文件: native-dist/components/sxf-tabbar/index.wxml ===== */
0137 <view class="sxf-tabbar">
0138   <view wx:for="{{items}}" wx:key="key" class="tab-item {{item.activeClass}}" hover-class="tab-item-press" hover-stay-time="80" data-key="{...
0139     <image class="tab-icon" src="{{item.iconSrc}}" mode="aspectFit" />
0140     <text>{{item.label}}</text>
0141   </view>
0142 </view>
0143 /* ===== 文件: native-dist/components/sxf-tabbar/index.wxss ===== */
0144 .sxf-tabbar {
0145   position: fixed;
0146   left: 0;
0147   right: 0;
0148   bottom: 0;
0149   z-index: 80;
0150   display: grid;

```

```
0151 grid-template-columns: repeat(6, minmax(0, 1fr));
0152 box-sizing: border-box;
0153 width: 100%;
0154 height: calc(108rpx + env(safe-area-inset-bottom));
0155 padding: 8rpx 10rpx calc(8rpx + env(safe-area-inset-bottom));
0156 border-top: 1rpx solid rgba(255, 255, 255, 0.12);
0157 background: rgba(5, 9, 12, 0.96);
0158 box-shadow: 0 -8rpx 24rpx rgba(0, 0, 0, 0.32);
0159 transform: translateZ(0);
0160 backface-visibility: hidden;
0161 }
0162
0163 .tab-item {
0164   display: flex;
0165   min-width: 0;
0166   height: 92rpx;
0167   flex-direction: column;
0168   align-items: center;
0169   justify-content: center;
0170   gap: 5rpx;
0171   color: #aeb4bd;
0172   font-size: 20rpx;
0173   font-weight: 700;
0174   line-height: 1;
0175   white-space: nowrap;
0176   transition: color 140ms ease, opacity 140ms ease, transform 140ms ease;
0177 }
0178
0179 .tab-item.active {
0180   color: #ff6a00;
0181   font-weight: 900;
0182 }
0183
0184 .tab-item-press {
0185   opacity: 0.72;
0186   transform: translateY(2rpx) scale(0.96);
0187 }
0188
0189 .tab-icon {
0190   display: block;
0191   width: 46rpx;
0192   height: 46rpx;
0193   flex: 0 0 46rpx;
0194   margin-bottom: 1rpx;
0195 }
0196
0197 .tab-item.active .tab-icon {
0198   transform: translateY(-2rpx) scale(1.04);
0199 }
0200 /* ===== 文件: native-dist/pages/data/index.js ===== */
```

赛小蜂篮球赛事管理软件 V1.0 源程序

```
0201 const featureBase = 'cloud://cloudbase-d4g93f0re5f3274c1.636c-cloudbase-d4g93f0re5f3274c1-1446269281/ui-assets/assets/pages/data/';
0202 const tabBase = 'cloud://cloudbase-d4g93f0re5f3274c1.636c-cloudbase-d4g93f0re5f3274c1-1446269281/ui-assets/assets/common/tabbar/';
0203
0204 const features = [
0205   { title: '赛事数据', icon: `${featureBase}icon-event-data.png`, status: '规划中' },
0206   { title: '球员技术统计', icon: `${featureBase}icon-player-stats.png`, status: '规划中' },
0207   { title: '球队对比', icon: `${featureBase}icon-team-compare.png`, status: '规划中' },
0208   { title: '成长趋势', icon: `${featureBase}icon-growth-trend.png`, status: '规划中' },
0209   { title: '家长端同步', icon: `${featureBase}icon-parent-sync.png`, status: '规划中' },
0210   { title: '数据海报', icon: `${featureBase}icon-data-poster.png`, status: '规划中' }
0211 ];
0212
0213 const rangeItems = [
0214   {
0215     title: '比赛比分保存',
0216     desc: '记录并保存比赛实时比分数据',
0217     icon: `${featureBase}icon-scoreboard.png`,
0218     url: '/pages/scorer/index'
0219   },
0220   {
0221     title: '最近赛果展示',
0222     desc: '展示近期比赛结果与比分',
0223     icon: `${featureBase}icon-result-list.png`,
0224     url: '/pages/home/index'
0225   },
0226   {
0227     title: '基础球员信息',
0228     desc: '管理球员姓名、号码、球队等基础信息',
0229     icon: `${featureBase}icon-basic-player.png`,
0230     url: '/pages/team/index'
0231   }
0232 ];
0233
0234 const tabItems = [
0235   { key: 'workbench', label: '工作台', icon: `${tabBase}workbench.png`, url: '/pages/home/index', labelClass: '' },
0236   { key: 'tournament', label: '赛事', icon: `${tabBase}tournament.png`, url: '/pages/tournament/index', labelClass: '' },
0237   { key: 'player', label: '球员', icon: `${tabBase}player.png`, url: '/pages/team/index', labelClass: '' },
0238   { key: 'education', label: '教务', icon: `${tabBase}education.png`, disabled: true, labelClass: '' },
0239   { key: 'data', label: '数据', icon: `${tabBase}data-active.png`, disabled: true, labelClass: 'active' },
0240   { key: 'mine', label: '我的', icon: `${tabBase}mine.png`, url: '/pages/mine/index', labelClass: '' }
0241 ];
0242
0243 function openUrl(url) {
0244   if (!url) return;
0245   const tabUrls = ['/pages/home/index', '/pages/tournament/index', '/pages/team/index', '/pages/mine/index'];
0246   if (tabUrls.indexOf(url) >= 0) {
0247     wx.redirectTo({ url });
0248     return;
0249   }
0250   wx.navigateTo({ url });

```

```

0251 }
0252
0253 Page({
0254   data: {
0255     features,
0256     rangeItems,
0257     tabItems
0258   },
0259
0260   goWorkbench() {
0261     wx.redirectTo({ url: '/pages/home/index' });
0262   },
0263
0264   goRangeItem(event) {
0265     openUrl(event.currentTarget.dataset.url);
0266   },
0267
0268   goTab(event) {
0269     const { disabled, url } = event.currentTarget.dataset;
0270     if (disabled) return;
0271     openUrl(url);
0272   }
0273 });
0274 /* ===== 文件: native-dist/pages/data/index.json ===== */
0275 {
0276   "navigationBarTitleText": "\u6570\u636e\u4e2d\u5fc3",
0277   "navigationStyle": "custom",
0278   "usingComponents": {
0279     "sxf-tabbar": "/components/sxf-tabbar/index"
0280   }
0281 }
0282 /* ===== 文件: native-dist/pages/data/index.wxml ===== */
0283 <view class="data-center">
0284   <image class="page-bg" src="cloud://cloudbase-d4g93f0re5f3274c1-636c-cloudbase-d4g93f0re5f3274c1-1446269281/ui-assets/assets/pages/data/d...
0285
0286   <view class="hero">
0287     <image class="status-bar" src="cloud://cloudbase-d4g93f0re5f3274c1-636c-cloudbase-d4g93f0re5f3274c1-1446269281/ui-assets/assets/pages/d...
0288     <view class="nav-row">
0289       <view class="nav-spacer"></view>
0290       <text class="nav-title">数据中心</text>
0291       <view class="nav-actions">
0292         <text class="version-badge">1.0 介绍页</text>
0293         <view class="capsule">
0294           <text class="capsule-dots">•••</text>
0295           <view class="capsule-divider"></view>
0296           <view class="capsule-circle"></view>
0297         </view>
0298       </view>
0299     </view>
0300

```

赛小蜂篮球赛事管理软件 V1.0 源程序

```
0301 <view class="hero-copy">
0302 <view class="hero-title">
0303 <text class="hero-title-hot">赛事数据</text><text class="hero-title-light">能力规划</text>
0304 </view>
0305 <text class="hero-subtitle">比赛、球员、球队、成长数据将在后续版本沉淀</text>
0306 </view>
0307 </view>
0308
0309 <view class="content">
0310 <view class="panel feature-panel">
0311 <view class="panel-title-row">
0312 <view class="panel-accent"></view>
0313 <text class="panel-title">后续将支持</text>
0314 </view>
0315
0316 <view class="feature-grid">
0317 <view wx:for="{{features}}" wx:key="title" class="feature-card">
0318 <image class="feature-icon" src="{{item.icon}}" mode="aspectFit" />
0319 <text class="feature-title">{{item.title}}</text>
0320 <text class="feature-status">{{item.status}}</text>
0321 </view>
0322 </view>
0323
0324 <view class="notice-row">
0325 <text class="notice-icon">i</text>
0326 <text class="notice-text">以上功能正在规划中，敬请期待后续版本上线。</text>
0327 </view>
0328 </view>
0329
0330 <view class="panel range-panel">
0331 <view class="panel-title-row">
0332 <view class="panel-accent"></view>
0333 <text class="panel-title">当前版本数据范围</text>
0334 </view>
0335
0336 <view class="range-list">
0337 <view wx:for="{{rangeItems}}" wx:key="title" class="range-row" data-url="{{item.url}}" bindtap="goRangeItem">
0338 <image class="range-icon" src="{{item.icon}}" mode="aspectFit" />
0339 <view class="range-copy">
0340 <text class="range-title">{{item.title}}</text>
0341 <text class="range-desc">{{item.desc}}</text>
0342 </view>
0343 <image class="range-chevron" src="cloud://cloudbase-d4g93f0re5f3274c1.636c-cloudbase-d4g93f0re5f3274c1-1446269281/ui-assets/asset..." />
0344 </view>
0345 </view>
0346
0347 <view class="back-button" bindtap="goWorkbench">返回工作台</view>
0348 </view>
0349 </view>
0350
```

```
0351 <sxf-tabbar active="data" />
0352 </view>
0353 /* ===== 文件: native-dist/pages/data/index.wxss ===== */
0354 page {
0355   min-height: 100%;
0356   background: #050607;
0357 }
0358
0359 .data-center {
0360   position: relative;
0361   min-height: 1626rpx;
0362   padding-bottom: 132rpx;
0363   overflow: hidden;
0364   color: #1f2329;
0365   font-family: -apple-system, BlinkMacSystemFont, "PingFang SC", "Helvetica Neue", Arial, sans-serif;
0366 }
0367
0368 .page-bg {
0369   position: absolute;
0370   top: 0;
0371   left: 0;
0372   width: 750rpx;
0373   height: 1626rpx;
0374   z-index: 0;
0375 }
0376
0377 .hero,
0378 .status-bar,
0379 .content,
0380 .bottom-tabbar {
0381   position: relative;
0382   z-index: 1;
0383 }
0384
0385 .hero {
0386   height: 377rpx;
0387   padding-top: 30rpx;
0388   box-sizing: border-box;
0389 }
0390
0391 .status-bar {
0392   display: block;
0393   width: 672rpx;
0394   height: 26rpx;
0395   margin-left: 42rpx;
0396 }
0397
0398 .nav-row {
0399   display: flex;
0400   align-items: center;
0401   height: 74rpx;
```



```
0401 padding: 31rpx 22rpx 0 315rpx;
0402 box-sizing: border-box;
0403 }
0404
0405 .nav-spacer {
0406   width: 1rpx;
0407   height: 1rpx;
0408 }
0409
0410 .nav-title {
0411   flex-shrink: 0;
0412   color: #ffffff;
0413   font-size: 30rpx;
0414   font-weight: 900;
0415   line-height: 38rpx;
0416   text-shadow: 0 4rpx 12rpx rgba(0, 0, 0, 0.45);
0417 }
0418
0419 .nav-actions {
0420   display: flex;
0421   align-items: center;
0422   gap: 14rpx;
0423   margin-left: 26rpx;
0424 }
0425
0426 .version-badge {
0427   display: flex;
0428   align-items: center;
0429   justify-content: center;
0430   width: 98rpx;
0431   height: 40rpx;
0432   border-radius: 22rpx;
0433   color: #ff641b;
0434   background: rgba(42, 24, 14, 0.94);
0435   font-size: 20rpx;
0436   font-weight: 800;
0437   white-space: nowrap;
0438 }
0439
0440 .capsule {
0441   display: flex;
0442   align-items: center;
0443   justify-content: center;
0444   width: 151rpx;
0445   height: 61rpx;
0446   border: 1rpx solid rgba(255, 255, 255, 0.36);
0447   border-radius: 33rpx;
0448   background: rgba(0, 0, 0, 0.38);
0449   box-sizing: border-box;
0450 }
```

```

0451
0452 .capsule-dots {
0453   color: #ffffff;
0454   font-size: 34rpx;
0455   line-height: 34rpx;
0456   transform: translateY(-5rpx);
0457 }
0458
0459 .capsule-divider {
0460   width: 1rpx;
0461   height: 42rpx;
0462   margin: 0 22rpx;
0463   background: rgba(255, 255, 255, 0.28);
0464 }
0465
0466 .capsule-circle {
0467   width: 35rpx;
0468   height: 35rpx;
0469   border: 7rpx solid #ffffff;
0470   border-radius: 50%;
0471   box-sizing: border-box;
0472 }
0473
0474 .hero-copy {
0475   margin-top: 50rpx;
0476   padding-left: 42rpx;
0477 }
0478
0479 .hero-title {
0480   display: flex;
0481   align-items: baseline;
0482   height: 66rpx;
0483   line-height: 66rpx;
0484   white-space: nowrap;
0485 }
0486
0487 .hero-title-hot,
0488 .hero-title-light {
0489   font-size: 52rpx;
0490   font-weight: 1000;
0491 }
0492
0493 .hero-title-hot {
0494   color: #ff5b08;
0495 }
0496
0497 .hero-title-light {
0498   color: #ffffff;
0499   margin-left: 6rpx;
0500   text-shadow: 0 5rpx 16rpx rgba(0, 0, 0, 0.5);

```

```
0501 }
0502
0503 .hero-subtitle {
0504   display: block;
0505   margin-top: 24rpx;
0506   color: rgba(255, 255, 255, 0.76);
0507   font-size: 24rpx;
0508   font-weight: 600;
0509   line-height: 30rpx;
0510 }
0511
0512 .content {
0513   padding: 0 17rpx;
0514   box-sizing: border-box;
0515 }
0516
0517 .panel {
0518   width: 718rpx;
0519   margin: 0 auto;
0520   border-radius: 26rpx;
0521   background: rgba(255, 255, 255, 0.98);
0522   box-shadow: 0 12rpx 28rpx rgba(0, 0, 0, 0.24);
0523   box-sizing: border-box;
0524 }
0525
0526 .feature-panel {
0527   min-height: 644rpx;
0528   padding: 29rpx 28rpx 20rpx;
0529 }
0530
0531 .range-panel {
0532   min-height: 466rpx;
0533   margin-top: 18rpx;
0534   padding: 25rpx 28rpx 25rpx;
0535 }
0536
0537 .panel-title-row {
0538   display: flex;
0539   align-items: center;
0540   height: 43rpx;
0541 }
0542
0543 .panel-accent {
0544   width: 5rpx;
0545   height: 29rpx;
0546   margin-right: 15rpx;
0547   border-radius: 4rpx;
0548   background: #ff5b08;
0549 }
0550
```

```
0551 .panel-title {
0552   color: #202225;
0553   font-size: 30rpx;
0554   font-weight: 900;
0555   line-height: 40rpx;
0556 }
0557
0558 .feature-grid {
0559   display: flex;
0560   flex-wrap: wrap;
0561   gap: 18rpx 22rpx;
0562   margin-top: 27rpx;
0563 }
0564
0565 .feature-card {
0566   display: flex;
0567   flex-direction: column;
0568   align-items: center;
0569   width: 204rpx;
0570   height: 224rpx;
0571   border: 1rpx solid #d8dde5;
0572   border-radius: 17rpx;
0573   background: linear-gradient(145deg, #ffffff 0%, #f9fafb 100%);
0574   box-sizing: border-box;
0575 }
0576
0577 .feature-icon {
0578   width: 118rpx;
0579   height: 118rpx;
0580   margin-top: 22rpx;
0581   opacity: 0.9;
0582 }
0583
0584 .feature-title {
0585   width: 188rpx;
0586   margin-top: 4rpx;
0587   color: #1f2329;
0588   font-size: 24rpx;
0589   font-weight: 900;
0590   line-height: 31rpx;
0591   text-align: center;
0592   white-space: nowrap;
0593 }
0594
0595 .feature-status {
0596   display: flex;
0597   align-items: center;
0598   justify-content: center;
0599   min-width: 92rpx;
0600   height: 35rpx;
```

```

0601 margin-top: 12rpx;
0602 padding: 0 14rpx;
0603 border-radius: 18rpx;
0604 color: #8a9099;
0605 background: #f0f2f5;
0606 font-size: 20rpx;
0607 font-weight: 800;
0608 box-sizing: border-box;
0609 }
0610
0611 .notice-row {
0612   display: flex;
0613   align-items: center;
0614   justify-content: center;
0615   height: 56rpx;
0616   margin-top: 21rpx;
0617   border-radius: 14rpx;
0618   background: #f3f4f6;
0619 }
0620
0621 .notice-icon {
0622   display: flex;
0623   align-items: center;
0624   justify-content: center;
0625   width: 23rpx;
0626   height: 23rpx;
0627   margin-right: 14rpx;
0628   border: 3rpx solid #8d96a3;
0629   border-radius: 50%;
0630   color: #8d96a3;
0631   font-size: 17rpx;
0632   font-weight: 900;
0633   line-height: 23rpx;
0634 }
0635
0636 .notice-text {
0637   color: #7c8491;
0638   font-size: 22rpx;
0639   font-weight: 700;
0640   line-height: 28rpx;
0641 }
0642
0643 .range-list {
0644   margin-top: 20rpx;
0645   border: 1rpx solid #dfe3e8;
0646   border-radius: 15rpx;
0647   overflow: hidden;
0648   background: rgba(255, 255, 255, 0.94);
0649 }
0650

```

```
0651 .range-row {
0652     display: flex;
0653     align-items: center;
0654     height: 95rpx;
0655     padding: 0 17rpx;
0656     border-bottom: 1rpx solid #e7eae;
0657     box-sizing: border-box;
0658 }
0659
0660 .range-row:last-child {
0661     border-bottom: 0;
0662 }
0663
0664 .range-icon {
0665     width: 70rpx;
0666     height: 70rpx;
0667     flex-shrink: 0;
0668 }
0669
0670 .range-copy {
0671     display: flex;
0672     flex: 1;
0673     flex-direction: column;
0674     justify-content: center;
0675     min-width: 0;
0676     margin-left: 22rpx;
0677 }
0678
0679 .range-title {
0680     color: #1f2329;
0681     font-size: 26rpx;
0682     font-weight: 900;
0683     line-height: 32rpx;
0684 }
0685
0686 .range-desc {
0687     margin-top: 7rpx;
0688     color: #727983;
0689     font-size: 21rpx;
0690     font-weight: 600;
0691     line-height: 26rpx;
0692     white-space: nowrap;
0693 }
0694
0695 .range-chevron {
0696     width: 20rpx;
0697     height: 20rpx;
0698     flex-shrink: 0;
0699     margin-left: 15rpx;
0700     opacity: 0.78;
```

```
0701 }
0702
0703 .back-button {
0704     display: flex;
0705     align-items: center;
0706     justify-content: center;
0707     height: 72rpx;
0708     margin-top: 17rpx;
0709     border-radius: 15rpx;
0710     color: #ffffff;
0711     background: #ff5b08;
0712     font-size: 30rpx;
0713     font-weight: 900;
0714     box-shadow: 0 8rpx 16rpx rgba(255, 91, 8, 0.24);
0715 }
0716
0717 .bottom-tabbar {
0718     position: fixed;
0719     left: 0;
0720     right: 0;
0721     bottom: 0;
0722     display: flex;
0723     align-items: flex-start;
0724     justify-content: space-between;
0725     height: 124rpx;
0726     padding: 13rpx 27rpx 0;
0727     border: 1rpx solid rgba(255, 255, 255, 0.08);
0728     border-radius: 24rpx 24rpx 0 0;
0729     background: rgba(8, 13, 17, 0.96);
0730     box-shadow: 0 -6rpx 24rpx rgba(0, 0, 0, 0.46);
0731     box-sizing: border-box;
0732     z-index: 20;
0733 }
0734
0735 .tab-item {
0736     display: flex;
0737     flex-direction: column;
0738     align-items: center;
0739     width: 84rpx;
0740     height: 96rpx;
0741 }
0742
0743 .tab-icon {
0744     width: 43rpx;
0745     height: 43rpx;
0746 }
0747
0748 .tab-label {
0749     margin-top: 8rpx;
0750     color: #8c929b;
```

赛小蜂篮球赛事管理软件 V1.0 源程序

```
0751 font-size: 20rpx;
0752 font-weight: 700;
0753 line-height: 26rpx;
0754 }
0755
0756 .tab-label.active {
0757   color: #ff5b08;
0758 }
0759 /* ===== 文件: native-dist/pages/education/index.js ===== */
0760 const mainRoutes = {
0761   home: '/pages/home/index',
0762   tournament: '/pages/tournament/index',
0763   team: '/pages/team/index',
0764   education: '/pages/education/index',
0765   data: '/pages/data/index',
0766   mine: '/pages/mine/index'
0767 };
0768
0769 Page({
0770   data: {
0771     features: [
0772       { key: 'multi-campus', title: '多校区管理', icon: 'cloud://cloudbase-d4g93f0re5f3274c1.636c-cloudbase-d4g93f0re5f3274c1-1446269281/ui-asse...
0773       { key: 'course-schedule', title: '课程排课', icon: 'cloud://cloudbase-d4g93f0re5f3274c1.636c-cloudbase-d4g93f0re5f3274c1-1446269281/ui-as...
0774       { key: 'student-checkin', title: '学员签到', icon: 'cloud://cloudbase-d4g93f0re5f3274c1.636c-cloudbase-d4g93f0re5f3274c1-1446269281/ui-as...
0775       { key: 'lesson-consume-stats', title: '课消统计', icon: 'cloud://cloudbase-d4g93f0re5f3274c1.636c-cloudbase-d4g93f0re5f3274c1-1446269281/...
0776       { key: 'after-class-review', title: '课后评价', icon: 'cloud://cloudbase-d4g93f0re5f3274c1.636c-cloudbase-d4g93f0re5f3274c1-1446269281/ui...
0777       { key: 'coach-salary', title: '教练工资', icon: 'cloud://cloudbase-d4g93f0re5f3274c1.636c-cloudbase-d4g93f0re5f3274c1-1446269281/ui-asset...
0778     ],
0779     tabItems: [
0780       { key: 'home', text: '工作台', iconClass: 'home', icon: 'cloud://cloudbase-d4g93f0re5f3274c1.636c-cloudbase-d4g93f0re5f3274c1-1446269281...
0781       { key: 'tournament', text: '赛事', iconClass: 'trophy', icon: 'cloud://cloudbase-d4g93f0re5f3274c1.636c-cloudbase-d4g93f0re5f3274c1-144...
0782       { key: 'team', text: '球员', iconClass: 'user', icon: 'cloud://cloudbase-d4g93f0re5f3274c1.636c-cloudbase-d4g93f0re5f3274c1-1446269281/...
0783       { key: 'education', text: '教务', iconClass: 'edu', icon: 'cloud://cloudbase-d4g93f0re5f3274c1.636c-cloudbase-d4g93f0re5f3274c1-1446269...
0784       { key: 'data', text: '数据', iconClass: 'data', icon: 'cloud://cloudbase-d4g93f0re5f3274c1.636c-cloudbase-d4g93f0re5f3274c1-1446269281/...
0785       { key: 'mine', text: '我的', iconClass: 'mine', icon: 'cloud://cloudbase-d4g93f0re5f3274c1.636c-cloudbase-d4g93f0re5f3274c1-1446269281/...
0786     ]
0787   },
0788   goTournament() {
0789     wx.redirectTo({ url: mainRoutes.tournament });
0790   },
0791   onFeatureTap() {
0792     wx.showToast({ title: '功能规划中', icon: 'none' });
0793   },
0794   onTabTap(event) {
0795     const key = event.currentTarget.dataset.key;
0796     const url = mainRoutes[key];
0797     if (!url || key === 'education') return;
0798     wx.redirectTo({ url });
0799   }
0800 });
```



```
0801 /* ===== 文件: native-dist/pages/education/index.json ===== */
0802 {
0803   "navigationBarTitleText": "\u6559\u52a1\u4e2d\u5fc3",
0804   "navigationStyle": "custom",
0805   "usingComponents": {
0806     "sxf-tabbar": "/components/sxf-tabbar/index"
0807   }
0808 }
0809 /* ===== 文件: native-dist/pages/education/index.wxml ===== */
0810 <view class="education-page">
0811   <view class="hero-section">
0812     <image class="hero-bg" src="cloud://cloudbase-d4g93f0re5f3274c1.636c-cloudbase-d4g93f0re5f3274c1-1446269281/ui-assets/assets/pages/educ..." />
0813     <text class="page-title">教务中心</text>
0814     <view class="version-badge">1.0 介绍页</view>
0815     <view class="hero-title">
0816       <text class="title-hot">教务管理</text>
0817       <text class="title-light">能力规划</text>
0818     </view>
0819     <text class="hero-subtitle">课程、学员、课消、教练薪酬将在后续版本开放</text>
0820   </view>
0821   <view class="support-panel">
0822     <view class="section-head">
0823       <view class="orange-line"></view>
0824       <text class="section-title">后续将支持</text>
0825     </view>
0826     <view class="feature-grid">
0827       <view wx:for="{{features}}" wx:key="key" class="feature-card" data-key="{{item.key}}" bindtap="onFeatureTap">
0828         <image class="feature-icon" src="{{item.icon}}" mode="aspectFit" />
0829         <text class="feature-title">{{item.title}}</text>
0830         <view class="planning-pill">规划中</view>
0831       </view>
0832     </view>
0833     <view class="planning-notice">
0834       <text class="notice-icon">i</text>
0835       <text class="notice-copy">以上功能正在规划中，敬请期待后续版本上线。</text>
0836     </view>
0837   </view>
0838   <view class="current-panel">
0839     <view class="clipboard-icon">
0840       <view class="clip-top"></view>
0841       <view class="clip-line"></view>
0842       <view class="clip-line short"></view>
0843       <view class="clip-line"></view>
0844     </view>
0845     <text class="current-title">当前版本请先使用赛事与计分功能</text>
0846     <text class="current-desc">我们会不断优化产品，带来更好的教务管理体验。</text>
0847     <view class="event-button" bindtap="goTournament">
0848       <text>查看赛事功能</text>
0849     </view>
0850   </view>
0851 </view>
```

```
0851     <view class="button-ball"></view>
0852   </view>
0853 </view>
0854
0855   <sxf-tabbar active="education" />
0856 </view>
0857 /* ===== 文件: native-dist/pages/education/index.wxss ===== */
0858 page {
0859   background: #020609;
0860 }
0861
0862 .education-page {
0863   min-height: 100vh;
0864   box-sizing: border-box;
0865   overflow-x: hidden;
0866   background: #020609;
0867   padding-bottom: calc(126rpx + env(safe-area-inset-bottom));
0868 }
0869
0870 .hero-section {
0871   position: relative;
0872   height: 434rpx;
0873   overflow: hidden;
0874   color: #fff;
0875 }
0876
0877 .hero-bg {
0878   position: absolute;
0879   inset: 0;
0880   width: 100%;
0881   height: 434rpx;
0882 }
0883
0884 .page-title,
0885 .version-badge,
0886 .hero-title,
0887 .hero-subtitle {
0888   position: absolute;
0889   z-index: 1;
0890 }
0891
0892 .page-title {
0893   top: 89rpx;
0894   left: 0;
0895   width: 100%;
0896   color: #fff;
0897   font-size: 35rpx;
0898   font-weight: 900;
0899   line-height: 1;
0900   text-align: center;
```

```
0901 }
0902
0903 .version-badge {
0904   top: 174rpx;
0905   left: 35rpx;
0906   display: flex;
0907   width: 144rpx;
0908   height: 44rpx;
0909   align-items: center;
0910   justify-content: center;
0911   border-radius: 999rpx;
0912   color: #fff;
0913   background: #ff4f0f;
0914   font-size: 26rpx;
0915   font-weight: 900;
0916   line-height: 1;
0917 }
0918
0919 .hero-title {
0920   top: 259rpx;
0921   left: 43rpx;
0922   display: flex;
0923   align-items: baseline;
0924   gap: 8rpx;
0925   font-size: 49rpx;
0926   font-weight: 900;
0927   line-height: 1;
0928   white-space: nowrap;
0929 }
0930
0931 .title-hot {
0932   color: #ff520f;
0933 }
0934
0935 .title-light {
0936   color: #fff;
0937 }
0938
0939 .hero-subtitle {
0940   top: 340rpx;
0941   left: 43rpx;
0942   color: rgba(255, 255, 255, 0.78);
0943   font-size: 25rpx;
0944   font-weight: 700;
0945   line-height: 1.25;
0946   white-space: nowrap;
0947 }
0948
0949 .support-panel,
0950 .current-panel {
```

```
0951 width: 718rpx;
0952 margin-right: auto;
0953 margin-left: auto;
0954 box-sizing: border-box;
0955 border-radius: 18rpx;
0956 background: linear-gradient(135deg, #fff 0%, #f9fafb 100%);
0957 box-shadow: 0 16rpx 34rpx rgba(0, 0, 0, 0.28);
0958 }
0959
0960 .support-panel {
0961   min-height: 746rpx;
0962   padding: 32rpx 28rpx 22rpx;
0963 }
0964
0965 .section-head {
0966   display: flex;
0967   height: 46rpx;
0968   align-items: center;
0969   gap: 14rpx;
0970 }
0971
0972 .orange-line {
0973   width: 5rpx;
0974   height: 31rpx;
0975   border-radius: 999rpx;
0976   background: #ff520f;
0977 }
0978
0979 .section-title {
0980   color: #171b23;
0981   font-size: 34rpx;
0982   font-weight: 900;
0983   line-height: 1;
0984 }
0985
0986 .feature-grid {
0987   display: grid;
0988   grid-template-columns: repeat(3, 202rpx);
0989   gap: 25rpx 24rpx;
0990   margin-top: 30rpx;
0991   justify-content: center;
0992 }
0993
0994 .feature-card {
0995   display: flex;
0996   height: 264rpx;
0997   flex-direction: column;
0998   align-items: center;
0999   justify-content: center;
1000   box-sizing: border-box;
```

```
1001 border: 1rpx solid #e4e7ec;
1002 border-radius: 14rpx;
1003 background: linear-gradient(145deg, #fff 0%, #f8f9fb 100%);
1004 box-shadow: inset 0 1rpx 0 rgba(255, 255, 255, 0.9);
1005 }
1006
1007 .feature-icon {
1008   width: 112rpx;
1009   height: 112rpx;
1010 }
1011
1012 .feature-title {
1013   display: block;
1014   width: 100%;
1015   margin-top: 19rpx;
1016   overflow: hidden;
1017   color: #171b23;
1018   font-size: 27rpx;
1019   font-weight: 900;
1020   line-height: 1.1;
1021   text-align: center;
1022   text-overflow: ellipsis;
1023   white-space: nowrap;
1024 }
1025
1026 .planning-pill {
1027   display: flex;
1028   width: 114rpx;
1029   height: 41rpx;
1030   align-items: center;
1031   justify-content: center;
1032   margin-top: 16rpx;
1033   border-radius: 999rpx;
1034   color: #8b93a3;
1035   background: #f0f1f3;
1036   font-size: 24rpx;
1037   font-weight: 900;
1038 }
1039
1040 .planning-notice {
1041   display: flex;
1042   height: 56rpx;
1043   align-items: center;
1044   justify-content: center;
1045   gap: 12rpx;
1046   margin-top: 28rpx;
1047   border-radius: 14rpx;
1048   color: #8b93a3;
1049   background: #f5f6f8;
1050   font-size: 23rpx;
```

```
1051     font-weight: 700;
1052 }
1053
1054 .notice-icon {
1055     display: flex;
1056     width: 25rpx;
1057     height: 25rpx;
1058     align-items: center;
1059     justify-content: center;
1060     box-sizing: border-box;
1061     border: 2rpx solid #8b93a3;
1062     border-radius: 50%;
1063     font-size: 18rpx;
1064     font-weight: 900;
1065     line-height: 1;
1066 }
1067
1068 .notice-copy {
1069     white-space: nowrap;
1070 }
1071
1072 .current-panel {
1073     min-height: 308rpx;
1074     margin-top: 18rpx;
1075     padding: 31rpx 50rpx 25rpx;
1076     text-align: center;
1077 }
1078
1079 .clipboard-icon {
1080     position: relative;
1081     width: 45rpx;
1082     height: 51rpx;
1083     margin: 0 auto;
1084     box-sizing: border-box;
1085     border: 4rpx solid #d9dce2;
1086     border-radius: 8rpx;
1087 }
1088
1089 .clip-top {
1090     position: absolute;
1091     top: -9rpx;
1092     left: 11rpx;
1093     width: 23rpx;
1094     height: 12rpx;
1095     border-radius: 8rpx 8rpx 0 0;
1096     background: #d9dce2;
1097 }
1098
1099 .clip-line {
1100     width: 22rpx;
```

```

1101 height: 4rpx;
1102 margin: 11rpx auto 0;
1103 border-radius: 999rpx;
1104 background: #d9dce2;
1105 }
1106
1107 .clip-line.short {
1108     width: 16rpx;
1109 }
1110
1111 .current-title {
1112     display: block;
1113     margin-top: 23rpx;
1114     color: #171b23;
1115     font-size: 31rpx;
1116     font-weight: 900;
1117     line-height: 1.2;
1118 }
1119
1120 .current-desc {
1121     display: block;
1122     margin-top: 18rpx;
1123     color: #8b93a3;
1124     font-size: 24rpx;
1125     font-weight: 700;
1126     line-height: 1.2;
1127 }
1128
1129 .event-button {
1130     position: relative;
1131     display: flex;
1132     height: 76rpx;
1133     align-items: center;
1134     justify-content: center;
1135     margin-top: 31rpx;
1136     overflow: hidden;
1137     border-radius: 10rpx;
1138     color: #fff;
1139     background: linear-gradient(90deg, #ff4f0f 0%, #ff5a10 62%, #ff6b1f 100%);
1140     font-size: 31rpx;
1141     font-weight: 900;
1142 }
1143
1144 .event-button text {
1145     position: relative;
1146     z-index: 1;
1147 }
1148
1149 .button-ball {
1150     position: absolute;

```

```
1151 right: -27rpx;
1152 bottom: -48rpx;
1153 width: 153rpx;
1154 height: 153rpx;
1155 box-sizing: border-box;
1156 border: 6rpx solid rgba(255, 138, 62, 0.48);
1157 border-radius: 50%;
1158 }
1159
1160 .button-ball::before,
1161 .button-ball::after {
1162   content: '';
1163   position: absolute;
1164   background: rgba(255, 138, 62, 0.48);
1165 }
1166
1167 .button-ball::before {
1168   left: 70rpx;
1169   top: -8rpx;
1170   width: 5rpx;
1171   height: 164rpx;
1172   transform: rotate(27deg);
1173 }
1174
1175 .button-ball::after {
1176   left: -10rpx;
1177   top: 62rpx;
1178   width: 164rpx;
1179   height: 5rpx;
1180   transform: rotate(-22deg);
1181 }
1182
1183 .custom-tabbar {
1184   position: fixed;
1185   left: 0;
1186   right: 0;
1187   bottom: 0;
1188   z-index: 20;
1189   display: flex;
1190   padding: 12rpx 0 calc(12rpx + env(safe-area-inset-bottom));
1191   border-top: 1rpx solid rgba(255, 255, 255, 0.14);
1192   background: rgba(5, 9, 12, 0.96);
1193 }
1194
1195 .tab-item {
1196   flex: 1;
1197   display: flex;
1198   flex-direction: column;
1199   align-items: center;
1200   justify-content: center;
```



```

1201     gap: 6rpx;
1202     color: #aeb4bd;
1203     font-size: 21rpx;
1204 }
1205
1206 .tab-item.active {
1207     color: #ff6a00;
1208 }
1209
1210 .tab-icon {
1211     display: block;
1212     width: 44rpx;
1213     height: 44rpx;
1214     border: 0;
1215     border-radius: 0;
1216     background: transparent;
1217 }
1218 /* ===== 文件: native-dist/pages/game-detail/index.js ===== */
1219 function readList(key) {
1220     const value = wx.getStorageSync(key) || [];
1221     return Array.isArray(value) ? value : [];
1222 }
1223
1224 function getGameKey(tournamentId) {
1225     return 'games:' + tournamentId;
1226 }
1227
1228 function sameId(left, right) {
1229     return left !== undefined
1230         && left !== null
1231         && right !== undefined
1232         && right !== null
1233         && String(left) === String(right);
1234 }
1235
1236 function findTeam(game, side, teams) {
1237     const id = game[side + 'TeamId'];
1238     const key = game[side + 'TeamKey'];
1239     const name = game[side + 'TeamName'];
1240     return teams.find((team) => sameId(team.id, id)
1241         || sameId(team.key, key)
1242         || team.name === name
1243         || team.label === name) || {
1244         id: id || key || name,
1245         key: key || id || name,
1246         name,
1247         label: name,
1248         logoUrl: ''
1249     };
1250 }

```

```

1251
1252 function belongsToTeam(player, team) {
1253   if (!player || !team) return false;
1254   return sameId(player.teamId, team.id)
1255     || sameId(player.filter, team.key)
1256     || (!player.team && !team.name && player.team === team.name)
1257     || (!player.team && !team.label && player.team === team.label);
1258 }
1259
1260 function idSet(items) {
1261   const result = {};
1262   (items || []).forEach((item) => {
1263     result[String(item.id || item)] = true;
1264   });
1265   return result;
1266 }
1267
1268 function buildRoster(players, starterIds, benchIds) {
1269   const starters = idSet(starterIds);
1270   return players.map((player) => {
1271     const isStarter = !!starters[String(player.id)];
1272     return Object.assign({}, player, {
1273       role: isStarter ? 'starter' : 'bench',
1274       roleText: isStarter ? '首发' : '替补',
1275       roleClass: isStarter ? 'player-row starter' : 'player-row',
1276       starterButtonClass: isStarter ? 'role-btn active' : 'role-btn',
1277       benchButtonClass: !isStarter ? 'role-btn active dark' : 'role-btn dark'
1278     });
1279   });
1280 }
1281
1282 function scorerPlayers(roster) {
1283   return (roster || []).map((player) => ({
1284     id: player.id,
1285     number: player.number,
1286     name: player.name,
1287     position: player.position || player.roleText || '',
1288     avatar: player.avatar || player.avatarUrl || player.photo || player.photoUrl || player.teamLogo || '',
1289     stats: player.stats || {}
1290   })));
1291 }
1292
1293 Page({
1294   data: {
1295     tournamentId: '',
1296     gameId: '',
1297     tournament: null,
1298     game: null,
1299     homeTeam: null,
1300     awayTeam: null,

```

```

1301     homeRoster: [],
1302     awayRoster: [],
1303     homeStarterCount: 0,
1304     awayStarterCount: 0,
1305     homeEmpty: true,
1306     awayEmpty: true
1307   },
1308
1309   onLoad(options) {
1310     this.setData({
1311       tournamentId: String(options.tournamentId || ''),
1312       gameId: String(options.gameId || '')
1313     });
1314     this.loadData();
1315   },
1316
1317   onShow() {
1318     if (this.data.gameId) this.loadData();
1319   },
1320
1321   loadData() {
1322     const tournaments = readList('tournaments');
1323     const games = readList(getGameKey(this.data.tournamentId));
1324     const allPlayers = readList('players');
1325     const teams = readList('teams').concat(readList('teamCategories'));
1326     const game = games.find((item) => sameId(item.id, this.data.gameId)) || null;
1327     if (!game) {
1328       this.setData({ game: null });
1329       return;
1330     }
1331
1332     const homeTeam = findTeam(game, 'home', teams);
1333     const awayTeam = findTeam(game, 'away', teams);
1334     const homePlayers = allPlayers.filter((player) => belongsToTeam(player, homeTeam));
1335     const awayPlayers = allPlayers.filter((player) => belongsToTeam(player, awayTeam));
1336     const homeRoster = buildRoster(homePlayers, game.homeStarterIds, game.homeBenchIds);
1337     const awayRoster = buildRoster(awayPlayers, game.awayStarterIds, game.awayBenchIds);
1338
1339     this.setData({
1340       tournament: tournaments.find((item) => sameId(item.id, this.data.tournamentId)) || null,
1341       game,
1342       homeTeam: Object.assign({}, homeTeam, {
1343         logoUrl: homeTeam.logoUrl || (homePlayers[0] && homePlayers[0].teamLogo) || '/assets/pages/team/mini-logo-unassigned.png'
1344       }),
1345       awayTeam: Object.assign({}, awayTeam, {
1346         logoUrl: awayTeam.logoUrl || (awayPlayers[0] && awayPlayers[0].teamLogo) || '/assets/pages/team/mini-logo-unassigned.png'
1347       }),
1348       homeRoster,
1349       awayRoster,
1350       homeStarterCount: homeRoster.filter((player) => player.role === 'starter').length,

```

```

1351     awayStarterCount: awayRoster.filter((player) => player.role === 'starter').length,
1352     homeEmpty: homeRoster.length === 0,
1353     awayEmpty: awayRoster.length === 0
1354   });
1355 },
1356
1357 setRole(side, playerId, role) {
1358   const game = this.data.game;
1359   if (!game) return;
1360   const starterKey = side + 'StarterIds';
1361   const benchKey = side + 'BenchIds';
1362   const roster = side === 'home' ? this.data.homeRoster : this.data.awayRoster;
1363   const starterIds = roster.filter((player) => player.role === 'starter').map((player) => player.id);
1364   const benchIds = roster.filter((player) => player.role !== 'starter').map((player) => player.id);
1365   const withoutStarter = starterIds.filter((id) => !sameId(id, playerId));
1366   const withoutBench = benchIds.filter((id) => !sameId(id, playerId));
1367
1368   if (role === 'starter' && withoutStarter.length >= 5) {
1369     wx.showToast({ title: '首发最多设置 5 人', icon: 'none' });
1370     return;
1371   }
1372
1373   const nextGame = Object.assign({}, game, {
1374     [starterKey]: role === 'starter' ? withoutStarter.concat(playerId) : withoutStarter,
1375     [benchKey]: role === 'bench' ? withoutBench.concat(playerId) : withoutBench
1376   });
1377   const nextGames = readList(getGameKey(this.data.tournamentId)).map((item) =>
1378     sameId(item.id, this.data.gameId) ? nextGame : item
1379   );
1380   wx.setStorageSync(getGameKey(this.data.tournamentId), nextGames);
1381   this.setData({ game: nextGame });
1382   this.loadData();
1383 },
1384
1385 chooseRole(event) {
1386   this.setRole(
1387     event.currentTarget.dataset.side,
1388     event.currentTarget.dataset.id,
1389     event.currentTarget.dataset.role
1390   );
1391 },
1392
1393 startScorer() {
1394   const game = this.data.game;
1395   if (!game) return;
1396   const homeStarters = this.data.homeRoster.filter((player) => player.role === 'starter');
1397   const awayStarters = this.data.awayRoster.filter((player) => player.role === 'starter');
1398   const homeBench = this.data.homeRoster.filter((player) => player.role !== 'starter');
1399   const awayBench = this.data.awayRoster.filter((player) => player.role !== 'starter');
1400

```

```

1401     if (!homeStarters.length || !awayStarters.length) {
1402         wx.showToast({ title: '请先设置双方首发', icon: 'none' });
1403         return;
1404     }
1405
1406     wx.setStorageSync('quickMatchActiveConfig', {
1407         mode: 'quick',
1408         source: 'tournament-game',
1409         tournamentId: this.data.tournamentId,
1410         gameId: this.data.gameId,
1411         matchName: game.name || (this.data.tournament && this.data.tournament.name) || '赛事场次',
1412         homeTeam: {
1413             id: game.homeTeamId,
1414             key: game.homeTeamKey,
1415             name: game.homeTeamName
1416         },
1417         awayTeam: {
1418             id: game.awayTeamId,
1419             key: game.awayTeamKey,
1420             name: game.awayTeamName
1421         },
1422         homePlayers: scorerPlayers(homeStarters.concat(homeBench)),
1423         awayPlayers: scorerPlayers(awayStarters.concat(awayBench)),
1424         periodMinutes: Number((this.data.tournament && this.data.tournament.periodMinutes) || game.periodMinutes || 10),
1425         periods: Number((this.data.tournament && this.data.tournament.periods) || game.periods || 4)
1426     });
1427     wx.navigateTo({ url: '/pages/scorer/index?mode=quick&tournamentId=' + this.data.tournamentId + '&gameId=' + this.data.gameId });
1428 }
1429 });
1430 /* ===== 文件: native-dist/pages/game-detail/index.json ===== */
1431 {
1432     "navigationBarTitleText": "比赛球员"
1433 }
1434 /* ===== 文件: native-dist/pages/game-detail/index.wxml ===== */
1435 <view class="page-wrap" wx:if="{{game}}">
1436     <view class="hero">
1437         <text class="eyebrow">{{tournament.name}}</text>
1438         <text class="title">{{game.name}}</text>
1439         <view class="matchup">
1440             <view class="match-team">
1441                 <image class="hero-logo" src="{{homeTeam.logoUrl}}" mode="aspectFit" />
1442                 <text>{{game.homeTeamName}}</text>
1443             </view>
1444             <text class="hero-vs">VS</text>
1445             <view class="match-team away">
1446                 <image class="hero-logo" src="{{awayTeam.logoUrl}}" mode="aspectFit" />
1447                 <text>{{game.awayTeamName}}</text>
1448             </view>
1449         </view>
1450         <view class="match-actions">

```

```
1451     <view class="primary-action" bindtap="startScorer">进入计分板</view>
1452   </view>
1453 </view>
1454
1455 <view class="team-section">
1456   <view class="section-head">
1457     <view class="section-team">
1458       <image class="section-logo" src="{{homeTeam.logoUrl}}" mode="aspectFit" />
1459       <text>{{game.homeTeamName}}</text>
1460     </view>
1461     <text class="starter-count">首发 {{homeStarterCount}} / 5</text>
1462   </view>
1463   <view wx:if="{{homeEmpty}}" class="empty">该球队还没有球员资料。</view>
1464   <view wx:for="{{homeRoster}}" wx:key="id" class="{{item.roleClass}}">
1465     <view class="player-info">
1466       <text class="player-number">#{{item.number}}</text>
1467       <text class="player-name">{{item.name}}</text>
1468       <text class="role-tag">{{item.roleText}}</text>
1469     </view>
1470     <view class="role-actions">
1471       <view class="{{item.starterButtonClass}}" data-side="home" data-id="{{item.id}}" data-role="starter" bindtap="chooseRole">首发</view>
1472       <view class="{{item.benchButtonClass}}" data-side="home" data-id="{{item.id}}" data-role="bench" bindtap="chooseRole">替补</view>
1473     </view>
1474   </view>
1475 </view>
1476
1477 <view class="team-section">
1478   <view class="section-head">
1479     <view class="section-team">
1480       <image class="section-logo" src="{{awayTeam.logoUrl}}" mode="aspectFit" />
1481       <text>{{game.awayTeamName}}</text>
1482     </view>
1483     <text class="starter-count">首发 {{awayStarterCount}} / 5</text>
1484   </view>
1485   <view wx:if="{{awayEmpty}}" class="empty">该球队还没有球员资料。</view>
1486   <view wx:for="{{awayRoster}}" wx:key="id" class="{{item.roleClass}}">
1487     <view class="player-info">
1488       <text class="player-number">#{{item.number}}</text>
1489       <text class="player-name">{{item.name}}</text>
1490       <text class="role-tag">{{item.roleText}}</text>
1491     </view>
1492     <view class="role-actions">
1493       <view class="{{item.starterButtonClass}}" data-side="away" data-id="{{item.id}}" data-role="starter" bindtap="chooseRole">首发</view>
1494       <view class="{{item.benchButtonClass}}" data-side="away" data-id="{{item.id}}" data-role="bench" bindtap="chooseRole">替补</view>
1495     </view>
1496   </view>
1497 </view>
1498 </view>
1499
1500 <view class="page-wrap" wx:else>
```

```

1501     return `SXF${Date.now()}${Math.floor(Math.random() * 1000).toString().padStart(3, '0')}`;
1502 }
1503
1504 function buildEntitlement(product, orderNo, wxContext, now) {
1505     const productId = product.id || '';
1506     const data = {
1507         openid: wxContext.OPENID,
1508         unionid: wxContext.UNIONID || '',
1509         orderNo,
1510         productId,
1511         productName: product.name || '',
1512         features: [],
1513         status: 'active',
1514         source: 'mock_paid_order',
1515         startedAt: now,
1516         createdAt: now,
1517         updatedAt: now
1518     };
1519
1520     if (productId === 'mc_day') {
1521         data.features = ['mc_system'];
1522         data.scope = 'day';
1523         data.expiresAt = new Date(Date.now() + DAY);
1524     } else if (productId === 'mc_month') {
1525         data.features = ['mc_system'];
1526         data.scope = 'monthly';
1527         data.expiresAt = new Date(Date.now() + 30 * DAY);
1528     } else if (productId === 'mc_lifetime') {
1529         data.features = ['mc_system'];
1530         data.scope = 'lifetime';
1531     } else if (VOICE_CREDITS[productId]) {
1532         data.features = ['score_voice'];
1533         data.scope = 'voice_pack';
1534         data.voiceCredits = VOICE_CREDITS[productId];
1535     } else if (productId === 'single') {
1536         data.features = ['mc_system'];
1537         data.scope = 'single_match';
1538         data.usagelimit = 1;
1539         data.remainingUses = 1;
1540     } else if (productId === 'monthly') {
1541         data.features = ['mc_system'];
1542         data.scope = 'monthly';
1543         data.expiresAt = new Date(Date.now() + 30 * DAY);
1544     } else if (productId === 'lifetime') {
1545         data.features = ['mc_system'];
1546         data.scope = 'lifetime';
1547     } else {
1548         data.features = Array.isArray(product.features) && product.features.length ? product.features : ['mc_system'];
1549     }
1550 }

```

```

1551   return data;
1552 }
1553
1554 exports.main = async (event) => {
1555   const wxContext = cloud.getWXContext();
1556   const product = event.product || {};
1557   const now = db.serverDate();
1558   const orderNo = createOrderNo();
1559   const status = event.mockPaid === false ? 'pending' : 'mock_paid';
1560
1561   const order = {
1562     orderNo,
1563     openid: wxContext.OPENID,
1564     unionid: wxContext.UNIONID || '',
1565     product,
1566     amount: Number(product.price || 0),
1567     originalAmount: Number(product.originalPrice || product.price || 0),
1568     status,
1569     payChannel: 'wechat_pay_pending',
1570     createdAt: now,
1571     updatedAt: now
1572   };
1573
1574   const created = await db.collection('sx_orders').add({ data: order });
1575
1576   let entitlement = null;
1577   if (status === 'mock_paid') {
1578     entitlement = buildEntitlement(product, orderNo, wxContext, now);
1579     const entitlementCreated = await db.collection('sx_entitlements').add({ data: entitlement });
1580     entitlement._id = entitlementCreated._id;
1581   }
1582
1583   return { ok: true, orderId: created._id, orderNo, status, entitlement };
1584 };
1585 /* ===== 文件: cloudfunctions/sxCreateOrder/package.json ===== */
1586 {
1587   "dependencies": {
1588     "wx-server-sdk": "latest"
1589   }
1590 }
1591 /* ===== 文件: cloudfunctions/sxCreateRedeemCode/index.js ===== */
1592 const crypto = require('crypto');
1593 const cloud = require('wx-server-sdk');
1594
1595 cloud.init({ env: cloud.DYNAMIC_CURRENT_ENV });
1596 const db = cloud.database();
1597
1598 const DEFAULT_FEATURES = ['mc_system'];
1599 const PLAN_PRESETS = {
1600   mc_share_day: {

```



```

1601     productName: '赛小蜂 MC 音效 1 天 VIP',
1602     durationDays: 1,
1603     features: ['mc_system'],
1604     voiceCredits: 0,
1605     shareCredits: 0
1606 },
1607 mc_paid_day: {
1608     productName: '赛小蜂 MC 音效日卡',
1609     durationDays: 1,
1610     features: ['mc_system'],
1611     voiceCredits: 0,
1612     shareCredits: 0
1613 },
1614 mc_paid_month: {
1615     productName: '赛小蜂 MC 音效月卡',
1616     durationDays: 30,
1617     features: ['mc_system'],
1618     voiceCredits: 0,
1619     shareCredits: 0
1620 },
1621 mc_paid_lifetime: {
1622     productName: '赛小蜂 MC 音效永久卡',
1623     durationDays: 0,
1624     features: ['mc_system'],
1625     voiceCredits: 0,
1626     shareCredits: 0
1627 },
1628 voice_credits_50: {
1629     productName: 'AI 语音播报包 50 次',
1630     durationDays: 0,
1631     features: ['score_voice'],
1632     voiceCredits: 50,
1633     shareCredits: 0
1634 },
1635 voice_credits_150: {
1636     productName: 'AI 语音播报包 150 次',
1637     durationDays: 0,
1638     features: ['score_voice'],
1639     voiceCredits: 150,
1640     shareCredits: 0
1641 },
1642 voice_credits_400: {
1643     productName: 'AI 语音播报包 400 次',
1644     durationDays: 0,
1645     features: ['score_voice'],
1646     voiceCredits: 400,
1647     shareCredits: 0
1648 }
1649 };
1650 const CORS_HEADERS = {

```

```

1651 'Access-Control-Allow-Origin': '*',
1652 'Access-Control-Allow-Methods': 'GET,POST,OPTIONS',
1653 'Access-Control-Allow-Headers': 'Content-Type,Authorization',
1654 'Content-Type': 'application/json'
1655 };
1656
1657 function isHttpEvent(event) {
1658   return !(event && (event.httpMethod || event.headers || event.requestContext || typeof event.body === 'string'));
1659 }
1660
1661 function httpResponse(event, data, statusCode = 200) {
1662   if (!isHttpEvent(event)) return data;
1663   return { statusCode, headers: CORS_HEADERS, body: JSON.stringify(data) };
1664 }
1665
1666 function parsePayload(event) {
1667   if (!event) return {};
1668   if (typeof event.body === 'string') {
1669     try { return Object.assign({}, event, JSON.parse(event.body)); } catch (error) { return event; }
1670   }
1671   return event;
1672 }
1673
1674 function normalizeFeatures(features) {
1675   if (!Array.isArray(features)) return DEFAULT_FEATURES;
1676   return features.map((item) => String(item).trim()).filter(Boolean);
1677 }
1678
1679 function normalizeCount(value) {
1680   const count = Number(value || 1);
1681   return Math.min(100, Math.max(1, Number.isFinite(count) ? Math.floor(count) : 1));
1682 }
1683
1684 function makeCode(prefix) {
1685   const body = crypto.randomBytes(6).toString('hex').toUpperCase();
1686   return `${prefix}-${body.slice(0, 4)}-${body.slice(4, 8)}-${body.slice(8, 12)}`;
1687 }
1688
1689 async function insertUniqueCode(data, prefix) {
1690   for (let attempt = 0; attempt < 8; attempt += 1) {
1691     const code = makeCode(prefix);
1692     const exists = await db.collection('sx_redeem_codes').where({ code }).limit(1).get();
1693     if (exists.data && exists.data.length) continue;
1694     const created = await db.collection('sx_redeem_codes').add({ data: Object.assign({}, data, { code }) });
1695     return Object.assign({ _id: created._id, code }, data);
1696   }
1697   throw new Error('兑换码生成冲突, 请重试');
1698 }
1699
1700 exports.main = async (event) => {

```

```

1701 if (event && event.httpMethod === 'OPTIONS') {
1702   return httpResonse(event, { ok: true });
1703 }
1704
1705 const payload = parsePayload(event);
1706 const adminToken = process.env.SXF_ADMIN_TOKEN || '';
1707
1708 if (adminToken && payload.adminToken !== adminToken) {
1709   return httpResonse(event, { ok: false, message: '后台口令不正确' }, 403);
1710 }
1711
1712 const wxContext = cloud.getWXContext();
1713 const now = db.serverDate();
1714 const count = normalizeCount(payload.count);
1715 const prefix = String(payload.prefix || 'SXF').replace(/^[A-Za-z0-9]/g, '').slice(0, 8).toUpperCase() || 'SXF';
1716 const plan = String(payload.plan || 'mc_share_day');
1717 const preset = PLAN_PRESETS[plan] || PLAN_PRESETS.mc_share_day;
1718 const productName = String(payload.productName || preset.productName || '赛小蜂会员');
1719 const hasFeaturePayload = Array.isArray(payload.features);
1720 const features = hasFeaturePayload ? normalizeFeatures(payload.features) : preset.features;
1721 const voiceCredits = Math.max(0, Math.floor(Number(payload.voiceCredits ?? preset.voiceCredits ?? 0)));
1722 const shareCredits = 0;
1723 const durationDays = Math.max(0, Number(payload.durationDays ?? preset.durationDays ?? 1));
1724 const batchId = `redeem-${Date.now()}-${crypto.randomBytes(3).toString('hex')}`;
1725 const expiresAt = payload.expiresAt ? new Date(payload.expiresAt) : null;
1726
1727 const base = {
1728   batchId,
1729   plan,
1730   productId: plan,
1731   productName,
1732   features,
1733   durationDays,
1734   voiceCredits,
1735   shareCredits,
1736   status: 'unused',
1737   generatedByOpenid: wxContext.OPENID || '',
1738   generatedByUnionid: wxContext.UNIONID || '',
1739   note: String(payload.note || ''),
1740   source: 'admin_redeem_code',
1741   createdAt: now,
1742   updatedAt: now
1743 };
1744
1745 if (expiresAt && !Number.isNaN(expiresAt.getTime())) {
1746   base.expiresAt = expiresAt;
1747 }
1748
1749 const codes = [];
1750 for (let i = 0; i < count; i += 1) {

```

```

1751     codes.push(await insertUniqueCode(base, prefix));
1752   }
1753
1754   return httpResponse(event, {
1755     ok: true,
1756     warning: adminToken ? '' : '当前未配置 SXF_ADMIN_TOKEN，建议上线前设置后台口令。',
1757     batchId,
1758     count: codes.length,
1759     codes
1760   });
1761 };
1762 /* ===== 文件: cloudfunctions/sxCreateRedeemCode/package.json ===== */
1763 {
1764   "dependencies": {
1765     "wx-server-sdk": "latest"
1766   }
1767 }
1768 /* ===== 文件: cloudfunctions/sxCreateScoreVoice/index.js ===== */
1769 const cloud = require('wx-server-sdk');
1770 const crypto = require('crypto');
1771 const https = require('https');
1772
1773 cloud.init({ env: cloud.DYNAMIC_CURRENT_ENV });
1774 const db = cloud.database();
1775
1776 const TTS_HOST = 'tts.tencentcloudapi.com';
1777 const TTS_SERVICE = 'tts';
1778 const TTS_VERSION = '2019-08-23';
1779 const TTS_ACTION = 'TextToVoice';
1780 const TTS_ALGORITHM = 'TC3-HMAC-SHA256';
1781
1782 function buildVoiceConfig(style) {
1783   const styleMap = {
1784     standard: {
1785       voiceType: Number(process.env.TTS_VOICE_STANDARD || process.env.TTS_VOICE_TYPE || 101001),
1786       voiceName: 'Saixiaoyu',
1787       speed: 0,
1788       volume: 2
1789     },
1790     live: {
1791       voiceType: Number(process.env.TTS_VOICE_LIVE || 101054),
1792       voiceName: 'Saixiaozhi',
1793       speed: 0.8,
1794       volume: 4
1795     },
1796     kids: {
1797       voiceType: Number(process.env.TTS_VOICE_KIDS || 101015),
1798       voiceName: 'Saixiaomeng',
1799       speed: -0.4,
1800       volume: 2

```

```

1801     }
1802   };
1803   return styleMap[style] || styleMap.standard;
1804 }
1805
1806 function sha256(message, encoding) {
1807   return crypto.createHash('sha256').update(message).digest(encoding);
1808 }
1809
1810 function hmacSha256(key, message, encoding) {
1811   return crypto.createHmac('sha256', key).update(message).digest(encoding);
1812 }
1813
1814 function getCredential() {
1815   const secretId = process.env.SXF_TTS_SECRET_ID;
1816   const secretKey = process.env.SXF_TTS_SECRET_KEY;
1817   if (!secretId || !secretKey) {
1818     const error = new Error('missing_tts_secret');
1819     error.code = 'missing_tts_secret';
1820     throw error;
1821   }
1822   return { secretId, secretKey };
1823 }
1824
1825 function buildAuthorization({ secretId, secretKey, timestamp, payload }) {
1826   const date = new Date(timestamp * 1000).toISOString().slice(0, 10);
1827   const canonicalHeaders = `content-type:application/json; charset=utf-8\nhost:${TTS_HOST}\nx-tc-action:${TTS_ACTION.toLowerCase()}\n`;
1828   const signedHeaders = 'content-type;host;x-tc-action';
1829   const hashedRequestPayload = sha256(payload, 'hex');
1830   const canonicalRequest = ['POST', '/', '', canonicalHeaders, signedHeaders, hashedRequestPayload].join('\n');
1831   const credentialScope = `${date}/${TTS_SERVICE}/tc3_request`;
1832   const hashedCanonicalRequest = sha256(canonicalRequest, 'hex');
1833   const stringToSign = [TTS_ALGORITHM, timestamp, credentialScope, hashedCanonicalRequest].join('\n');
1834   const secretDate = hmacSha256(`TC3${secretKey}`, date);
1835   const secretService = hmacSha256(secretDate, TTS_SERVICE);
1836   const secretSigning = hmacSha256(secretService, 'tc3_request');
1837   const signature = hmacSha256(secretSigning, stringToSign, 'hex');
1838
1839   return `${TTS_ALGORITHM} Credential=${secretId}/${credentialScope}, SignedHeaders=${signedHeaders}, Signature=${signature}`;
1840 }
1841
1842 function postTencentTts(params) {
1843   const { secretId, secretKey } = getCredential();
1844   const region = process.env.TTS_REGION || 'ap-guangzhou';
1845   const timestamp = Math.floor(Date.now() / 1000);
1846   const payload = JSON.stringify(params);
1847   const authorization = buildAuthorization({ secretId, secretKey, timestamp, payload });
1848
1849   const options = {
1850     method: 'POST',

```

```

1851     hostname: TTS_HOST,
1852     path: '/',
1853     headers: {
1854       Authorization: authorization,
1855       'Content-Type': 'application/json; charset=utf-8',
1856       Host: TTS_HOST,
1857       'X-TC-Action': TTS_ACTION,
1858       'X-TC-Timestamp': String(timestamp),
1859       'X-TC-Version': TTS_VERSION,
1860       'X-TC-Region': region
1861     }
1862   };
1863
1864   return new Promise((resolve, reject) => {
1865     const req = https.request(options, (res) => {
1866       const chunks = [];
1867       res.on('data', (chunk) => chunks.push(chunk));
1868       res.on('end', () => {
1869         const body = Buffer.concat(chunks).toString('utf8');
1870         let parsed;
1871         try {
1872           parsed = JSON.parse(body);
1873         } catch (error) {
1874           error.message = `TTS response parse failed: ${body.slice(0, 200)}`;
1875           reject(error);
1876           return;
1877         }
1878         if (parsed.Response && parsed.Response.Error) {
1879           const error = new Error(parsed.Response.Error.Message || 'Tencent TTS failed');
1880           error.code = parsed.Response.Error.Code;
1881           error.requestId = parsed.Response.RequestId;
1882           reject(error);
1883           return;
1884         }
1885         resolve(parsed.Response || parsed);
1886       });
1887     });
1888     req.on('error', reject);
1889     req.write(payload);
1890     req.end();
1891   });
1892 }
1893
1894 async function saveVoiceLog(data) {
1895   try {
1896     await db.collection('sx_voice_logs').add({ data });
1897   } catch (error) {
1898     console.warn('[sxCreateScoreVoice] save log skipped', error);
1899   }
1900 }

```

```

1901
1902 exports.main = async (event) => {
1903   const wxContext = cloud.getWXContext();
1904   const openid = wxContext.OPENID;
1905   const text = String(event.text || '').trim();
1906   const style = event.style || 'standard';
1907
1908   if (!text) return { ok: false, code: 'empty_text', message: '\u8bf7\u5148\u751f\u6210\u9700\u8981\u64ad\u62a5\u7684\u6587\u6848' };
1909   if (text.length > 500) return { ok: false, code: 'text_too_long', message: '\u64ad\u62a5\u6587\u6848\u8fc7\u957f\u540e\u8bf7\u77ed\u2026' };
1910
1911   const voice = buildVoiceConfig(style);
1912   const sessionId = `sxf-${Date.now()}-${Math.floor(Math.random() * 100000)}`;
1913   const params = {
1914     Text: text,
1915     SessionId: sessionId,
1916     VoiceType: voice.voiceType,
1917     Codec: process.env.TTS_CODEC || 'mp3',
1918     SampleRate: Number(process.env.TTS_SAMPLE_RATE || 16000),
1919     Speed: voice.speed,
1920     Volume: voice.volume,
1921     PrimaryLanguage: 1
1922   };
1923
1924   try {
1925     const response = await postTencentTts(params);
1926     const audioBase64 = response.Audio;
1927     if (!audioBase64) return { ok: false, code: 'empty_audio', message: '\u8bed\u97f3\u751f\u6210\u6210\u529f\u4f46\u672a\u8fd4\u56de\u97f3\u2026' };
1928
1929     const cloudPath = `score-voice/${openid}/${sessionId}.mp3`;
1930     const upload = await cloud.uploadFile({
1931       cloudPath,
1932       fileContent: Buffer.from(audioBase64, 'base64')
1933     });
1934
1935     const temp = await cloud.getTempFileURL({ fileList: [upload.fileID] });
1936     const tempFileURL = temp.fileList && temp.fileList[0] ? temp.fileList[0].tempFileURL : '';
1937
1938     await saveVoiceLog({
1939       openid,
1940       unionid: wxContext.UNIONID || '',
1941       text,
1942       style,
1943       voiceType: voice.voiceType,
1944       voiceName: voice.voiceName,
1945       fileID: upload.fileID,
1946       tempFileURL,
1947       sessionId,
1948       requestId: response.RequestId || '',
1949       createdAt: db.serverDate()
1950     });

```

```

1951     const credit = { unlimited: true, remaining: null };
1952
1953     return {
1954         ok: true,
1955         fileId: upload.fileID,
1956         tempFileURL,
1957         text,
1958         style,
1959         voiceType: voice.voiceType,
1960         voiceName: voice.voiceName,
1961         credit,
1962         sessionId,
1963         requestId: response.RequestId || ''
1964     };
1965 } catch (error) {
1966     console.error('[sxCreateScoreVoice] tts failed', error);
1967     return { ok: false, code: error.code || 'tts_failed', message: error.message || '\u817e\u8baf\u4e91 TTS \u751f\u6210\u5931\u8d25' };
1968 }
1969 };
1970 /* ===== 文件: cloudfunctions/sxCreateScoreVoice/package.json ===== */
1971 {
1972     "name": "sx-create-score-voice",
1973     "version": "1.0.0",
1974     "main": "index.js",
1975     "dependencies": {
1976         "wx-server-sdk": "latest"
1977     }
1978 }
1979 /* ===== 文件: cloudfunctions/sxCreateWxPayOrder/index.js ===== */
1980 const cloud = require('wx-server-sdk');
1981 const crypto = require('crypto');
1982 const https = require('https');
1983
1984 cloud.init({ env: cloud.DYNAMIC_CURRENT_ENV });
1985 const db = cloud.database();
1986
1987 const WXPAY_HOST = 'api.mch.weixin.qq.com';
1988 const JSAPI_PATH = '/v3/pay/transactions/jsapi';
1989
1990 function env(name) {
1991     return process.env[name] || '';
1992 }
1993
1994 function requiredConfig() {
1995     const config = {
1996         appid: env('SXF_WXPAY_APPID') || 'wx06d735da15276acd',
1997         mchid: env('SXF_WXPAY_MCHID') || '1114763686',
1998         serialNo: env('SXF_WXPAY_SERIAL_NO'),
1999         privateKey: normalizePrivateKey(env('SXF_WXPAY_PRIVATE_KEY')),
2000         notifyUrl: env('SXF_WXPAY_NOTIFY_URL')
    
```



```

2001     });
2002     const missing = [];
2003     if (!config.serialNo) missing.push('SXF_WXPAY_SERIAL_NO');
2004     if (!config.privateKey) missing.push('SXF_WXPAY_PRIVATE_KEY');
2005     if (!config.notifyUrl) missing.push('SXF_WXPAY_NOTIFY_URL');
2006     return { config, missing };
2007 }
2008
2009 function normalizePrivateKey(value) {
2010     return String(value || '').replace(/\n/g, '\n').trim();
2011 }
2012
2013 function createOrderNo() {
2014     return `SXF${Date.now()}${Math.floor(Math.random() * 1000).toString().padStart(3, '0')}`;
2015 }
2016
2017 function toCents(value) {
2018     const cents = Math.round(Number(value || 0) * 100);
2019     return Math.max(1, cents || 1);
2020 }
2021
2022 function signWithPrivateKey(message, privateKey) {
2023     return crypto.createSign('RSA-SHA256').update(message).sign(privateKey, 'base64');
2024 }
2025
2026 function buildAuthorization({ method, urlPath, timestamp, nonceStr, body, config }) {
2027     const message = `${method}\n${urlPath}\n${timestamp}\n${nonceStr}\n${body}\n`;
2028     const signature = signWithPrivateKey(message, config.privateKey);
2029     return `WECHATPAY2-SHA256-RSA2048 mchid="${config.mchid}",nonce_str="${nonceStr}",signature="${signature}",timestamp="${timestamp}",seria...`;
2030 }
2031
2032 function postJson({ path, body, config }) {
2033     const method = 'POST';
2034     const timestamp = Math.floor(Date.now() / 1000).toString();
2035     const nonceStr = crypto.randomBytes(16).toString('hex');
2036     const authorization = buildAuthorization({ method, urlPath: path, timestamp, nonceStr, body, config });
2037
2038     const options = {
2039         hostname: WXPAY_HOST,
2040         path,
2041         method,
2042         headers: {
2043             Authorization: authorization,
2044             Accept: 'application/json',
2045             'Content-Type': 'application/json',
2046             'User-Agent': 'SaixiaofengBasketball/1.0'
2047         }
2048     };
2049
2050     return new Promise((resolve, reject) => {

```

```

2051     const req = https.request(options, (res) => {
2052         const chunks = [];
2053         res.on('data', (chunk) => chunks.push(chunk));
2054         res.on('end', () => {
2055             const raw = Buffer.concat(chunks).toString('utf8');
2056             let parsed = {};
2057             if (raw) {
2058                 try {
2059                     parsed = JSON.parse(raw);
2060                 } catch (error) {
2061                     error.message = `WeChat Pay response parse failed: ${raw.slice(0, 200)}`;
2062                     reject(error);
2063                     return;
2064                 }
2065             }
2066             if (res.statusCode < 200 || res.statusCode >= 300) {
2067                 const error = new Error(parsed.message || raw || 'WeChat Pay request failed');
2068                 error.code = parsed.code || `HTTP_${res.statusCode}`;
2069                 error.detail = parsed;
2070                 reject(error);
2071                 return;
2072             }
2073             resolve(parsed);
2074         });
2075     });
2076     req.on('error', reject);
2077     req.write(body);
2078     req.end();
2079 });
2080 }
2081
2082 function buildPaymentParams({ appid, prepayId, privateKey }) {
2083     const timeStamp = Math.floor(Date.now() / 1000).toString();
2084     const nonceStr = crypto.randomBytes(16).toString('hex');
2085     const packageValue = `prepay_id=${prepayId}`;
2086     const paySign = signWithPrivateKey(`${appid}\n${timeStamp}\n${nonceStr}\n${packageValue}\n`, privateKey);
2087     return {
2088         timeStamp,
2089         nonceStr,
2090         package: packageValue,
2091         signType: 'RSA',
2092         paySign
2093     };
2094 }
2095
2096 exports.main = async (event) => {
2097     const wxContext = cloud.getWXContext();
2098     const product = event.product || {};
2099     const { config, missing } = requiredConfig();
2100     if (missing.length) {

```

赛小蜂篮球赛事管理软件 V1.0 源程序

```
2101     return { ok: false, code: 'missing_wxpay_config', message: `Missing WeChat Pay env: ${missing.join(', ')} ` };
2102   }
2103
2104   const orderNo = createOrderNo();
2105   const total = toCents(product.price || product.promoPrice || 0);
2106   const body = JSON.stringify({
2107     appid: config.appid,
2108     mchid: config.mchid,
2109     description: product.name || 'Saixiaofeng Basketball paid feature',
2110     out_trade_no: orderNo,
2111     notify_url: config.notifyUrl,
2112     amount: { total, currency: 'CNY' },
2113     payer: { openid: wxContext.OPENID },
2114     attach: JSON.stringify({ productId: product.id || '', feature: product.featureSummary || '' })
2115   });
2116
2117   const now = db.serverDate();
2118   await db.collection('sx_orders').add({
2119     data: {
2120       orderNo,
2121       openid: wxContext.OPENID,
2122       unionid: wxContext.UNIONID || '',
2123       product,
2124       amount: total / 100,
2125       amountCents: total,
2126       status: 'pending',
2127       payChannel: 'wechat_pay_jsapi',
2128       createdAt: now,
2129       updatedAt: now
2130     }
2131   });
2132
2133   try {
2134     const prepay = await postJson({ path: JSAPI_PATH, body, config });
2135     const payment = buildPaymentParams({ appid: config.appid, prepayId: prepay.prepay_id, privateKey: config.privateKey });
2136     await db.collection('sx_orders').where({ orderNo }).update({
2137       data: { prepayId: prepay.prepay_id, updatedAt: db.serverDate() }
2138     });
2139     return { ok: true, orderNo, prepayId: prepay.prepay_id, payment };
2140   } catch (error) {
2141     console.error('[sxCreateWxPayOrder] failed', error);
2142     await db.collection('sx_orders').where({ orderNo }).update({
2143       data: { status: 'pay_create_failed', errorCode: error.code || '', errorMessage: error.message || '', updatedAt: db.serverDate() }
2144     });
2145     return { ok: false, code: error.code || 'wxpay_create_failed', message: error.message || 'WeChat Pay order failed' };
2146   }
2147 };
2148 /* ===== 文件: cloudfunctions/sxCreateWxPayOrder/package.json ===== */
2149 {
2150   "name": "sx-create-wxpay-order",
```

```

2151   "version": "1.0.0",
2152   "main": "index.js",
2153   "dependencies": {
2154     "wx-server-sdk": "latest"
2155   }
2156 }
2157 /* ===== 文件: cloudfunctions/sxGetAudioLibrary/index.js ===== */
2158 const cloud = require('wx-server-sdk');
2159
2160 cloud.init({ env: cloud.DYNAMIC_CURRENT_ENV });
2161 const db = cloud.database();
2162
2163 const CORS_HEADERS = {
2164   'Access-Control-Allow-Origin': '*',
2165   'Access-Control-Allow-Methods': 'GET,POST,OPTIONS',
2166   'Access-Control-Allow-Headers': 'Content-Type,Authorization',
2167   'Content-Type': 'application/json'
2168 };
2169
2170 function isHttpEvent(event) {
2171   return !(event && (event.httpMethod || event.headers || event.requestContext || typeof event.body === 'string'));
2172 }
2173
2174 function httpResponse(event, data, statusCode = 200) {
2175   if (!isHttpEvent(event)) return data;
2176   return { statusCode, headers: CORS_HEADERS, body: JSON.stringify(data) };
2177 }
2178
2179 function groupItems(items) {
2180   return items.reduce((map, item) => {
2181     const channel = item.channel || '';
2182     const fileID = item.fileID || item.fileId || '';
2183     if (!channel || !fileID) return map;
2184     if (!map[channel]) map[channel] = [];
2185     map[channel].push(fileID);
2186     return map;
2187   }, {});
2188 }
2189
2190 exports.main = async (event) => {
2191   if (event && event.httpMethod === 'OPTIONS') {
2192     return httpResponse(event, { ok: true });
2193   }
2194
2195   let result = { data: [] };
2196   try {
2197     result = await db.collection('sx_mc_audio_library')
2198       .where({ status: 'active' })
2199       .orderBy('createdAt', 'desc')
2200       .limit(100)

```

```

2201     .get();
2202   } catch (error) {
2203     console.warn('[sxGetAudioLibrary] sx_mc_audio_library unavailable', error);
2204   }
2205
2206   const items = result.data || [];
2207   return httpResponseBody(event, {
2208     ok: true,
2209     items,
2210     audioMap: groupItems(items)
2211   });
2212 };
2213 /* ===== 文件: cloudfunctions/sxGetAudioLibrary/package.json ===== */
2214 {
2215   "dependencies": {
2216     "wx-server-sdk": "latest"
2217   }
2218 }
2219 /* ===== 文件: cloudfunctions/sxGetAudioUrl/index.js ===== */
2220 const cloud = require('wx-server-sdk');
2221
2222 cloud.init({ env: cloud.DYNAMIC_CURRENT_ENV });
2223
2224 exports.main = async (event = {}) => {
2225   const fileID = String(event.fileID || '').trim();
2226   if (!fileID || !fileID.startsWith('cloud://')) {
2227     return { ok: false, code: 'invalid_file_id', message: '音频 fileID 无效' };
2228   }
2229
2230   try {
2231     const result = await cloud.getTempFileURL({ fileList: [fileID] });
2232     const item = result.fileList && result.fileList[0];
2233     if (!item || item.status !== 0 || !item.tempFileURL) {
2234       return { ok: false, code: 'temp_url_failed', message: item && item.errMsg ? item.errMsg : '音频临时地址生成失败', item };
2235     }
2236     return { ok: true, fileID, tempFileURL: item.tempFileURL };
2237   } catch (error) {
2238     console.error('[sxGetAudioUrl] failed', error);
2239     return { ok: false, code: error.code || 'cloud_error', message: error.message || '音频临时地址生成失败' };
2240   }
2241 };
2242 /* ===== 文件: cloudfunctions/sxGetAudioUrl/package.json ===== */
2243 {
2244   "name": "sx-get-audio-url",
2245   "version": "1.0.0",
2246   "main": "index.js",
2247   "dependencies": {
2248     "wx-server-sdk": "latest"
2249   }
2250 }

```

```
2251 /* ===== 文件: cloudfunctions/sxLogin/index.js ===== */
2252 const cloud = require('wx-server-sdk');
2253
2254 cloud.init({ env: cloud.DYNAMIC_CURRENT_ENV });
2255 const db = cloud.database();
2256
2257 async function ensureVoiceTrial(openid, unionid, now) {
2258   const existed = await db.collection('sx_entitlements')
2259     .where({ openid, productId: 'voice_trial_10' })
2260     .limit(1)
2261     .get();
2262   if (existed.data && existed.data.length) return;
2263
2264   await db.collection('sx_entitlements').add({
2265     data: {
2266       openid,
2267       unionid,
2268       productId: 'voice_trial_10',
2269       productName: 'AI 比分播报体验额度',
2270       features: ['score_voice'],
2271       voiceCredits: 10,
2272       shareCredits: 0,
2273       status: 'active',
2274       source: 'new_user_trial',
2275       scope: 'quota',
2276       startedAt: now,
2277       createdAt: now,
2278       updatedAt: now
2279     }
2280   });
2281 }
2282
2283 async function getPhoneNumber(phoneCode) {
2284   if (!phoneCode) return { phoneNumber: '', failed: true, message: '未收到手机号授权码' };
2285
2286   try {
2287     const result = await cloud.openapi.phonenumber.getPhoneNumber({ code: phoneCode });
2288     return {
2289       phoneNumber: (result && result.phoneInfo && result.phoneInfo.phoneNumber) || '',
2290       failed: false,
2291       message: ''
2292     };
2293   } catch (error) {
2294     console.warn('[sxLogin] get phone number failed', error);
2295     return {
2296       phoneNumber: '',
2297       failed: true,
2298       message: error && error.message ? error.message : '手机号授权失败'
2299     };
2300   }
}
```

```

2301 }
2302
2303 exports.main = async (event = {}) => {
2304   const wxContext = cloud.getWXContext();
2305   const now = db.serverDate();
2306   const openid = wxContext.OPENID;
2307   const unionid = wxContext.UNIONID || '';
2308   const profile = event.profile || {};
2309   const mode = profile.mode || 'wechat';
2310
2311   let phoneNumber = '';
2312   let phoneAuthFailed = false;
2313   let phoneAuthMessage = '';
2314
2315   if (mode === 'wechat') {
2316     const phoneResult = await getPhoneNumber(event.phoneCode || '');
2317     phoneNumber = phoneResult.phoneNumber || '';
2318     phoneAuthFailed = !phoneResult.failed || !phoneNumber;
2319     phoneAuthMessage = phoneResult.message || '';
2320   }
2321
2322   const user = {
2323     openid,
2324     unionid,
2325     nickName: profile.nickName || '微信用户',
2326     avatarUrl: profile.avatarUrl || '',
2327     mode,
2328     phoneNumber: phoneNumber || profile.phoneNumber || '',
2329     phoneAuthFailed,
2330     phoneAuthMessage,
2331     lastLoginAt: now,
2332     updatedAt: now
2333   };
2334
2335   const existed = await db.collection('sx_users').where({ openid }).limit(1).get();
2336   if (existed.data.length) {
2337     await db.collection('sx_users').doc(existed.data[0]._id).update({ data: user });
2338     await ensureVoiceTrial(openid, unionid, now);
2339     return { ok: true, openid, unionid, phoneNumber: user.phoneNumber, phoneAuthFailed, userId: existed.data[0]._id };
2340   }
2341
2342   const created = await db.collection('sx_users').add({ data: Object.assign({}, user, { createdAt: now }) });
2343   await ensureVoiceTrial(openid, unionid, now);
2344   return { ok: true, openid, unionid, phoneNumber: user.phoneNumber, phoneAuthFailed, userId: created._id };
2345 };
2346 /* ===== 文件: cloudfunctions/sxLogin/package.json ===== */
2347 {
2348   "dependencies": {
2349     "wx-server-sdk": "latest"
2350   }

```

```

2351 }
2352 /* ===== 文件: cloudfunctions/sxRedeemCode/index.js ===== */
2353 const cloud = require('wx-server-sdk');
2354
2355 cloud.init({ env: cloud.DYNAMIC_CURRENT_ENV });
2356 const db = cloud.database();
2357
2358 function normalizeCode(value) {
2359   return String(value || '').trim().replace(/\s+/g, '').toUpperCase();
2360 }
2361
2362 function toTime(value) {
2363   if (!value) return 0;
2364   if (value instanceof Date) return value.getTime();
2365   if (typeof value === 'string' || typeof value === 'number') return new Date(value).getTime();
2366   if (value.$date) return new Date(value.$date).getTime();
2367   return 0;
2368 }
2369
2370 function buildEntitlement(code, wxContext, now) {
2371   const durationDays = Math.max(0, Number(code.durationDays || 31));
2372   const entitlement = {
2373     openid: wxContext.OPENID,
2374     unionid: wxContext.UNIONID || '',
2375     redeemCode: code.code,
2376     redeemCodeId: code._id,
2377     batchId: code.batchId || '',
2378     productId: code.productId || code.plan || 'pro_month',
2379     productName: code.productName || '赛小蜂 Pro 会员',
2380     features: Array.isArray(code.features) ? code.features : ['mc_system', 'stats_scorer_2'],
2381     voiceCredits: Math.max(0, Math.floor(Number(code.voiceCredits || 0))),
2382     shareCredits: Math.max(0, Math.floor(Number(code.shareCredits || 0))),
2383     status: 'active',
2384     source: 'redeem_code',
2385     startedAt: now,
2386     createdAt: now,
2387     updatedAt: now
2388   };
2389
2390   if (durationDays > 0) {
2391     entitlement.scope = 'redeem_days';
2392     entitlement.expiresAt = new Date(Date.now() + durationDays * 24 * 60 * 60 * 1000);
2393   } else {
2394     entitlement.scope = 'lifetime';
2395   }
2396
2397   return entitlement;
2398 }
2399
2400 exports.main = async (event) => {

```



```

2401 const wxContext = cloud.getWXContext();
2402 const openid = wxContext.OPENID;
2403 if (!openid) return { ok: false, message: '请先登录后再兑换' };
2404
2405 const codeText = normalizeCode(event && event.code);
2406 if (!codeText) return { ok: false, message: '请输入会员兑换码' };
2407
2408 const codeRes = await db.collection('sx_redeem_codes').where({ code: codeText }).limit(1).get();
2409 const code = codeRes.data && codeRes.data[0];
2410 if (!code) return { ok: false, message: '兑换码不存在' };
2411 if (code.status === 'used') return { ok: false, message: '这个兑换码已经被使用' };
2412 if (code.status !== 'unused') return { ok: false, message: '这个兑换码不可用' };
2413
2414 const codeExpiresAt = toTime(code.expiresAt);
2415 if (codeExpiresAt && codeExpiresAt <= Date.now()) {
2416   return { ok: false, message: '这个兑换码已过期' };
2417 }
2418
2419 const now = db.serverDate();
2420 const updateRes = await db.collection('sx_redeem_codes').where({
2421   code: codeText,
2422   status: 'unused'
2423 }).update({
2424   data: {
2425     status: 'used',
2426     usedByOpenid: openid,
2427     usedByUnionid: wxContext.UNIONID || '',
2428     usedAt: now,
2429     updatedAt: now
2430   }
2431 });
2432
2433 if (!updateRes.stats || !updateRes.stats.updated) {
2434   return { ok: false, message: '兑换码状态已变化, 请刷新后重试' };
2435 }
2436
2437 const entitlement = buildEntitlement(code, wxContext, now);
2438 const created = await db.collection('sx_entitlements').add({ data: entitlement });
2439
2440 return {
2441   ok: true,
2442   message: '会员兑换成功',
2443   entitlement: Object.assign({ _id: created._id }, entitlement, {
2444     expiresAt: entitlement.expiresAt || null
2445   })
2446 };
2447 };
2448 /* ===== 文件: cloudfunctions/sxRedeemCode/package.json ===== */
2449 {
2450   "dependencies": {

```

```

2451     "wx-server-sdk": "latest"
2452   }
2453 }
2454 /* ===== 文件: cloudfunctions/sxSaveAudioLibrary/index.js ===== */
2455 const cloud = require('wx-server-sdk');
2456
2457 cloud.init({ env: cloud.DYNAMIC_CURRENT_ENV });
2458 const db = cloud.database();
2459 const _ = db.command;
2460
2461 const CHANNELS = ['buzzer', 'three', 'two', 'miss', 'cheer', 'applause', 'attack', 'defense', 'rest', 'start', 'voice', 'ambience'];
2462 const DEFAULT_BUCKET_PREFIX = 'cloud://cloudbase-d4g93f0re5f3274c1.636c-cloudbase-d4g93f0re5f3274c1-1446269281/mc-mp3';
2463 const DEFAULT_AUDIO_ITEMS = [
2464   { channel: 'buzzer', name: '\u8702\u9e23\u5668', fileID: `${DEFAULT_BUCKET_PREFIX}/\u6bd4\u8d5b\u97f3\u6548/\u8702\u9e23\u5668.mp3`, sort:...
2465   { channel: 'three', name: '\u4e09\u5206\u7403', fileID: `${DEFAULT_BUCKET_PREFIX}/\u6bd4\u8d5b\u97f3\u6548/\u4e09\u5206\u7403.mp3`, sort:...
2466   { channel: 'two', name: '2\u5206\u8fdb\u7403\u6709\u6548', fileID: `${DEFAULT_BUCKET_PREFIX}/\u6bd4\u8d5b\u97f3\u6548/2\u5206\u8fdb\u7403...
2467   { channel: 'miss', name: '\u6295\u7bee\u672a\u8fdb', fileID: `${DEFAULT_BUCKET_PREFIX}/\u6bd4\u8d5b\u97f3\u6548/\u6295\u7bee\u672a\u8fdb...
2468   { channel: 'cheer', name: '\u6b22\u547c\u58f0', fileID: `${DEFAULT_BUCKET_PREFIX}/\u6bd4\u8d5b\u97f3\u6548/\u6b22\u547c\u58f0.mp3`, sort:...
2469   { channel: 'rest', name: 'Remember the Name', fileID: `${DEFAULT_BUCKET_PREFIX}/\u6682\u505c\u4f11\u606f\u97f3\u4e50/Fort Minor - Remembe...
2470   { channel: 'rest', name: 'Its My Life', fileID: `${DEFAULT_BUCKET_PREFIX}/\u6682\u505c\u4f11\u606f\u97f3\u4e50/Studio 99 - Its My Life_L...
2471 ];
2472 const CORS_HEADERS = {
2473   'Access-Control-Allow-Origin': '*',
2474   'Access-Control-Allow-Methods': 'GET,POST,OPTIONS',
2475   'Access-Control-Allow-Headers': 'Content-Type,Authorization',
2476   'Content-Type': 'application/json'
2477 };
2478
2479 function isHttpEvent(event) {
2480   return !(event && (event.httpMethod || event.headers || event.requestContext || typeof event.body === 'string'));
2481 }
2482
2483 function httpResponse(event, data, statusCode = 200) {
2484   if (!isHttpEvent(event)) return data;
2485   return { statusCode, headers: CORS_HEADERS, body: JSON.stringify(data) };
2486 }
2487
2488 function parsePayload(event) {
2489   if (!event) return {};
2490   if (typeof event.body === 'string') {
2491     try { return Object.assign({}, event, JSON.parse(event.body)); } catch (error) { return event; }
2492   }
2493   return event;
2494 }
2495
2496 function normalizeItem(item) {
2497   const channel = String(item.channel || '').trim();
2498   const fileID = String(item.fileID || item.fileId || '').trim();
2499   const name = String(item.name || '').trim() || fileID.split('/').pop() || '未命名音效';
2500   if (!CHANNELS.includes(channel)) return null;

```

```

2501   if (!fileID.startsWith('cloud://')) return null;
2502   return {
2503     channel,
2504     fileID,
2505     name,
2506     status: item.status === 'disabled' ? 'disabled' : 'active',
2507     sort: Number(item.sort || 0),
2508     note: String(item.note || '')
2509   };
2510 }
2511
2512 async function upsertAudioItem(item, extra) {
2513   const existing = await db.collection('sx_mc_audio_library')
2514     .where({ fileID: item.fileID })
2515     .limit(1)
2516     .get();
2517
2518   const data = Object.assign({}, item, extra);
2519   if (existing.data && existing.data[0]) {
2520     await db.collection('sx_mc_audio_library').doc(existing.data[0]._id).update({
2521       data: Object.assign({}, data, {
2522         createdAt: _.set(existing.data[0].createdAt || extra.createdAt)
2523       })
2524     });
2525     return Object.assign({ _id: existing.data[0]._id, mode: 'updated' }, data);
2526   }
2527
2528   const created = await db.collection('sx_mc_audio_library').add({ data });
2529   return Object.assign({ _id: created._id, mode: 'created' }, data);
2530 }
2531
2532 exports.main = async (event) => {
2533   if (event && event.httpMethod === 'OPTIONS') {
2534     return httpResponse(event, { ok: true });
2535   }
2536
2537   const payload = parsePayload(event);
2538   const adminToken = process.env.SXF_ADMIN_TOKEN || '';
2539
2540   if (adminToken && payload.adminToken !== adminToken) {
2541     return httpResponse(event, { ok: false, message: '后台口令不正确' }, 403);
2542   }
2543
2544   const rawItems = payload.preset === 'sxf_default'
2545     ? DEFAULT_AUDIO_ITEMS
2546     : (Array.isArray(payload.items) ? payload.items : [payload]);
2547   const items = rawItems.map(normalizeItem).filter(Boolean);
2548   if (!items.length) {
2549     return httpResponse(event, { ok: false, message: '请填写正确的音频类型和 cloud:// 文件 ID' }, 400);
2550   }

```

```

2551
2552   const wxContext = cloud.getWXContext();
2553   const now = db.serverDate();
2554   const saved = [];
2555
2556   for (let i = 0; i < items.length; i += 1) {
2557     const item = Object.assign({}, items[i], {
2558       createdByOpenid: wxContext.OPENID || '',
2559       createdByUnionid: wxContext.UNIONID || '',
2560       createdAt: now,
2561       updatedAt: now
2562     });
2563     saved.push(await upsertAudioItem(item, {
2564       createdByOpenid: wxContext.OPENID || '',
2565       createdByUnionid: wxContext.UNIONID || '',
2566       createdAt: now,
2567       updatedAt: now
2568     }));
2569   }
2570
2571   return httpResponse(event, {
2572     ok: true,
2573     warning: adminToken ? '' : '当前未配置 SXF_ADMIN_TOKEN, 建议上线前设置后台口令。',
2574     saved
2575   });
2576 };
2577 /* ===== 文件: cloudfunctions/sxSaveAudioLibrary/package.json ===== */
2578 {
2579   "dependencies": {
2580     "wx-server-sdk": "latest"
2581   }
2582 }
2583 /* ===== 文件: cloudfunctions/sxSaveMatchResult/index.js ===== */
2584 const cloud = require('wx-server-sdk');
2585
2586 cloud.init({ env: cloud.DYNAMIC_CURRENT_ENV });
2587 const db = cloud.database();
2588
2589 exports.main = async (event) => {
2590   const wxContext = cloud.getWXContext();
2591   const result = event.result || {};
2592
2593   const data = {
2594     openid: wxContext.OPENID,
2595     unionid: wxContext.UNIONID || '',
2596     homeName: result.homeName || '主队',
2597     awayName: result.awayName || '客队',
2598     homeScore: Number(result.homeScore || 0),
2599     awayScore: Number(result.awayScore || 0),
2600     homeFouls: Number(result.homeFouls || 0),

```

```

2601     awayFouls: Number(result.awayFouls || 0),
2602     period: Number(result.period || 1),
2603     totalPeriods: Number(result.totalPeriods || 4),
2604     clockText: result.clockText || '',
2605     endedAtText: result.endedAt || '',
2606     createdAt: db.serverDate()
2607   };
2608
2609   const res = await db.collection('sx_match_results').add({ data });
2610   return { ok: true, id: res._id };
2611 };
2612 /* ===== 文件: cloudfunctions/sxSaveMatchResult/package.json ===== */
2613 {
2614   "dependencies": {
2615     "wx-server-sdk": "latest"
2616   }
2617 }
2618 /* ===== 文件: cloudfunctions/sxSaveUser/index.js ===== */
2619 const cloud = require('wx-server-sdk');
2620
2621 cloud.init({ env: cloud.DYNAMIC_CURRENT_ENV });
2622 const db = cloud.database();
2623
2624 exports.main = async (event) => {
2625   const wxContext = cloud.getWXContext();
2626   const now = db.serverDate();
2627   const openid = wxContext.OPENID;
2628   const profile = event.profile || {};
2629
2630   const data = {
2631     openid,
2632     unionid: wxContext.UNIONID || profile.wxUnionId || '',
2633     nickName: profile.nickName || '赛小蜂用户',
2634     avatarUrl: profile.avatarUrl || '',
2635     phoneNumber: profile.phoneNumber || '',
2636     mode: profile.mode || 'wechat',
2637     updatedAt: now
2638   };
2639
2640   const existed = await db.collection('sx_users').where({ openid }).limit(1).get();
2641   if (existed.data.length) {
2642     await db.collection('sx_users').doc(existed.data[0]._id).update({ data });
2643     return { ok: true, userId: existed.data[0]._id, openid };
2644   }
2645
2646   const created = await db.collection('sx_users').add({ data: Object.assign({}, data, { createdAt: now }) });
2647   return { ok: true, userId: created._id, openid };
2648 };
2649 /* ===== 文件: cloudfunctions/sxSaveUser/package.json ===== */
2650 {

```

```

2651   "dependencies": {
2652     "wx-server-sdk": "latest"
2653   }
2654 }
2655 /* ===== 文件: cloudfunctions/sxSubmitFeedback/index.js ===== */
2656 const cloud = require('wx-server-sdk');
2657
2658 cloud.init({ env: cloud.DYNAMIC_CURRENT_ENV });
2659 const db = cloud.database();
2660
2661 exports.main = async (event) => {
2662   const wxContext = cloud.getWXContext();
2663   const content = String(event.content || '').trim();
2664   if (!content) return { ok: false, message: '反馈内容不能为空' };
2665
2666   const item = {
2667     openid: wxContext.OPENID,
2668     unionid: wxContext.UNIONID || '',
2669     type: event.type || '功能建议',
2670     content,
2671     contact: String(event.contact || '').trim(),
2672     user: event.user || {},
2673     status: 'new',
2674     createdAt: db.serverDate(),
2675     updatedAt: db.serverDate()
2676   };
2677
2678   const res = await db.collection('sx_feedback').add({ data: item });
2679   return { ok: true, id: res._id };
2680 };
2681 /* ===== 文件: cloudfunctions/sxSubmitFeedback/package.json ===== */
2682 {
2683   "dependencies": {
2684     "wx-server-sdk": "latest"
2685   }
2686 }
2687 /* ===== 文件: cloudfunctions/sxSyncRoster/index.js ===== */
2688 const cloud = require('wx-server-sdk');
2689
2690 cloud.init({ env: cloud.DYNAMIC_CURRENT_ENV });
2691 const db = cloud.database();
2692
2693 function cleanList(value) {
2694   return Array.isArray(value) ? value.slice(0, 1000) : [];
2695 }
2696
2697 function normalizeRoster(value) {
2698   const roster = value && typeof value === 'object' ? value : {};
2699   return {
2700     teams: cleanList(roster.teams),

```

```

2701     teamDrafts: cleanList(roster.teamDrafts),
2702     teamCategories: cleanList(roster.teamCategories),
2703     players: cleanList(roster.players),
2704     version: Number(roster.version || Date.now())
2705   });
2706 }
2707
2708 function collectCloudFileIDs(roster) {
2709   const ids = new Set();
2710   const add = (value) => {
2711     const fileID = String(value || '').trim();
2712     if (fileID.startsWith('cloud:///')) ids.add(fileID);
2713   };
2714   const addTeam = (team) => {
2715     if (!team) return;
2716     add(team.logoUrl || team.teamLogo || team.logo);
2717   };
2718   cleanList(roster.teams).forEach(addTeam);
2719   cleanList(roster.teamDrafts).forEach(addTeam);
2720   cleanList(roster.teamCategories).forEach(addTeam);
2721   cleanList(roster.players).forEach((player) => {
2722     if (!player) return;
2723     add(player.avatar || player.avatarUrl || player.photo || player.photoUrl);
2724     add(player.teamLogo || player.logoUrl);
2725   });
2726   return Array.from(ids);
2727 }
2728
2729 async function getImageUrls(roster) {
2730   const fileIDs = collectCloudFileIDs(roster);
2731   const imageUrls = {};
2732   for (let index = 0; index < fileIDs.length; index += 50) {
2733     const result = await cloud.getTempFileURL({ fileList: fileIDs.slice(index, index + 50) });
2734     cleanList(result.fileList).forEach((item) => {
2735       if (item.fileID && item.tempFileURL) imageUrls[item.fileID] = item.tempFileURL;
2736     });
2737   }
2738   return imageUrls;
2739 }
2740
2741 async function getOrCreateUser(openid, unionid) {
2742   const users = await db.collection('sx_users').where({ openid }).limit(1).get();
2743   if (users.data && users.data.length) return users.data[0];
2744   const now = db.serverDate();
2745   const created = await db.collection('sx_users').add({
2746     data: {
2747       openid,
2748       unionid: unionid || '',
2749       nickName: '\u5fae\u4fe1\u7528\u6237',
2750       avatarUrl: '',

```

```

2751     mode: 'wechat',
2752     createdAt: now,
2753     updatedAt: now
2754   }
2755 });
2756 return { _id: created._id, openid, unionid: unionid || '', avatarUrl: '' };
2757 }
2758
2759 exports.main = async (event = {}) => {
2760   const wxContext = cloud.getWXContext();
2761   const openid = wxContext.OPENID;
2762   if (!openid) return { ok: false, code: 'NO_OPENID', message: '\u672a\u83b7\u53d6\u5230\u5fae\u4fe1\u8eab\u4eef\u8c\u8bf7\u91cd\u65b0\u7...' };
2763   const user = await getOrCreateUser(openid, wxContext.UNIONID || '');
2764
2765   if (event.action === 'profile') {
2766     const avatarFileID = String(user.avatarUrl || '');
2767     const urls = avatarFileID.startsWith('cloud://')
2768       ? await cloud.getTempFileURL({ fileList: [avatarFileID] })
2769       : { fileList: [] };
2770     const avatarItem = cleanList(urls.fileList)[0] || {};
2771     return {
2772       ok: true,
2773       action: 'profile',
2774       profile: {
2775         userId: user._id,
2776         wxOpenId: openid,
2777         wxUnionId: user.unionid || '',
2778         nickName: user.nickName || '\u5fae\u4fe1\u7528\u6237',
2779         avatarUrl: avatarFileID,
2780         avatarDisplayUrl: avatarItem.tempFileURL || avatarFileID,
2781         phoneNumber: user.phoneNumber || '',
2782         mode: user.mode || 'wechat',
2783         loggedIn: true
2784       }
2785     };
2786   }
2787   if (event.action === 'push') {
2788     const roster = normalizeRoster(event.roster);
2789     await db.collection('sx_users').doc(user._id).update({
2790       data: {
2791         roster,
2792         rosterUpdatedAt: db.serverDate(),
2793         updatedAt: db.serverDate()
2794       }
2795     });
2796     return { ok: true, action: 'push', userId: user._id, phoneNumber: user.phoneNumber || '', roster };
2797   }
2798
2799   const roster = user.roster ? normalizeRoster(user.roster) : null;
2800

```



```

2801 return {
2802     ok: true,
2803     action: 'pull',
2804     userId: user._id,
2805     phoneNumber: user.phoneNumber || '',
2806     roster,
2807     imageUrls: roster ? await getImageUrls(roster) : {}
2808 };
2809 };
2810 /* ===== 文件: cloudfunctions/sxSyncRoster/package.json ===== */
2811 {
2812     "dependencies": {
2813         "wx-server-sdk": "latest"
2814     }
2815 }
2816 /* ===== 文件: cloudfunctions/sxWxPayNotify/index.js ===== */
2817 const cloud = require('wx-server-sdk');
2818 const crypto = require('crypto');
2819
2820 cloud.init({ env: cloud.DYNAMIC_CURRENT_ENV });
2821 const db = cloud.database();
2822
2823 const DAY = 24 * 60 * 60 * 1000;
2824 const VOICE_CREDITS = {
2825     voice_light: 50,
2826     voice_standard: 150,
2827     voice_team: 400,
2828     voice_credits_50: 50,
2829     voice_credits_150: 150,
2830     voice_credits_400: 400
2831 };
2832
2833 function getBody(event) {
2834     if (!event) return {};
2835     if (typeof event.body === 'string') {
2836         try { return JSON.parse(event.body); } catch (error) { return {}; }
2837     }
2838     return event.body || event;
2839 }
2840
2841 function decryptResource(resource) {
2842     const apiV3Key = process.env.SXF_WXPAY_API_V3_KEY;
2843     if (!apiV3Key) {
2844         const error = new Error('missing_wxpay_api_v3_key');
2845         error.code = 'missing_wxpay_api_v3_key';
2846         throw error;
2847     }
2848     const decipher = crypto.createDecipheriv('aes-256-gcm', Buffer.from(apiV3Key, 'utf8'), Buffer.from(resource.nonce, 'utf8'));
2849     decipher.setAuthTag(Buffer.from(resource.tag, 'base64'));
2850     decipher.setAAD(Buffer.from(resource.associated_data || '', 'utf8'));

```

```

2851     const decoded = Buffer.concat([
2852       decipher.update(Buffer.from(resource.ciphertext, 'base64')),
2853       decipher.final()
2854     ]).toString('utf8');
2855     return JSON.parse(decoded);
2856   }
2857
2858   function buildEntitlement(product, orderNo, paidAt) {
2859     const productId = product.id || '';
2860     const data = {
2861       orderNo,
2862       productId,
2863       productName: product.name || '',
2864       features: [],
2865       status: 'active',
2866       source: 'wechat_pay',
2867       startedAt: paidAt,
2868       createdAt: paidAt,
2869       updatedAt: paidAt
2870     };
2871
2872     if (productId === 'mc_day') {
2873       data.features = ['mc_system'];
2874       data.scope = 'day';
2875       data.expiresAt = new Date(Date.now() + DAY);
2876     } else if (productId === 'mc_month') {
2877       data.features = ['mc_system'];
2878       data.scope = 'monthly';
2879       data.expiresAt = new Date(Date.now() + 30 * DAY);
2880     } else if (productId === 'mc_lifetime') {
2881       data.features = ['mc_system'];
2882       data.scope = 'lifetime';
2883     } else if (VOICE_CREDITS[productId]) {
2884       data.features = ['score_voice'];
2885       data.scope = 'voice_pack';
2886       data.voiceCredits = VOICE_CREDITS[productId];
2887     } else if (productId === 'single') {
2888       data.features = ['mc_system'];
2889       data.scope = 'single_match';
2890       data.usageLimit = 1;
2891       data.remainingUses = 1;
2892     } else if (productId === 'monthly') {
2893       data.features = ['mc_system'];
2894       data.scope = 'monthly';
2895       data.expiresAt = new Date(Date.now() + 30 * DAY);
2896     } else if (productId === 'lifetime') {
2897       data.features = ['mc_system'];
2898       data.scope = 'lifetime';
2899     } else {
2900       data.features = Array.isArray(product.features) && product.features.length ? product.features : ['mc_system'];

```

```

2901   }
2902   return data;
2903 }
2904
2905 async function activateEntitlement(order, transaction) {
2906   const now = db.serverDate();
2907   const exists = await db.collection('sx_entitlements').where({ orderNo: order.orderNo, status: 'active' }).limit(1).get();
2908   if (exists.data && exists.data.length) return;
2909
2910   const entitlement = buildEntitlement(order.product || {}, order.orderNo, now);
2911   entitlement.openid = order.openid;
2912   entitlement.unionid = order.unionid || '';
2913   entitlement.transactionId = transaction.transaction_id || '';
2914   await db.collection('sx_entitlements').add({ data: entitlement });
2915 }
2916
2917 exports.main = async (event) => {
2918   const body = getBody(event);
2919   try {
2920     if (!body.resource) return { code: 'FAIL', message: 'missing resource' };
2921     const transaction = decryptResource(body.resource);
2922     const orderNo = transaction.out_trade_no;
2923     if (!orderNo) return { code: 'FAIL', message: 'missing out_trade_no' };
2924
2925     const orders = await db.collection('sx_orders').where({ orderNo }).limit(1).get();
2926     if (!orders.data || !orders.data.length) return { code: 'FAIL', message: 'order not found' };
2927     const order = orders.data[0];
2928     const paid = transaction.trade_state === 'SUCCESS';
2929
2930     await db.collection('sx_orders').doc(order._id).update({
2931       data: {
2932         status: paid ? 'paid' : (transaction.trade_state || 'unknown'),
2933         transactionId: transaction.transaction_id || '',
2934         paidAt: paid ? db.serverDate() : null,
2935         wxpayRaw: transaction,
2936         updatedAt: db.serverDate()
2937       }
2938     });
2939
2940     if (paid) await activateEntitlement(order, transaction);
2941     return { code: 'SUCCESS', message: '成功' };
2942   } catch (error) {
2943     console.error('[sxWxPayNotify] failed', error);
2944     return { code: 'FAIL', message: error.message || 'notify failed' };
2945   }
2946 };
2947 /* ===== 文件: cloudfunctions/sxWxPayNotify/package.json ===== */
2948 {
2949   "name": "sx-wxpay-notify",
2950   "version": "1.0.0",

```

```

2951   "main": "index.js",
2952   "dependencies": {
2953     "wx-server-sdk": "latest"
2954   }
2955 }
2956 /* ===== 文件: admin/index.html ===== */
2957 <!doctype html><html lang="zh-CN"><head><meta charset="utf-8"><meta name="viewport" content="width=device-width,initial-scale=1"><title>&#x...
2958 /* ===== 文件: admin/sample-data.json ===== */
2959 {
2960   "users": [
2961     {
2962       "userId": "user-1001",
2963       "nickName": "微信用户",
2964       "wxOpenId": "openid_mock_1001",
2965       "wxUnionId": "unionid_mock_1001",
2966       "phoneNumber": "13800000000",
2967       "source": "微信登录",
2968       "updatedAt": "2026/7/1 20:45:00"
2969     },
2970     {
2971       "userId": "user-1002",
2972       "nickName": "游客体验",
2973       "wxOpenId": "",
2974       "wxUnionId": "",
2975       "phoneNumber": "",
2976       "source": "游客",
2977       "updatedAt": "2026/7/1 20:49:00"
2978     }
2979   ],
2980   "feedback": [
2981     {
2982       "id": 1,
2983       "type": "功能建议",
2984       "content": "希望计分结束后可以生成海报。",
2985       "contact": "13800000000",
2986       "user": {
2987         "nickName": "微信用户",
2988         "wxOpenId": "openid_mock_1001",
2989         "wxUnionId": "unionid_mock_1001",
2990         "phoneNumber": "13800000000"
2991       },
2992       "createdAt": "2026/7/1 20:51:00"
2993     }
2994   ],
2995   "stats": {
2996     "matches": 6,
2997     "tournaments": 2,
2998     "players": 18
2999   }
3000 }

```