Rails 第一课:环境建置 (/courses/1/syllabus) Q 搜索本课程教材

□概览 (/courses/1) ≣教材 (/courses/1/syllabus)

函作业 (/courses/1/assignments)

♀FAQ (/courses/1/faqs) ●动态 (/courses/1/activities)

☆积分榜 (/courses/1/leaderboard)

有 0 位同学正在浏览当前页面

## 3-4 安装 Homebrew

(/favorites?post\_id=10)



(https://s3-ap-northeast-1.amazonaws.com/ontrackapp-production/XtSS3NcRvyThpvFpi2Qn\_skitch%20(13).png)

## 如何安装 Homebrew?

在终端机输入: (此命令较长,实为一整行,请复制粘贴在终端机然后回车。若此行失效,可至官网查看新版)

(Homebrew 的官方网址在: http://brew.sh/index zh-tw.html (http://brew.sh/index zh-tw.html))

/usr/bin/ruby -e "\$(curl -fsSL

https://raw.githubusercontent.com/Homebrew/install/master/install)"

■ 中间会出现很多条文,按照要求敲击键盘上的 "return" 回车键同意即可。期间会被问到系统密码,此时只管输入密码,然后按回车即可。(你会发现输入密码时屏幕没有任何反应,但其实电脑已经有收到信

息了)

```
MRP:~ feihen$
                                                                               (https://s3-
MBP:~ feiben$ /usr/bin/ruby -e "$(curl -fsSL https://raw.githubusercontent.co
omebrew/install/master/install)"
==> This script will install:
/usr/local/bin/brew
/usr/local/share/doc/homebrew
/usr/local/share/man/man1/brew.1
/usr/local/share/zsh/site-functions/_brew
/usr/local/etc/bash_completion.d/brew
/usr/local/Homebrew
==> The following new directories will be created:
/usr/local/Cellar
/usr/local/Homebrew
/usr/local/Frameworks
/usr/local/bin
/usr/local/etc
/usr/local/include
/usr/local/lib
/usr/local/opt
/usr/local/sbin
/usr/local/share
/usr/local/share/zsh
/usr/local/share/zsh/site-functions
/usr/local/var
Press RETURN to continue or any other key to abort
==> /usr/bin/sudo /bin/mkdir -p /usr/local/Cellar /usr/local/Homebrew /usr/lc
/Frameworks /usr/local/bin /usr/local/etc /usr/local/include /usr/local/lib /
/local/opt /usr/local/sbin /usr/local/share /usr/local/share/zsh /usr/local/s
e/zsh/site-functions /usr/local/var
Password:
```

ap-northeast-1.amazonaws.com/ontrackapp-production/fGEw2ELuTt64qvARMjkX\_homebrew.png)

■ 如果没有敲击 "return" 回车键,而是按了别的按键,则安装过程可能会被中断。需再重新输入安装命令,继续安装,直到屏幕显示安装成功。

```
Checking connectivity... done.

Tapped 3661 formulae (3,813 files, 9.4M)

=>> Cleaning up /Library/Caches/Homebrew...

=>> Migrating /Library/Caches/Homebrew to /Users/quanzhan/Li

=>> Deleting /Library/Caches/Homebrew...

Already up-to-date.

==>> Installation successful!

==>> Homebrew has enabled anonymous aggregate user behaviour

Read the analytics documentation (and how to opt-out) here:

https://git.io/brew-analytics

==>> Next steps:

Run `brew help` to get started

Further documentation:

https://git.io/brew-docs
quanzhandeMini:~ quanzhan$ 

https://git.io/brew-docs
quanzhandeMini:~ quanzhan$ 

http://gut.io/brew-docs
```


(http://ww4.sinaimg.cn/large/006y8lVajw1fao2qtcv00j30jw0bfn1p.jpg)

## Homebrew 是什么?

Homebrew 是开发者社群专为 MacOSX 打造的第三方套件管理程式,比如说安装 Ruby 需要一些编译工具或函式库,这些工具或函式库,可以从 Homebrew 取得。



## 🖟 本节作业



☆ 在线客服 (非技术答疑, 工作日10:00-19:00) 全栈营 课程资源 关于我们 课程介绍 学习中心 公司介绍 (/pages/course\_intro)(/dashboard) (/pages/about) 新生大学 - 软件学院是李笑来对未来世界的实 教学团队 帮助文档 常见问题 验计划,旨在改变中国的计算机教育。 (/pages/teachers) (http://docs.qzy.camp(/)pages/faq) (http://www.xinshengdaxue.com/) 学员心得 交流论坛 联系方式 (/pages/students) (http://forum.qzy.ca(r/mpa/ges/contact)

© 2017 情非得已(北京)科技有限公司

本站聘请孙雁飞律师为法律顾问