
Terminal Software for General purpose
About SGTERM Ver6.07

October 17, 2014 SIGMA KOKI CO.,LTD. Technology Center

Environment

◆Hardware

Personal computers with WindowsXP/Vista/7 (32bit/64bit)

CPU	: Pentium II 333MHz or more
Memory	: 64MB or more (Recommend 128MB or more)
HardDisk	: More than 50MB free space
Drive	: CD-ROM or FD(Installation possible drive)

◆Software

OS	: Microsoft WindowsXP/Vista/7 (32bit/64bit)
Application	: Microsoft Excel97 or later

◆Interface

Please pay attention because there is restriction by the environment and devices etc. where it is used, although it is supporting the interfacing of RS232C/GPIB/USB/LAN in this product.

RS232C	: Standard correspondence.
GPIB	: GPIB is only supported for an interface board from National Instruments. Before using the GPIB interface, the device driver for the GPIB card must be installed.
USB	: USB control is supported for SHOT series only. Before using the USB interface, the device

driver for the SHOT series must be installed.
USB can be used in the personal computers with
WindowsVista/7 (32bit/64bit).

LAN : Standard correspondence.

◆Others

We are doing action confirmation in the following environment.

Excel97/2000/2002/2003.

We are doing action confirmation by the following stage controller
about the USB interface.

SHOT (Mark) -202/204/302/304, FINE (Mark) -501/502/503 series

The guarantee and also inquiry regarding the action of this product
ask to cause in above environment limited.