Chevrolet Product Information

2022 CHEVROLET EQUINOX SPECIFICATIONS

EPA-EST. MPG

City	26 (FWD) 25 (AWD)
Highway	31 (FWD) 30 (AWD)

FUEL TANK CAPACITY (gallons / liters – approx.)

14.9 / 56 (FWD) 15.6 / 59 (AWD)

ENGINE

	1.5L turbo DOHC DI with automatic stop/start
Bore & Stroke (in / mm):	2.9 x 3.4 / 74 x 86.6
Block Material:	Cast aluminum
Cylinder Head Material:	Cast aluminum
Valvetrain:	Dual overhead camshafts; four valves per cylinder
Fuel Delivery:	Direct injection
Horsepower (hp / kW @ rpm):	170 / 127 @ 5600 (SAE-certified)
Torque (lb.-ft./ Nm @ rpm):	203 / 275 @ 2000-4000 (SAE-certified)

TRANSMISSION & AXLE

Type:	Hydra-Matic 6T40 six-speed automatic
Gear Ratios (:1)	**6T40**
First	4.58
Second	2.96
Third	1.91
Fourth	1.44
Fifth	1.00
Sixth	0.74
Reverse	2.94
Final Drive Ratio:	3.50 (FWD) 3.87 (AWD)

CHASSIS & SUSPENSION

Front Suspension:	MacPherson strut with specifically tuned coil springs, direct-acting stabilizer bar
Rear Suspension:	Four-link independent rear suspension
Steering Type:	Electric power-assisted rack-and-pinion



Chevrolet Product Information

Turning Circle (ft. / m):	37.4 / 11.4 (17-in. wheels) 38.4 / 11.7 (18-in. wheels) 41.6 / 12.7 (19-in. wheels)
Brake Type:	Four-wheel disc with ABS and ESC; Duralife rotors with low-drag calipers
Brake Rotor Size (in / mm):	Front: 11.8 / 300 Rear: 11.3 / 288
Wheel Size:	17-in. aluminum (std. LS and LT) 18-in. aluminum (std. Premier, avail. LT) 19-in. aluminum (std. RS, avail. LT and Premier)
Tire Size:	P225/65R17 P225/60R18 P235/50R19

EXTERIOR DIMENSIONS

Wheelbase (in. / mm):	107.3 / 2725
Overall Length (in. / mm):	183.1 / 4652
Overall Width (in. / mm):	72.6 / 1843
Overall Height (in. / mm):	65.4 / 1661
Track (in. mm):	Front: 62.2 / 1580 Rear: 62.2 / 1581
Ground clearance (in. / mm):	7.6 / 193 (FWD w/ 17-in. wheels) 7.9 / 202 (AWD w /17-in. wheels) 8.0 / 204 (AWD w/ 18-in. wheels) TBD (FWD w/ 19-in. wheels)

INTERIOR DIMENSIONS & PASSENGER VOLUME

Headroom (in. / mm):	40.0 / 1016 (front w/o sunroof) 38.2 / 970 (front w/ sunroof) 38.5 / 977 (rear w/o sunroof) 36.9 / 936 (rear w/ sunroof)
Legroom (in. / mm):	40.9 / 1040 (front) 39.9 / 1013 (rear)
Shoulder Room (in. / mm):	57.2 / 1453 (front) 55.5 / 1410 (rear)
Hip Room (in. / mm):	54.2 / 1377 (front) 51.7 / 1313 (rear)

CURB WEIGHT, CARGO VOLUME & TRAILERING

Curb Weight (lb. / kg):	3274 / 1485 – LS FWD 3465 / 1572 – LS AWD 3325 / 1508 – LT & RS FWD

	3478 / 1578 – LT & RS AWD 3350 / 1520 – Premier FWD 3512 / 1593 – Premier AWD
EPA Passenger Volume (cu. ft. / L):	103.5 / 2931
Max Cargo Volume (cu. ft. / L)[1]:	63.9 / 1809 (rear seat folded) 29.9 / 846 (behind rear seat)
Trailering Capacity (lb. / kg)[2]:	1500 / 680

[1]Cargo and load capacity limited by weight and distribution.
[2]Before you buy a vehicle or used it for trailering, carefully review the trailering section of the Owner's Manual. The weight of the passengers, cargo and options my reduced the amount you can tow.

SAFETY & DRIVER ASSISTANCE FEATURES

Airbags[1]: frontal and seat-mounted side-impact for driver and right front passenger with Passenger Sensing System; roof-rail mounted head-curtain for front and rear outboard seating positions
Standard Tire Pressure Monitor System; tire pressure monitor includes tire fill alert (excludes spare tire, if equipped)
Standard Rear Vision Camera[2] (HD view on Premier)
Standard Chevy Safety Assist[2]. Content includes Automatic Emergency Braking, Following Distance Indicator, Forward Collision Alert, Front Pedestrian Braking, Lane Keep Assist with Lane Departure Warning and IntelliBeam, automatic high beams
Driver Confidence II Package[2] is standard on RS and Premier and available on LS and LT. Content includes Rear Cross Traffic Alert and Lane Change Alert with Side Blind Zone Alert
Advanced Safety Package[2] is available on LT and RS. Content includes HD Surround Vision, Adaptive Cruise Control and outside heated power-adjustable manual-folding mirrors with integrated turn signal indicators
Driver Confidence III Package[2] is available on Premier. Content includes Automatic Parking Assist, HD Surround Vision and Adaptive Cruise Control
Safety Alert Seat is standard on Premier

[1]Always use seat belts and child restraints. Children are safer when properly secured in a rear seat in the appropriate child restraint. See your vehicle Owner's Manual for more information.
[2]Read the vehicle's owner's manual for more important feature limitations and information.