Software Engineering Class 2

Fall 2022

Group A & B & F
Eloi Puertas - epuertas@ub.edu
Eduardo Urruticoechea - e.urruticoechea@ub.edu

Class SCHEDULE

- [Set 20 & 22] Class 1: Project KickOff.
- [Set 27 & 29] Class 2: Backlog check.
- [Oct 4 & 6] Class 3: Deliver Backlog. Sprint 0 Planning.
- [Oct 11 & 13] Bank holidays
- [Oct 18 & 20] Class 4: <u>Deliver Demo S0</u>. Retrospective Sprint 0. Sprint 1 Planning.
- [Oct 25 & 27] Class 5: Sprint 1 check [Q1]
- [Nov 1 & 3] Examen, no class.
- [Nov 8 & 10] Class 6: <u>Deliver Demo S1</u>. Retrospective Sprint 1
- [Nov 15& 17] Class 7: Sprint 2 Planning [Q2]
- [Nov 22 & 24] Class 8: Sprint 2 check.
- [Nov 20 & Dec 01] Class 9: <u>Deliver Demo S2</u>. Retrospective Sprint 2. Sprint 3 Planning.
- [Dec 06 & 08] Bank holidays
- [Dec 14 & 16] Class 10: <u>Deliver Final PRODUCT</u> (S3).

PROJECT KICK-OFF

"The hardest single part of building a software system is deciding precisely what to build"

Fred Brooks. "The mythical Man-Month"

PROJECT KICK-OFF

- PROJECT OBJECTIVE
- DEFINITION OF DONE (for each sprint):
 - i. All code is checked in
 - ii. All developer tests pass
 - iii. All acceptance tests pass
 - iv. Help/Doc text is written
 - v. Product Owner accepted

PRODUCT BACKLOG

What is inside a product Backlog:

- USER STORIES
- TECHNICAL REQUIREMENTS
- CODE SPIKES
- TECHNICAL DEBT
- BUGS

User stories: The USER POINT OF VIEW

- Value statement
- Assumptions / Comments
- Acceptance criteria

VALUE STATEMENT

Templates:

AS A (WHO)

Registered user / website visitor

I WANT TO (WHAT)

Change my password / subscribe to the mailing list

SO I CAN / IN ORDER TO (WHY)

Keep my account secure / get product updates through email

- Examples: https://tech.gsa.gov/guides/user_story_example/
- Examples: https://tech.gsa.gov/guides/effective_user_stories/
- Examples: http://www.agilemodeling.com/artifacts/userStory.htm

- I want to Login Using My User Name and Password --- WRONG!
- I want to access my account --- RIGHT!

ACCEPTANCE CRITERIA

- Each product backlog item or user story should have at least one acceptance criteria.
- Acceptance criteria is written before implementation.
- Each acceptance criteria is independently testable.
- Acceptance criteria must have a clear Pass / Fail result.
- It focuses on the end result What. Not the solution approach How.
- Include functional as well as non-functional criteria when relevant.
- Examples: https://zepel.io/agile/acceptance-criteria-for-user-stories/
- Examples: https://dzone.com/articles/acceptance-criteria-in-software-explanationexampl

BACKLOG REVIEW (I)

- Each product backlog item or user story should have at least one acceptance criteria.
- There are enough user stories to picture the system.
- You are already using Trello
- Product Backlog is DEEP
 - Detailed appropriately: To support conversation and commitment from the Team.
 - Emergent: Enabled to grow and be organized as new information arises.
 - Estimated: In terms of complexity
 - Prioritized: Ranked, value prioritized.

BACKLOG REVIEW (II)

- Minimum Granularity of the Product Backlog User Stories are of fine granularity (top 20%), User Stories of medium-grained requirements (next 20%), and Epics (remaining 60%)
- All work items are included in the backlog: user stories, bugs, design changes, technical debt...
- Estimation: The most relevant user stories are already estimated in "Story points" & value points to allow the appropriate Sprint planning

FOR THE NEXT WEEK: Deliver backlog & Sprint Zero planning

- 1. End up with the backlog in Trello or GitHub Projects
- 2. Keep RUNNING the coordination meetings to manage the backlog
- 3. Keep using the tools: Slack, Github,...
- 4. Read and study the theory on how to plan a new Sprint