# Examen d'estudi PIS





Which of these lifecycles of software development is incorrect?

- A. Product analysis, requirements, design, coding, testing.
- B) Mock-ups, use-cases, design, coding, testing.
- C. Requirements, design, coding, functional testing, usability testing.
- D. Requirements, design, coding, functional testing.

D





Of these requirements, which ones are most important?

- A. User requirements.
- B. Legal requirements.
- C. System requirements.
- They are equally important in a proper software development process.

D





Among these steps, what comes first in the requirement gathering process?

- A. First draft of the requirements.
- B. First draft of the mock-ups.
- User identification for requirement gathering.
- D. Discussion with experts.





Use cases are graphical models that are used to represent:

- A. Detailed requirements of the app.
- (B) High-level view of the app's components.
- C. A summary of the main users.
- D. A summary of the main user interfaces.





For a software app that aims to <u>track the location</u> of Covid-19 patients, which users should be interviewed for the requirement analysis?

- A. Citizens as they are the end-users.
- B. Medical doctors.
- C. Covid-19 specialists.
- Citizens and lawyers (to address data privacy).





Which language should you use for requirement documentation?

- A. English to make sure all customers understand
- B. Simple language that can be understood by all
- C. Technical language of the application domain
- 6.) Unambiguous, detailed and specific descriptions





How much time should requirement gathering last?

- A. 3 to 6 months
- B. Till the beginning of the system design
- C Until testing is complete successfully
- D. Until requirement documentation is finalised





What are design patterns?

- A. Templates for object classes
- B. Templates for architecture design
- C. Common solutions to solve software design problems
- D. Common solutions to transform requirements into software design





In the Model-View-Viewmodel pattern, the View contains:

- A. An instance of the Model
- B. An instance of the Viewmodel
- C. An instance of the Model and Viewmodel
- An instance of the Viewmodel and Observer





#### The Model can contain:

- A. Android objects
- B. An instance of the Viewmodel for communication
- C. Only Java code
- D. An instance of the View to show any updates on the interfaces





#### The Viewmodel can contain:

- A. An instance of the View for updating the interfaces
- B. The MutableLiveData class for communication with the Model
- C. Only Java code
- D. The Observer class





Manifest.XML in Android are used to specify:

- A. The main objects and classes.
- The main files in the project.
- The main properties and components of the App.
- D. The main layout of the App.





The function intent.PutExtra() is used to:

- A. Add another intent
- Add information/data to the intent to be transferred.
- C. To retrieve data from an intent
- D. None of the other





Which component is not necessary for a new Android Project:

- A. Build/: Contains build output
- B. Manifest: Contains the xml file
- C. Res/: Contains non-code resources such as bitmap images, UI strings and more
- D) Fragments: Contains code resources for Fragments





#### Which of this sentence is False:

- A. The Recycler View Adapter tells the Recycler view what to display in each ViewHolder.
- B) Dependencies should be declared in the Manifest.
- C. Material is a library for easily design visualization elements.
- D. SetContentView is a function that shows the layout. ✓





Which of these app Life cycles are true:

- A. The app is killed usually from OnStop().
- OnDestroy() is the last step when shutting down the app
- C. OnPause() puts the current app running in the background while other app is in the foreground.
- All of them are true.





When is it best to perform software testing?

- A. After coding is finished
- B During and after coding



- C. Before coding
- D. After software design





What is integration testing?

- A. Testing multiple devices.
- B. Testing multiple users.
- C.) Testing all components of the code together.
- D. Testing using multiple datasets.





#### What is functional testing?

- A. Testing specific functions in the code
- B. Testing the functions of the different users
- C. Testing the function of the devices
- $\bigcirc$ . Testing the functions of the software  $\bigvee$





When is it best to plan software testing?

- A. After coding is finished
- B. During coding
- After requirement gathering
- D. Before requirement gathering

# Solucions

• 1.B

• 2.D

• 3.C

• 4.B

• 5.D

• 6.D

• 7.C

• 8.C

• 9.D

• 10.C

• 11.B

• 12.B

• 13.B

• 14.D

• 15.B

• 16.D

• 17.B

• 18.C

• 19.D

• 20.C