

1. Description

1.1. Project

Project Name	cv5
Board Name	custom
Generated with:	STM32CubeMX 6.3.0
Date	12/20/2021


1.2. MCU

MCU Series	STM32F3
MCU Line	STM32F303
MCU name	STM32F303K8Tx
MCU Package	LQFP32
MCU Pin number	32

1.3. Core(s) information

Core(s)	Arm Cortex-M4

2. Pinout Configuration




3. Pins Configuration

Pin Number LQFP32	Pin Name (function after reset)	Pin Type	Alternate Function(s)	Label
1	VDD	Power		
4	NRST	Reset		
5	VDDA/VREF+	Power		
9	PA3	I/O	GPIO_EXTI3	
16	VSS	Power		
17	VDD	Power		
26	PB3 *	I/O	GPIO_Output	
31	BOOT0	Boot		
32	VSS	Power		

^{*} The pin is affected with an I/O function

4. Clock Tree Configuration



5. Software Project

5.1. Project Settings

Name	Value
Project Name	cv5
Project Folder	C:\Users\10786\Desktop\stm32 303\vrs_cvicenie_4-
Toolchain / IDE	STM32CubeIDE
Firmware Package Name and Version	STM32Cube FW_F3 V1.11.3
Application Structure	Advanced
Generate Under Root	Yes
Do not generate the main()	No
Minimum Heap Size	0x200
Minimum Stack Size	0x400

5.2. Code Generation Settings

Name	Value
STM32Cube MCU packages and embedded software	Copy only the necessary library files
Generate peripheral initialization as a pair of '.c/.h' files	No
Backup previously generated files when re-generating	No
Keep User Code when re-generating	Yes
Delete previously generated files when not re-generated	Yes
Set all free pins as analog (to optimize the power consumption)	No
Enable Full Assert	No

5.3. Advanced Settings - Generated Function Calls

Rank	Function Name	Peripheral Instance Name
1	SystemClock_Config	RCC
2	MX GPIO Init	GPIO

6. Power Consumption Calculator report

6.1. Microcontroller Selection

Series	STM32F3
Line	STM32F303
MCU	STM32F303K8Tx
Datasheet	DS9866_Rev5

6.2. Parameter Selection

Temperature	25
Vdd	3.6

6.3. Battery Selection

Battery	Li-SOCL2(A3400)
Capacity	3400.0 mAh
Self Discharge	0.08 %/month
Nominal Voltage	3.6 V
Max Cont Current	100.0 mA
Max Pulse Current	200.0 mA
Cells in series	1
Cells in parallel	1


6.4. Sequence

Step	Step1	Step2
Mode	RUN	STOP
Vdd	3.6	3.6
Voltage Source	Battery	Battery
Range	No Scale	No Scale
Fetch Type	RAM	n/a
CPU Frequency	72 MHz	0 Hz
Clock Configuration	HSEBYP PLL	Regulator LP
Clock Source Frequency	8 MHz	0 Hz
Peripherals		
Additional Cons.	0 mA	0 mA
Average Current	27.84 mA	9.55 μA
Duration	0.1 ms	0.9 ms
DMIPS	90.0	0.0
Ta Max	98.99	105
Category	In DS Table	In DS Table

6.5. Results

Sequence Time	1 ms	Average Current	2.79 mA
Battery Life	1 month, 20 days,	Average DMIPS	90.0 DMIPS
	5 hours		

6.6. Chart



7. Peripherals and Middlewares Configuration

7.1. RCC

7.1.1. Parameter Settings:

System Parameters:

VDD voltage (V) 3.3
Prefetch Buffer Enabled

Flash Latency(WS) 0 WS (1 CPU cycle)

RCC Parameters:

HSI Calibration Value 16
HSE Startup Timout Value (ms) 100
LSE Startup Timout Value (ms) 5000

7.2. SYS

Timebase Source: SysTick

^{*} User modified value

8. System Configuration

8.1. GPIO configuration

IP	Pin	Signal	GPIO mode	GPIO pull/up pull	Max	User Label
				down	Speed	
GPIO	PA3	GPIO_EXTI3	External Interrupt Mode with Rising edge trigger detection	No pull-up and no pull-down	n/a	
	PB3	GPIO_Output	Output Push Pull	No pull-up and no pull-down	Low	

8.2. DMA configuration

nothing configured in DMA service

8.3. NVIC configuration

8.3.1. NVIC

Interrupt Table	Enable	Preenmption Priority	SubPriority	
Non maskable interrupt	true	0	0	
Hard fault interrupt	true	0	0	
Memory management fault	true	0	0	
Pre-fetch fault, memory access fault	true	0	0	
Undefined instruction or illegal state	true	0	0	
System service call via SWI instruction	true	0	0	
Debug monitor	true	0	0	
Pendable request for system service	true	0	0	
System tick timer	true	15	0	
EXTI line 3 interrupt	true	0	0	
PVD interrupt through EXTI line 16	unused			
Flash global interrupt	unused			
RCC global interrupt	unused			
Floating point unit interrupt	unused			


8.3.2. NVIC Code generation

Enabled interrupt Table	Select for init sequence ordering	Generate IRQ handler	Call HAL handler
Non maskable interrupt	false	true	false
Hard fault interrupt	false	true	false
Memory management fault	false	true	false
Pre-fetch fault, memory access fault	false	true	false
Undefined instruction or illegal state	false	true	false
System service call via SWI instruction	false	true	false
Debug monitor	false	true	false
Pendable request for system service	false	true	false
System tick timer	false	true	true
EXTI line 3 interrupt	false	true	true

* User modified value

9. System Views

- 9.1. Category view
- 9.1.1. Current



10. Docs & Resources

Type Link

Datasheet http://www.st.com/resource/en/datasheet/DM00092070.pdf

Reference http://www.st.com/resource/en/reference_manual/DM00043574.pdf

manual

Programming http://www.st.com/resource/en/programming_manual/DM00046982.pdf

manual

Errata sheet http://www.st.com/resource/en/errata_sheet/DM00109011.pdf

Application note http://www.st.com/resource/en/application_note/CD00160362.pdf

Application note http://www.st.com/resource/en/application_note/CD00167594.pdf

Application note http://www.st.com/resource/en/application_note/CD00211314.pdf

Application note http://www.st.com/resource/en/application_note/CD00259245.pdf

Application note http://www.st.com/resource/en/application_note/CD00264342.pdf

Application note http://www.st.com/resource/en/application_note/CD00264379.pdf

Application note http://www.st.com/resource/en/application_note/DM00042534.pdf

Application note http://www.st.com/resource/en/application_note/DM00047998.pdf

Application note http://www.st.com/resource/en/application_note/DM00053084.pdf

Application note http://www.st.com/resource/en/application_note/DM00070391.pdf

Application note http://www.st.com/resource/en/application_note/DM00072315.pdf

Application note http://www.st.com/resource/en/application_note/DM00073742.pdf

Application note http://www.st.com/resource/en/application_note/DM00074240.pdf

Application note http://www.st.com/resource/en/application_note/DM00080497.pdf

Application note http://www.st.com/resource/en/application_note/DM00083249.pdf

Application note http://www.st.com/resource/en/application_note/DM00085385.pdf

Application note http://www.st.com/resource/en/application_note/DM00087593.pdf

Application note http://www.st.com/resource/en/application_note/DM00121474.pdf

Application note http://www.st.com/resource/en/application_note/DM00129215.pdf

Application note http://www.st.com/resource/en/application_note/DM00157785.pdf

Application note http://www.st.com/resource/en/application_note/DM00160482.pdf

Application note http://www.st.com/resource/en/application_note/DM00210617.pdf http://www.st.com/resource/en/application_note/DM00220769.pdf Application note Application note http://www.st.com/resource/en/application_note/DM00226326.pdf Application note http://www.st.com/resource/en/application_note/DM00236305.pdf http://www.st.com/resource/en/application_note/DM00257177.pdf Application note http://www.st.com/resource/en/application_note/DM00260340.pdf Application note http://www.st.com/resource/en/application note/DM00269146.pdf Application note Application note http://www.st.com/resource/en/application_note/DM00272912.pdf Application note http://www.st.com/resource/en/application note/DM00315319.pdf Application note http://www.st.com/resource/en/application note/DM00327191.pdf Application note http://www.st.com/resource/en/application_note/DM00354244.pdf Application note http://www.st.com/resource/en/application_note/DM00355687.pdf Application note http://www.st.com/resource/en/application_note/DM00380469.pdf Application note http://www.st.com/resource/en/application_note/DM00395696.pdf http://www.st.com/resource/en/application_note/DM00442720.pdf Application note Application note http://www.st.com/resource/en/application_note/DM00445657.pdf http://www.st.com/resource/en/application_note/DM00493651.pdf Application note Application note http://www.st.com/resource/en/application_note/DM00536349.pdf Application note http://www.st.com/resource/en/application_note/DM00607955.pdf Application note http://www.st.com/resource/en/application_note/DM00725181.pdf