

Idap用户添加+蓝鲸

模板 - 文件后缀为ldif

用户录入Idap

蓝鲸同步

最后进入权限中心为用户授权

模板 – 文件后缀为ldif

Shell [复制代码](#)


```
1 dn: uid=caoyong,ou=Department,dc=gerpgo,dc=com -> 修改用户名，英文缩写
2 objectClass: inetOrgPerson
3 objectClass: organizationalPerson
4 objectClass: person
5 cn: caoyong -> 用户名，英文缩写
6 sn: caoyong -> 用户名，英文缩写
7 displayName: 曹勇 -> 中文名
8 employeeType: 1
9 givenName: caoyong -> 用户名，英文缩写
10 mail: caoyong@gerpgo.com -> 邮箱
11 ou: Department
12 uid: caoyong -> 用户名，英文缩写
13 userPassword: bJpoB1yQ -> 八位数随机密码
14
```

用户录入Idap


打开<http://120.78.235.32/ldapadmin>

登录用户dn: cn=admin,dc=gerpgo,dc=com

登录密码: uojPQqproks86xcq



随后选择修改的*.ldif文件导入



uid=hexingzi,ou=Department,dc=gerpgo,dc=com

uid=shenjieqiong,ou=Department,dc=gerpgo,dc=com

uid>wangyong,ou=Department,dc=gerpgo,dc=com

uid>chensiyi,ou=Department,dc=gerpgo,dc=com

uid>xiaoli,ou=Department,dc=gerpgo,dc=com

uid>yangqingxiu,ou=Department,dc=gerpgo,dc=com

uid>wangsong,ou=Department,dc=gerpgo,dc=com

uid>zhenglimei,ou=Department,dc=gerpgo,dc=com

uid>huangwenda,ou=Department,dc=gerpgo,dc=com

uid>xulingmin,ou=Department,dc=gerpgo,dc=com

uid>zhaoxiaoxiao,ou=Department,dc=gerpgo,dc=com

uid>xiongshanshan,ou=Department,dc=gerpgo,dc=com

uid>chengguifang,ou=Department,dc=gerpgo,dc=com

(add value)

(modify group members)

objectClass

groupOfNames

(structural)

(add value)

Update Object

mport

export

logout

Server: Local LDAP Server

Distinguished Name: cn=QA,ou=Department,dc=gerpgo,dc=com

Template: Default

There are 30 members in group cn=QA:

Available members

uid=cailunyi,ou=Department,dc=gerpgo,dc=com

uid=caoyong,ou=Department,dc=gerpgo,dc=com

uid=chenjiadong,ou=Department,dc=gerpgo,dc=com

uid=chenjiaying,ou=Department,dc=gerpgo,dc=com

uid=chenliang,ou=Department,dc=gerpgo,dc=com

uid=chenxiyao,ou=Department,dc=gerpgo,dc=com

uid=chenyangyi,ou=Department,dc=gerpgo,dc=com

uid=daibin,ou=Department,dc=gerpgo,dc=com

uid=daikun,ou=Department,dc=gerpgo,dc=com

uid=dengcewen,ou=Department,dc=gerpgo,dc=com

Add selected >>

Add all >>

Save changes

Group members

uid=chengmingbin,ou=Department,dc=gerpgo,dc=com

uid=chengguifang,ou=Department,dc=gerpgo,dc=com

uid=chenmudan,ou=Department,dc=gerpgo,dc=com

uid=chensiyi,ou=Department,dc=gerpgo,dc=com

uid=daijie,ou=Department,dc=gerpgo,dc=com

uid=gaojie,ou=Department,dc=gerpgo,dc=com

uid=hanjia,ou=Department,dc=gerpgo,dc=com

uid=hexingzi,ou=Department,dc=gerpgo,dc=com

uid=heyuling,ou=Department,dc=gerpgo,dc=com

uid=huangwenda,ou=Department,dc=gerpgo,dc=com

<< Remove selected


<< Remove all

左侧选择用户后点击Add selected


蓝鲸同步

蓝鲸有自动同步时间，但最好手动同步一次

3



选择对应的组查看添加的用户是否进来



最后进入权限中心为用户授权