

# 軟體回歸測試

Sahi Pro

# Sahi Pro

- <http://sahipro.com/>
- Web應用的商用測試自動化工具
- 免費版(功能限制+期限180天)



安裝



The Tester's  
Automation Tool



# Sahi was designed ground up to be tester centric.

## Not developer centric.

Sahi ensures QA will have minimal dependency  
on programmers.



Our  
Clients →

**Mahindra**  
COMVIVA

@ris global  
Let's Innovate for Life™

**integro**  
an aurionpro company

**MetricStream**

**itg**

and 400  
more →

## Sahi Pro Trial Licenses

要用學校信箱註冊!!!

Please fill the form below. The product key / license file will be emailed to you.

Fields with \* are required.

Product \*

- ☒ Sahi Pro V8.0.0 only  
(30 days fully functional product key)
- ☐ Sahi Pro Desktop Add-on V8.0.0  
(30 days fully functional product key)
- ☐ Sahi Pro Mobile Add-on V8.0.0  
(30 days fully functional product key)
- ☒ Sahi Pro Starter  
(Free, limited version, 180 days license)

Email \* Please use your  
official email address

Name \*

Company \*

Title \*

-- Choose One --

Phone

City \*

## Extend Trial License

To extend your trial, please email  
[sales@sahipro.com](mailto:sales@sahipro.com)  
with your request and reason.

## Already using Sahi Pro?

Download a different version of Sahi Pro  
from our [downloads archive](#)

# License會寄到信箱



Thank you for trying Sahi Pro Starter!

Sahi Pro is the world's simplest yet most powerful test automation software!

We have sent you an email at [M0544006@cgu.edu.tw](mailto:M0544006@cgu.edu.tw) with the download link and installation instructions.

If you do not see our email in your inbox, please check in the spam folder.

For assistance or technical queries, please use our [community forums](#).

Wishing you happy, hassle free testing!

[Get started with Sahi Pro](#) | [Go to Sahi home page](#)

[Privacy Policy](#) | [About Us](#) | [Contact Us](#) | [Shipping/Cancellation/Refund](#)  
Copyright © Tyto Software Pvt. Ltd.  
All Rights Reserved.

## Sahi Pro Starter License

Dear Huang, Pin-Chieh,

Thank you for your interest in Sahi Pro Starter. Your free 180 day **Sahi Pro Starter license** is attached.

(If you had not registered on our website for Sahi Pro Starter, please ignore this message. We are sorry for the inconvenience.)

## Download and Install Sahi Pro Starter

- Download the latest **Sahi Pro Starter** from our [Sahi Pro Downloads Archive](#) page.
- Double click on the jar file to run the installer. If that does not work, please navigate to the folder on command prompt and run

```
java -jar install_sahi_pro_starter_v701_20170912.jar
```

- Make sure that you install Sahi Pro Starter on a folder without spaces in the path:  
Eg. C:\SahiPro

## Use the Free Starter License





- Download the "license\_starter.data" file attached with this mail.
- Start Sahi Pro Starter, and when prompted for license, point to the downloaded license\_starter.data file.  
Or alternatively,
- Copy the license file into SahiPro/userdata/config directory and then start Sahi Pro Starter.

Thats it! You should be up and running with Sahi Pro Starter!


## Resources to get started with Sahi Pro


- [Quick Tutorial on Sahi Pro](#)
- [Sahi Pro Documentation](#)

- 下載「Sahi Pro Starter」 `java -jar install_sahi_pro_xxx.jar`
- <http://sahipro.com/downloads-archive/>

Sahi Pro Documentation   News and Events   Pricing & Licensing   Purchase   Download Free Trial   Forums   FAQs

 **The Tester's Automation Tool**

Home   Features   Clients   About   Demo   Resources ▾   Blog   Contact   

Sahi Pro Version	Release Date	Release Notes
Sahi Pro V8.0.0 Sahi Pro Runner V8.0.0 Sahi Pro Desktop Add-on V8.0.0 Sahi Pro Mobile Add-on V8.0.0	2018-10-26	<a href="#">What's new?</a>
Sahi Pro Mobile Add-on V7.5.0	2018-05-03	<a href="#">Released!</a>
Sahi Pro V7.5.0 Sahi Pro Runner V7.5.0 Sahi Pro Desktop Add-on V7.5.0	2017-12-26	<a href="#">What's new?</a>
Sahi Pro Starter V7.0.1	2017-09-12	<a href="#">Released!</a>
Sahi Pro V7.0.1 Sahi Pro Runner V7.0.1 Sahi Pro Desktop Add-on V7.0.1 Sahi Pro License Server V2.0.1	2017-05-09	<a href="#">What's new?</a>

### Already have a license?

Enter your **Product Key** when Sahi Pro asks for it, or copy **Product Key** into `sahi/userdata/config/productkey.txt` and restart Sahi Pro.


### Need a trial or evaluation license?

Please [fill out this form](#) and a trial license will be emailed to you shortly.


### Need to extend your trial license?

Please email [sales\[@\]sahipro.com](mailto:sales[@]sahipro.com) with your request for



- 安裝過程一直下一步







- 加入剛才Mail中的License
- 允許防火牆




# 使用説明



# 需要安裝JDK!!!

Sahi Dash...




[Configure](#) [Scripts](#) [Editor](#)

[SSL](#) [Docs](#) [Logs](#) [Bin](#)

System Proxy: [On](#) / [Off](#)

[Enable Traffic Logs](#) [↗]

Sahi Pro Starter  
v7.0.1 (2017-09-12)



Press the ALT key and Double Click on page to bring up the [Sahi Controller](#)  
Sahi Scripts can be recorded and played back from the Controller.

Enter start URL:

Go

☐ Change Resolution ☐ Change User Agent

[Logs](#) | [Online Documentation](#)  
[Test Pages](#) | [Sample Application](#)

Controller mode: ☒ Sahi ☐ Java




**Tyto Software**

Sahi Pro Version 7.5.0 is available. [Download](#)

網頁Alt + 左鍵2下

輸出檔案名稱

※特殊窗格



## □ 測試網頁

../sahi\_pro\_starter/htdocs/demo/training

複製資料夾到網頁路徑下

先登入帳密


進入另一頁面製作特殊窗格

(用來核對變更)



The screenshot shows a login interface for the 'Sahi Training Site'. It features a title 'Sahi Training Site' at the top. Below it are two input fields: 'Username' and 'Password'. A 'Login' button is positioned below the password field. At the bottom, there is a link that says 'Not a user? [Register](#)'.

Use test/secret to login



檔名需為.sah  
(按下Record開始記錄)

### Sahi Training Site

Username

Password

Login

Not a user? [Register](#)

```
_setValue( _textbox("user"), "test");  
_setValue( _password("password"), "secret");  
_click( _submit("Login"));
```

Use test/secret to login



### All available books

Title	In stock	Cost	Add quantity to cart
Core Java	5	Rs. 300	<input type="text" value="3"/>
Ruby for Rails	12	Rs. 200	<input type="text" value="2"/>
Python Cookbook	7	Rs. 350	<input type="text" value="1"/>

### My Cart

Title	Quantity	Unit Cost	Total Cost
Core Java	3	Rs.300	Rs.900
Ruby for Rails	2	Rs.200	Rs.400
Python Cookbook	1	Rs.350	Rs.350

Grand Total:

```
_setValue( _textbox("q"), "3");  
_setValue( _textbox("q[1]"), "2");  
_setValue( _textbox("q[2]"), "1");  
_click( _button("Add"));  
_assertExists( _textbox("total"));  
_assertVisible( _textbox("total"));
```

## All available books

Title	In stock	Cost	Add quantity to cart
Core Java	5	Rs. 300	<input type="text" value="3"/>
Ruby for Rails	12	Rs. 200	<input type="text" value="2"/>
Python Cookbook	7	Rs. 350	<input type="text" value="1"/>

|  |

## My Cart

Title	Quantity	Unit Cost	Total Cost
Core Java	3	Rs.300	Rs.900
Ruby for Rails	2	Rs.200	Rs.400
Python Cookbook	1	Rs.350	Rs.350

Grand Total:

今天要針對1650這個  
結果當作特殊窗格

Ctrl+左鍵

Press CTRL key and hover mouse over any HTML element.

Accessor:	<input total")"="" type="text" value="_textbox("/>	<input type="button" value="Click"/>
Alternatives:	<input total")"="" type="text" value="_textbox("/>	<input type="button" value="Highlight"/>
Value:	<input type="text" value="1650"/>	<input type="button" value="Set"/>
Prefix:	<input type="text"/>	<input type="button" value="Hover"/>
<input type="button" value="Assert"/>	<input type="button" value="List Properties"/>	Other Actions: <input type="text" value="-- Choose --"/>

Press CTRL key and hover mouse over any HTML element.

Accessor:	<input type="text" value="_textbox('total')"/>	<input type="button" value="Click"/>
Alternatives:	<input type="text" value="_textbox('total')"/>	<input type="button" value="Highlight"/>
Value:	<input type="text" value="1650"/>	<input type="button" value="Set"/>
Prefix:	<input type="text"/>	<input type="button" value="Hover"/>
<input type="button" value="Assert"/>	<input type="button" value="List Properties"/>	<input type="button" value="Other Actions: -- Choose --"/>

按下Append才會寫入  
檔案當作特殊窗格


Evaluate expression	Recorded steps	<a href="#">Diagnose</a>
<pre>_assertExists(_textbox("total")); _assertVisible(_textbox("total")); _assertEqual("1650", _getValue(_textbox("total")));</pre>		
JS	<input type="button" value="Append"/>	<input type="button" value="Highlight"/>
Appended: <pre>_assertExists(_textbox("total")); _assertVisible(_textbox("total")); _assertEqual("1650", _getValue(_textbox("total")));</pre>		

```
setValue(_textbox("user"), "test");  
setValue(_password("password"), "secret");  
click(_submit("Login"));  
setValue(_textbox("q"), "3");  
setValue(_textbox("q[1]"), "2");  
setValue(_textbox("q[2]"), "1");  
click(_button("Add"));  
assertExists(_textbox("total"));  
assertVisible(_textbox("total"));  
assertEqual("1650", _getValue(_textbox("total")));  
click(_button("Logout"));
```

# Playback

Log檔案

執行網址



- 按下Play之後，網頁視窗會“自動”執行剛剛所經過之步驟，只要最後結果出現“SUCCESS”即代表結果相同


Statements:

```
_setValue(_textbox("user"), "test")
_setValue(_password("password"), "secret")
_click(_submit("Login"))
_setValue(_textbox("q"), "3")
_setValue(_textbox("q[1]"), "2")
_setValue(_textbox("q[2]"), "1")
_click(_button("Add"))
_assertExists(_textbox("total"))
_assertVisible(_textbox("total"))
_assertEqual("1650", _getValue(_textbox("total")))
_click(_button("Logout"))
----- Stopped Playback: SUCCESS-----
```

View: [Parsed Script](#) | [Browser Script](#) | [Logs](#)

- 將tests.sah檔案中指定窗格的值更改為1800

```
_setValue(_textbox("user"), "test");  
_setValue(_password("password"), "secret");  
_click(_submit("Login"));  
_setValue(_textbox("q"), "3");  
_setValue(_textbox("q[1]"), "2");  
_setValue(_textbox("q[2]"), "1");  
_click(_button("Add"));  
_assertExists(_textbox("total"));  
_assertVisible(_textbox("total"));  
_assertEqual("1800", _getValue(_textbox("total")));  
_click(_button("Logout"));
```



□ 測試完後可點擊下方查看Log

Statements:

```
_setValue(_textbox("user"), "test")
_setValue(_password("password"), "secret")
_click(_submit("Login"))
_setValue(_textbox("q"), "3")
_setValue(_textbox("q[1]"), "2")
_setValue(_textbox("q[2]"), "1")
_click(_button("Add"))
_assertExists(_textbox("total"))
_assertVisible(_textbox("total"))
_assertEqual("1800", _getValue(_textbox("total")))
_click(_button("Logout"))
```

----- Stopped Playback: FAILURE -----

View: [Parsed Script](#) | [Browser Script](#) | [Logs](#) 查看Log

[Test2\\_17四月2018\\_00\\_43\\_33](#)

[Test\\_17四月2018\\_00\\_39\\_23](#)

[Test2\\_17四月2018\\_00\\_03\\_52](#)

[Test\\_17四月2018\\_00\\_02\\_47](#)

[Test\\_16四月2018\\_23\\_50\\_03](#)

[Test\\_16四月2018\\_23\\_49\\_06](#)

[Test\\_16四月2018\\_23\\_46\\_37](#)

[Test\\_16四月2018\\_23\\_47\\_20](#)

#### Suite Name: Test.sah

Browser Type chrome

Total scripts run 1

Start Time 四月 17, 2018 12:39:23 上午

Scripts passed 1

End Time 四月 17, 2018 12:39:25 上午

Scripts failed 0

Time Taken 00:00:02 566

Status

SUCCESS

[Suite Info](#)

[Nodes Info](#)

#### Scripts:

Show Failed

Test	Start Url	Steps: Total/Failures/Errors/%			Time Taken	Node
<a href="#">Test.sah</a>	http://sahite...	11	0	0	00:00:02 382	localhost:9999



[Test2\\_17四月2018\\_00\\_43\\_33](#)  
[Test\\_17四月2018\\_00\\_39\\_23](#)  
[Test2\\_17四月2018\\_00\\_03\\_52](#)  
[Test\\_17四月2018\\_00\\_02\\_47](#)  
[Test\\_16四月2018\\_23\\_50\\_03](#)  
[Test\\_16四月2018\\_23\\_49\\_06](#)  
[Test\\_16四月2018\\_23\\_46\\_37](#)  
[Test\\_16四月2018\\_23\\_47\\_20](#)

#### Suite Name: Test2.sah

Browser Type chrome  
Start Time 四月 17, 2018 12:43:33 上午  
End Time 四月 17, 2018 12:43:45 上午  
Time Taken 00:00:12 582

Total scripts run 1  
Scripts passed 0  
Scripts failed 1

Status	FAILURE
--------	---------

[Suite Info](#)

[Nodes Info](#)

#### Scripts:

Show Failed

Test	Start Url	Steps: Total/Failures/Errors/%				Time Taken	Node
<a href="#">Test2.sah</a>	http://sahite...	11	1	0	91 %	00:00:12 432	localhost:9999

□ 點擊檔案  
查看失敗原因

Starting script Show Failed ☐

\_setValue(\_textbox("user"), "test") [788 ms] [12:43:34.024 上午]

\_setValue(\_password("password"), "secret") [112 ms] [12:43:34.136 上午]

\_click(\_submit("Login")) [223 ms] [12:43:34.359 上午]

\_setValue(\_textbox("q"), "3") [291 ms] [12:43:34.650 上午]

\_setValue(\_textbox("q[1]"), "2") [110 ms] [12:43:34.760 上午]

\_setValue(\_textbox("q[2]"), "1") [118 ms] [12:43:34.878 上午]

\_click(\_button("Add")) [213 ms] [12:43:35.091 上午]

\_assertExists(\_textbox("total")) [124 ms] [12:43:35.215 上午]

\_assertVisible(\_textbox("total")) [119 ms] [12:43:35.334 上午]

\_assertEqual("1800", \_getValue(\_textbox("total"))) [10167 ms] [12:43:45.501 上午]

[Assertion Failed]

Expected:"1800"

Actual:"1650"

at: (C:\Users\ppcb\sahi\_pro\_starter\userdata\scripts\Test2.sah&n=10)

\_click(\_button("Logout")) [122 ms] [12:43:45.623 上午]


Stopping script

# 結報



# 上機結報

- 截圖使用此工具的Log (如下圖), 放到word中並寫30字感想



- \* <ftp://163.25.101.123> account/password: **2018student**
- \*請先開一個自己學號的資料夾，檔名[學號]\_[姓名]**回歸測試.docx**
- \*請於**12/20(四)晚上11:59分前繳交**