# API DOCUMENTATION

#### Register a New User

URL: `/register/`

Method: POST

Description: Register a new user with the provided details.

#### Parameters:

- `username` (string): The username for the new user.


- `password` (string): The password for the new user.

- `phone\_number` (string): The phone number for the new user.

- 'email' (string): The email address for the new user.

#### Returns:

- If successful: Details of the registered user.
- If unsuccessful: Error message with details of the issue.



#### <u>Login</u>

URL: '/login/'

Method: POST

Description: Authenticate user using username and password.


#### Parameters:

- `username` (string): The username of the user.

- `password` (string): The password of the user.

#### Returns:

- If successful: Authentication token.
- If unsuccessful: Error message with details of the issue.



# **Create or List Contacts**

URL: '/contacts/'


Method: GET (List Contacts) / POST (Create Contact)

Description: List all contacts for the authenticated user or create a new contact.

Authorization: Token-based authentication required.

# Returns:

- If successful (GET): List of contacts belonging to the authenticated user.
- If successful (POST): Details of the created contact.
- If unsuccessful: Error message with details of the issue.



# Retrieve, Update, or Delete Contact

URL: `/contacts/<int:pk>/`


Method: GET (Retrieve Contact) / PUT (Update Contact) / DELETE (Delete Contact)

Description: Retrieve, update, or delete a contact by its ID.

Authorization: Token-based authentication required.

#### Returns:

- If successful (GET): Details of the retrieved contact.
- If successful (PUT): Details of the updated contact.
- If successful (DELETE): No content (successful deletion).
- If unsuccessful: Error message with details of the issue.



**Retrieve Public Contact Details** 

URL: `/contacts/public/<int:pk>/`


Method: GET

Description: Retrieve public details of a contact by its ID.

#### Returns:

- If successful: Public details of the contact.

- If unsuccessful: Error message with details of the issue.



# **Search Contacts by Name**

URL: `/search/name/<str:name>/`

Method: GET


Description: Search contacts by name.

Authorization: Token-based authentication required.

#### Returns:

- If successful: List of contacts matching the provided name.

- If unsuccessful: Error message with details of the issue.



# **Search Contacts by Phone Number**

URL: `/search/phone/<str:phone\_number>/`


Method: GET

Description: Search contacts by phone number.

Authorization: Token-based authentication required.

#### Returns:

- If successful: List of contacts matching the provided phone number.
- If unsuccessful: Error message with details of the issue.



# Mark Number as Spam

URL: `/mark\_as\_spam/`

Method: POST

Description: Mark a phone number as spam.

Authorization: Token-based authentication required.

# Parameters:

- `phone\_number` (string): The phone number to mark as spam.

# Returns:

- If successful: Details of the marked number.

- If unsuccessful: Error message with details of the issue.

