

AGENTS.md

Updated: 2026-04-13

Status: Active

Read First

Read these in order:

1. [README.md](#)
2. [docs/README.md](#)
3. [docs/doc_harness_kit/README.md](#)
4. [../docs/harness/任务分层与命名统一口径_Cross-Repo Work Item Layering And Naming.md](#)
5. [docs/architecture/runtime-performance-guidelines.md](#)
6. The current change bundle under [docs/changes/<change-id>/](#)

Autonomous Execution Policy

Default objective: keep advancing the current formal change frontier until the queue is empty or a real blocker is hit.

Execution rules:

1. Run `python scripts/autopilot.py --root .` to get current frontier at TASK-LIST granularity.
2. Run `python scripts/show_current_frontier.py --root .` to see all active/completed changes.
3. If an active change exists, continue it; if none, pick the first `not_started` change.
4. After completing a change, mark plan.md status as completed and backfill acceptance.md.
5. Do not stop unless a real blocker is hit.

Real Blockers

Only these count as true blockers:

1. Missing permissions or missing environment capability for the formal entry point.
2. Missing external dependency or live resource with no local fallback verification path.
3. A conflict between roadmap state, change docs, and registry that cannot be resolved from repository facts.
4. Acceptance criteria that cannot be judged as pass/fail.

Current Frontier Shortcut

When the goal is to enter the formal frontier quickly, use this order:

1. `python scripts/autopilot.py --root .`
2. `python scripts/show_current_frontier.py --root .`
3. `python scripts/show_current_frontier.py --by-topic`

4. `python scripts/check_harness.py`
5. `python scripts/check_change_docs.py --root .`
6. Open only the active change bundle.

Repository Role

This repository is the standalone CTP adapter workspace for Nautilus projects.

Primary responsibilities:

1. Build and maintain the platform-neutral CTP runtime under `rust/` and `src/nautilus_ctp_adapter/runtime/`
2. Build and maintain the Nautilus integration layer under `src/nautilus_ctp_adapter/adapters/ctp/`
3. Keep repository-maintained `ctpnative` bootstrap ownership under local native/vendor tooling
4. Treat any C# smoke host as temporary verification tooling, not as the formal implementation path
5. Keep tests under `tests/` and local runnable diagnostics under `scripts/`
6. Keep architecture, topic roadmap, child change, and evidence governance under `docs/`

Directory Map

Directory	Responsibility
<code>rust/</code>	Platform-neutral Rust runtime crates
<code>src/nautilus_ctp_adapter/runtime/</code>	Platform-neutral Python-side runtime boundary
<code>src/nautilus_ctp_adapter/adapters/ctp/</code>	Python Nautilus glue layer
<code>src/nautilus_ctp_adapter/adapters/smartquant/</code>	Future SmartQuant glue layer
<code>src/nautilus_ctp_adapter/native/</code>	Native loading and FFI-facing helpers
<code>tests/</code>	Package tests and smoke validation
<code>scripts/</code>	Local diagnostics and runnable helpers
<code>docs/architecture/</code>	Stable design and architecture conclusions
<code>docs/topics/</code>	Long-running topic roadmap governance
<code>docs/changes/</code>	Executable child changes, acceptance, and evidence
<code>docs/archive/</code>	Archived docs and historical evidence

Change Governance

This repository adopts the `Doc Harness Kit` at:

1. [docs/doc_harness_kit/README.md](https://github.com/Nautilus-CTP/doc_harness_kit/blob/main/README.md)

Governance layout is aligned toward [DSLReserach](#):

1. Long-running topic roadmaps live under [docs/topics/<topic-id>.md](#)
2. Stable architecture docs live under [docs/architecture/](#)
3. Executable child changes live under [docs/changes/<change-id>/](#)
4. New child changes should start from the local [_template](#) bundle, including [design.md](#) when needed

Topic Transition Rule

DEPRECATED: Topic registry and `sync_topic_index` are replaced by Route B.
topic-id is now a label in `plan.md` frontmatter. No independent registry required.
Use `python scripts/show_current_frontier.py --by-topic` for topic grouping.

Topic state registry: [docs/topics/主题状态注册表_Topic State Registry.yaml](#)

Current active topic: [live-session-order-query-hardening](#)

Completed topic: [nautilus-host-integration](#)

When the current frontier changes, update `plan.md` status and run `python scripts/autopilot.py --root . --backfill`.

Official Entry Points

1. Package metadata: [pyproject.toml](#)
2. Rust workspace: [rust/Cargo.toml](#)
3. Runtime namespace: [src/nautilus_ctp_adapter/runtime/init.py](#)
4. CTP adapter namespace: [src/nautilus_ctp_adapter/adapters/ctp/init.py](#)
5. Test entry: `python -m pytest`

Verification

Current real verification commands:

```
# Harness structure check
python scripts/check_harness.py

# Change docs completeness
python scripts/check_change_docs.py --root .

# Frontier status
python scripts/show_current_frontier.py --root .
python scripts/show_current_frontier.py --by-topic

# Autopilot with TASK-LIST granularity
python scripts/autopilot.py --root .
python scripts/autopilot.py --root . --update-checkpoint "T1 done: description"
python scripts/autopilot.py --root . --backfill

# Build and test
```

```
python scripts/check_rust_gate.py  
python scripts/ctp_repo_debug_smoke.py  
python -m pytest
```

Temporary outputs should stay out of the repository root.