

Form Post Refresh Repost Prevention

Use redirect.

1. JSF

Append `?faces-redirect=true` to the action return URL.

Example: MyJSF PageUrls.java

```
public class PageUrls {  
    protected static final String PREFIX = "/xhtml/faces/";  
    protected static final String SUFFIX = "?faces-redirect=true";  
    public static final String BookInput = PREFIX + "BookInput.xhtml";  
    public static final String BookResult = PREFIX + "BookResult.xhtml" + SUFFIX;  
    public static final String DoubleClickPrevention = PREFIX + "DoubleClickPrevention.xhtml";  
    public static final String DoubleClickPrevention2 = PREFIX + "DoubleClickPrevention2.xhtml";  
}
```

2. Struts 1.2.9

Use redirect in action mapping

Example: MyStruts struts-config.xml

```
<action  
    path="/Address2"  
    type="com.Learn.AddressAction"  
    name="AddressForm"  
    scope="request"  
    validate="true"  
    input="/pages/Address2.jsp"  
    parameter="redirect">  
    <forward name="success" path="/pages/success.jsp" redirect="true"/>  
</action>
```

3. Spring MVC

Use redirect.

Example: SpringMVC-Trader Tade.jsp TradeFormController.java

```
return "redirect:success";
```