
Oracle

Financials Cloud Using Subledger Accounting

Release 12

This guide also applies to on-premises implementations



Oracle® Financials Cloud Using Subledger Accounting

Part Number E73075-03

Copyright © 2011-2017, Oracle and/or its affiliates. All rights reserved.

Author: Barbara Snyder

This software and related documentation are provided under a license agreement containing restrictions on use and disclosure and are protected by intellectual property laws. Except as expressly permitted in your license agreement or allowed by law, you may not use, copy, reproduce, translate, broadcast, modify, license, transmit, distribute, exhibit, perform, publish, or display any part, in any form, or by any means. Reverse engineering, disassembly, or decompilation of this software, unless required by law for interoperability, is prohibited.

The information contained herein is subject to change without notice and is not warranted to be error-free. If you find any errors, please report them to us in writing.

If this is software or related documentation that is delivered to the U.S. Government or anyone licensing it on behalf of the U.S. Government, then the following notice is applicable:

U.S. GOVERNMENT END USERS: Oracle programs, including any operating system, integrated software, any programs installed on the hardware, and/ or documentation, delivered to U.S. Government end users are "commercial computer software" pursuant to the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, use, duplication, disclosure, modification, and adaptation of the programs, including any operating system, integrated software, any programs installed on the hardware, and/or documentation, shall be subject to license terms and license restrictions applicable to the programs. No other rights are granted to the U.S. Government.

This software or hardware is developed for general use in a variety of information management applications. It is not developed or intended for use in any inherently dangerous applications, including applications that may create a risk of personal injury. If you use this software or hardware in dangerous applications, then you shall be responsible to take all appropriate fail-safe, backup, redundancy, and other measures to ensure its safe use. Oracle Corporation and its affiliates disclaim any liability for any damages caused by use of this software or hardware in dangerous applications.

Oracle and Java are registered trademarks of Oracle and/or its affiliates. Other names may be trademarks of their respective owners.

Intel and Intel Xeon are trademarks or registered trademarks of Intel Corporation. All SPARC trademarks are used under license and are trademarks or registered trademarks of SPARC International, Inc. AMD, Opteron, the AMD logo, and the AMD Opteron logo are trademarks or registered trademarks of Advanced Micro Devices. UNIX is a registered trademark of The Open Group.

This software or hardware and documentation may provide access to or information about content, products and services from third parties. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to third-party content, products, and services unless otherwise set forth in an applicable agreement between you and Oracle. Oracle Corporation and its affiliates will not be responsible for any loss, costs, or damages incurred due to your access to or use of third-party content, products, or services, except as set forth in an applicable agreement between you and Oracle.

The business names used in this documentation are fictitious, and are not intended to identify any real companies currently or previously in existence.

For information about Oracle's commitment to accessibility, visit the Oracle Accessibility Program website at http://www.oracle.com/pls/topic/lookup?ctx=acc&id=docacc.

Oracle customers that have purchased support have access to electronic support through My Oracle Support. For information, visit http://www.oracle.com/pls/topic/lookup?ctx=acc&id=info or visit http://www.oracle.com/pls/topic/lookup?ctx=acc&id=trs if you are hearing impaired.

Contents

| Preface | |
|---|------|
| | |
| Manage Subledger Accounting | 1 |
| Overview | 1 |
| Create Accounting | 3 |
| Submitting the Create Accounting Process: Explained | 3 |
| Accessing the Create Accounting Execution Report: Explained | 4 |
| Accrual Reversal: Examples | 5 |
| Submitting the Create Accrual Reversal Accounting Process: Explained | 7 |
| Sequencing of Accounting Entries: Overview | 8 |
| Posting Subledger Transactions to the General Ledger: Explained | g |
| Diagnose Subledger Accounting Event Data: Explained | g |
| Subledger Journal Adjustments | 11 |
| Subledger Journal Adjustments: Points to Consider | 11 |
| Manual Subledger Journals: Points to Consider | 12 |
| Supporting Reference Assignments: Points to Consider | 13 |
| Validating a Third-Party Control Account: Examples | 13 |
| Review Subledger Journal Entries | 15 |
| Overview | 15 |
| Reviewing a Subledger Journal Entry: Points to Consider | 15 |
| Projected Balances: Points to Consider | 16 |
| Accounting Reversals: Explained | 16 |
| Manage Subledger Accounting Reporting | 19 |
| Subledger Accounting Predefined Reports | 19 |
| Subledger Accounting Subject Areas, Folders, and Attributes: Explaine | d 21 |
| Account Analysis Reports: Explained | 23 |
| Journal Reports: Explained | 27 |
| Third-Party Detail and Balances Reports: Explained | 32 |
| | |





Preface

This preface introduces information sources that can help you use the application.

Oracle Applications Help

Use the help icon (?) to access Oracle Applications Help in the application. If you don't see any help icons on your page, click the Show Help icon (?) in the global header. Not all pages have help icons. You can also access Oracle Applications Help at https://fusionhelp.oracle.com.

Using Applications Help

Watch: This video tutorial shows you how to find help and use help features.

Additional Resources

- Community: Use Oracle Applications Customer Connect to get information from experts at Oracle, the partner community, and other users.
- Guides and Videos: Go to the Oracle Help Center to find guides and videos.
- Training: Take courses on Oracle Cloud from Oracle University.

Documentation Accessibility

For information about Oracle's commitment to accessibility, see the Oracle Accessibility Program .

Comments and Suggestions

Please give us feedback about Oracle Applications Help and guides! You can send e-mail to: oracle_fusion_applications_help_ww_grp@oracle.com.



i



Manage Subledger Accounting

Overview

The Manage Subledgers task enables you to generate journal entries for Oracle Fusion subledger transactions. You can also create adjustment entries, and review accounting results using a standard set of features.

You can:

- Create accounting entries online for a specific transaction from a transaction view.
- Create accounting for a batch of transactions by submitting an offline process.
- Create manual adjustment entries.
- Review generated journal entries and projected balances on views and reports.






2 Create Accounting

Submitting the Create Accounting Process: Explained

The Create Accounting process is an Enterprise Scheduler Service (ESS) process. It can be submitted as a request from the Scheduled Processes Monitor window to create journal entries for a batch of events. It has input parameters that determine the execution mode and the selection criteria for events.

The figure below shows the submission of the Create Accounting process.



The following table describes the parameters for the Create Accounting process as submitted in the Scheduled Processes Monitor window.

| Prompt | Description |
|-----------------------|--|
| Subledger Application | Source system for which the Create Accounting process is being executed. |
| Ledger | Ledger name for which the Create Accounting process is being executed. |
| Process Category | Selecting a process category indicates that all associated accounting event classes and their accounting event types are selected for processing. |
| End Date | End date puts a filter on the selection of events. Only events having an event date on or before the end date are selected for accounting. |
| | Default value is current system date. If the process is scheduled to execute periodically, after the initial process, the End Date for each subsequent scheduled process is incremental. |
| Accounting Mode | Accounting mode; Draft or Final |



| Prompt | Description |
|--------------------------------------|---|
| | Default value is Final. |
| Process Events | Adds other filter criteria for the Create Accounting process to select events: |
| | All: Process all events. |
| | Errors: Process only those events that have previously been processed in error. |
| | Invalid Accounts: Process only those events that have previously been processed in error. Replace any invalid accounts with the suspense account. |
| | Default value is All. |
| Report Style | Users can select the type of details to display on the execution report. The report can be printed in Summary, Detail, or No report. |
| | Default value is Summary. |
| Transfer to General Ledger | Indicates whether the Create Accounting process should submit the Transfer to GL process; Yes, No. |
| | Default value is Yes. |
| Post in General Ledger | Indicates if users, who have been granted the posting privilege, want to submit General Ledger posting; Yes or No. |
| | Default value is Yes. |
| Journal Batch | Batch name used by Transfer to GL to decide on the batch name for the batch created in Oracle Fusion General Ledger. |
| | When a value for the batch name is not provided, journal import defaults will be used. |
| | This is a free text field. |
| Include User Transaction Identifiers | Default value is No. |
| | |

Related Topics

- Reviewing a Subledger Journal Entry: Points to Consider
- Subledger Journal Adjustments: Points to Consider
- Disabling Posting Subledger Transactions to the General Ledger: Explained



Accessing the Create Accounting Execution Report: Explained

When you submit the Create Accounting process, the Create Accounting Execution Report is submitted automatically if the Create Accounting process completes with a success or warning status. The Create Accounting process output contains a message with the Create Accounting Execution Report request identifier. Use this request identifier to retrieve the execution report output.

Create Accounting Execution Report

The Create Accounting Execution Report can be recreated.

This report can be recreated as needed using the following criteria:

- Submit the Create Accounting process.
- Use the same request identifier of the wanted Create Accounting process run previously by the same user, provided that no other Create Accounting process was run with the same criteria.

This report can be recreated as needed using the following criteria:

If you select to transfer the entries to Oracle Fusion General Ledger when submitting the Create Accounting process, the report indicates if accounting entries have been transferred or not transferred.

Related Topics

- Reviewing a Subledger Journal Entry: Points to Consider
- Parameter Specifications: Explained

Accrual Reversal: Examples

The following examples describe how accrual reversals are scheduled and accounted.

Example 1

A company receives materials worth 100 (USD) on the 30th of the month but has not been invoiced. The following journal entry is created when the material is received to record the accrual.

| | Entered DR | Entered CR | Accounted DR (USD) | Accounted CR (USD) |
|-------------------|------------|------------|--------------------|--------------------|
| Accrual Expense | 100.00 | | 100.00 | |
| Accrual Liability | | 100.00 | | 100.00 |



The accrual reversal accounting date is set to First Day of Next Accounting Period. The following journal entry is created to reverse the accrual.

| Account | Entered DR | Entered CR | Accounted DR (USD) | Accounted CR (USD) |
|-------------------|------------|------------|--------------------|--------------------|
| Accrual Liability | 100.00 | | 100.00 | |
| Accrual Expense | | 100.00 | | 100.00 |

Example 2

Future trading requires a margin account that is market-to-market on a daily basis. This means that the investor or ledger's gains or losses on the position are reflected on a daily basis. If the margin account drops below a specified amount (the maintenance of the margin), a margin call is issued. This requires the holder of the account to replenish the account to the initial margin level or close out the position.

The investor or ledger must mark the account to market each day and the entry booked from the day before must be reversed to reflect the new position.

Journal Entry Creation

- The following journal entry creation date is June 1, 2006.
- Accounting date: 01-Jun-2006

| Account | Entered DR | Entered CR | Accounted DR (USD) | Accounted CR (USD) |
|------------------|------------|------------|--------------------|--------------------|
| Loss | 100.00 | | 100.00 | |
| Margin Liability | | 100.00 | | 100.00 |

Reverse the Journal Entry

- The accrual reversal accounting date is set to Next Day. The following journal entry is created to reverse the journal entry from June 1.
- Accounting Date: 02-Jun-2006

| Account | Entered DR | Entered CR | Accounted DR (USD) | Accounted CR (USD) |
|------------------|------------|------------|--------------------|--------------------|
| Margin Liability | 100.00 | | 100.00 | |
| Loss | | 100.00 | | 100.00 |

Reflect the New Position

- On June 2, a new journal entry is created to reflect the new position, which will be reversed on June 3.
- Accounting Date: 02-Jun-2006



| Account | Entered DR | Entered CR | Accounted DR (USD) | Accounted CR (USD) |
|------------------|------------|------------|--------------------|--------------------|
| Loss | 105.00 | | 105.00 | |
| Margin Liability | | 105.00 | | 105.00 |

Reverse the Accrual

- On June 3, the following journal entry is created to reverse the accrual from June 2.
- Accounting Date: 03-Jun-2006

| Account | Entered DR | Entered CR | Accounted DR (USD) | Accounted CR (USD) |
|------------------|------------|------------|--------------------|--------------------|
| Margin Liability | 105.00 | | 105.00 | |
| Loss | | 105.00 | | 105.00 |

Related Topics

Accrual Reversals: Explained

Submitting the Create Accrual Reversal Accounting Process: Explained

The Create Accrual Reversal Accounting process processes incomplete accrual reversal journal entries with accounting dates that fall on or before the End Date parameter specified. If the incomplete accrual reversal accounting entries are validated successfully, they are set to Final status and then posted to the general ledger, dependent on the parameters.

Report Parameters

Enter parameters as described in the table below.

| Prompt | Description |
|-----------------------|--|
| Subledger Application | Source system for which the Create Accrual Reversal Accounting process is being executed. |
| Ledger | Ledger name for which the Create Accrual Reversal Accounting process is being executed. |
| Process Category | The process category indicates that all associated accounting event classes and their accounting event types are selected for processing. |
| End Date | End date puts a filter on the selection of journal entries. Only incomplete journal entries having an accounting date on or before the end date are selected for accounting. |
| | Default value is current system date. |



| Prompt | Description |
|----------------------------|--|
| Process Events | Adds other filter criteria for the Create Accounting process to specific events: All: Process all incomplete journal entries and meets the End Date selection criteria Errors: Process only those entries that have previously been processed in error. Invalid Accounts: Process only those events that have previously been processed in error. Replace any invalid accounts with the suspense account. |
| | Default value is All. |
| Report | Identify the type of details to display on the execution report. The report can be printed in Summary, Detail, or No report. Default value is Summary. |
| Transfer to General Ledger | Indicates whether the Create Accrual Reversal Accounting process should submit the Transfer to GL process; Yes, No. Default value is Yes. |
| Post in General Ledger | Indicates whether to submit General Ledger posting after Transfer to GL process is complete. Default value is Yes. |
| Journal Batch | Batch name for General Ledger journal entries. |

Related Topics

• Accrual Reversals: Explained

Sequencing of Accounting Entries: Overview

The following sequences are attached to subledger journal entries or general ledger journal entries. These two sequences are not mutually exclusive and can coexist in the same journal entry.

Accounting Sequence

The accounting sequence is assigned to subledger journal entries at the time that the journal entry is completed. The sequence is assigned in the completion date order using the accounting date as the date criterion for determining the sequence to be used.



Reporting Sequence

The reporting sequence is assigned to both subledger journal entries and general ledger journal entries when the accounting period is closed. This sequence is used by most of the legal reports required in some countries as the main sorting criterion to display the journal entries.

Note: In some related documents, this sequence is referred to as the chronological sequence.

Related Topics

- Document Sequences: Explained
- Document Sequences: Points to Consider
- Accounting Attribute Assignments: Points to Consider
- Document Sequencing in Payables: Explained

Posting Subledger Transactions to the General Ledger: Explained

Post subledger journals to the general ledger when you create accounting, or run the Post Subledger Journal Entries process to transfer and post at a later time.

To perform posting to General Ledger, you must have the privilege to execute this task.

With the required privileges, you can select the Account and Post to Ledger option to create and post journal entries to the general ledger, during the online Create Accounting process.

- If you do not have the privilege to post, select Account in Final to create journal entries and transfer to General Ledger.
- You can view the output of the Post Subledger Journal Entries process for the summary of the transfer process.

You can manually run the Create Accounting process to create a batch of transactions. Set the following parameters to create journal entries and post to the general ledger.

- · Accounting Mode is set to Final.
- Transfer to General Ledger is set to Yes.
- Post in General Ledger is set to Yes.
 - If you do not have the privilege to post, the Post in General Ledger parameter is not available.

Related Topics

• Disabling Posting Subledger Transactions to the General Ledger: Explained



Diagnose Subledger Accounting Event Data: Explained

The diagnostic framework stores data that is used in the creation of a journal entry so that the data can be reported to analyze accounting issues. The purpose of the process is to provide the transaction data that is referenced during accounting through accounting rules and ledger setup.

The diagnostic framework provides a tool that can be used to determine why the accounting was created in a particular way or why there are errors. Errors may occur because either the source system information or the accounting rules are not as expected.

The following examples describe typical uses of the diagnostic framework features.

- In the implementation phase, you can launch the Accounting Event Diagnostic report to review the source values available in the transaction objects.
- On a daily basis, you can use the Accounting Event Diagnostic report to troubleshoot exceptions.

Diagnostic Framework Features

The diagnostic framework features are as follows:

- SLA: Diagnostic Enabled: This option controls whether diagnostic information is gathered by the Create Accounting process. Use with caution. Selecting this option can cause slow performance.
- Diagnostic Framework Execution: When the SLA: Diagnostic Enabled option is set to Yes, the diagnostic framework is executed simultaneously with the Create Accounting process. The diagnostic framework data is stored in the diagnostic tables.
- Accounting Event Diagnostic Report: To view the diagnostic framework report, users submit the Accounting Event Diagnostic process with the appropriate report parameters.
- Purge Accounting Event Diagnostic Data: Purging is useful when accounting is successfully created so that the volume of information in the report does not increase to a point where it becomes unusable.
 Diagnostic framework data purged:
 - When the data collected can be purged by running the process.
 - When the administrator launches the Purge Accounting Event Diagnostic Data process.

Diagnostic Framework Business Process Flow

The following steps describe the diagnostic framework business process flow:

- 1. The administrator sets the SLA: Diagnostics Enabled option to Yes for the user or responsibility.
- 2. Users submit the Create Accounting process that automatically executes the diagnostic framework to populate the diagnostic tables. The diagnostic framework gathers source values and other information from the transaction objects.
- 3. Users submit the Accounting Event Diagnostic process to view the diagnostic report. Based on the information in the diagnostic report, users may determine if additional or resubmission of information from source systems is required. They may also determine if any updates to the accounting rules is required.
- 4. Users run the Create Accounting process again to generate subledger journal entries for events that had an error.
- 5. The administrator submits the Purge Accounting Event Diagnostic Data process to purge the results of the diagnostic framework.



3 Subledger Journal Adjustments

Subledger Journal Adjustments: Points to Consider

Subledger journal adjustments enable easier audit and reconciliation because you can store transaction information directly with journal adjustments. You can enter and complete subledger journal adjustment entries from the user interface or upload using a spreadsheet.

You can perform the following actions on your subledger journal adjustments, depending on their status:

- Edit
- Duplicate
- Reverse
- Delete
- Complete

Editing a Subledger Journal Adjustment

When editing a subledger journal adjustment, you can perform the following tasks:

- Edit the journal header information, if the status is not Final.
- Edit and create journal lines, including accounts.
- Enter the debit, and credit amounts.
- Enter the accounting class.
- View the impact on general ledger account balances should the adjustment be completed.
- Post the journal.

You can also edit incomplete subledger journal adjustments.

- Examples of header information which can be updated:
 - Ledger
 - Accounting date
 - Category
 - Description
- Examples of subledger journal adjustment line information which can be updated:
 - Account
 - Accounting class
 - Entered amount
 - Journal adjustment lines
 - Select supporting references and assign values to them.
- Edit default currency options to be assigned to a subledger journal adjustment.



• Edit or redefine the subledger journal adjustment description.

Duplicating Subledger Journal Adjustments

As a time saving feature, you may copy an existing adjustment.

The duplication feature is enabled for all existing subledger journal adjustments, regardless of status. It includes the ability to copy complete information required for a subledger journal adjustment header and line.

Note: All fields can be edited when an adjustment is duplicated.

Reversing Subledger Journal Adjustments

You can reverse subledger journal adjustments in Final status. Reversal options are populated from accounting options.

- Switch debit and credit.
- Change sign.

Deleting Subledger Journal Adjustments

Oracle Fusion Subledger Accounting provides the ability to delete a subledger journal adjustment that is not in Final status. The ability to delete subledger journal adjustments ensures that users have the flexibility to correct errors without technical support.

Completing Subledger Journal Adjustments

You can complete subledger journal adjustments in Final and Post to General Ledger status.

Related Topics

Viewing Projected Balances: Points to Consider

Manual Subledger Journals: Points to Consider

The application enables the user to create manual subledger journal entries online.


Creating a Manual Subledger Journal Entry

This includes the ability to:

- Enter the complete information required for a manual subledger journal entry.
- Enter subledger journal entry descriptions.
- Select a supporting reference and supply the supporting reference value to a subledger journal entry line.
- Assign a descriptive flexfield to a subledger journal entry header or subledger journal entry line.
- Populate default values for an entered currency for a created subledger journal entry line.
- Enter default conversion type, date, and rate information to establish a default currency for the journal that is different than its associated ledger currency.
- View projected balances of entered and accounted journal line amounts.



Complete and post subledger journal entries.



Related Topics

- · Viewing Projected Balances: Points to Consider
- Posting Subledger Transactions to the General Ledger: Explained

Supporting Reference Assignments: Points to Consider

You may want to analyze account balances and financial results by different transaction attributes. However, transaction information such as salesperson, customer, or supplier are typically not stored in the general ledger because of the volume of general ledger balances it would create. Therefore, you are not able to analyze general ledger data categorized by transaction attributes.

You can perform this type of reporting and analysis using supporting reference information from subledger transactions. This feature enables you to create balances based upon transaction attributes not typically stored as segments in the general ledger chart of accounts.

For example, you can report on receivables balances by salesperson, customer, credit risk category, item, or any other combination of transaction attributes.

Supporting references can be used to:

- Provide additional information about a subledger journal entry line.
- Establish a subledger balance for a particular supporting reference value.
- Assist with reconciliation of account balances.
- Provide additional detail information for financial managerial analysis.

You can assign supporting references at the subledger journal entry line level.

Assigning Supporting References at the Subledger Journal Entry Line

Assigning supporting references to subledger journal entry lines enables you to maintain detailed balances, by supporting reference value, for general ledger accounts.

Related Topics

Creating Supporting References: Explained

Validating a Third-Party Control Account: Examples

If third-party control accounts are enabled, and the account entered is a third-party control account, you must enter third-party information in the journal entry.



Example

If an account is defined as a Supplier type third-party control account the subledger journal entry lines that use that account must include supplier information.

When a valid third-party control account is assigned to a journal line, you are required to provide third-party information, such as name and site.

Submit the Third-Party Balances Report to display subledger balances and account activity information for suppliers and customers.

The Customer or Supplier subledger third-party balances are updated when the journal is completed to a Final status.



4 Review Subledger Journal Entries

Overview

You can create subledger journal entries by using one of two methods:

- Use the Create Accounting process to process accounting events using accounting rules.
- Create manual subledger journal entries.

Subledger journal entries are always created in a given subledger application context. When the subledger journal entry is complete, the appropriate sequence names and numbers are assigned. If applicable, corresponding secondary ledger and reporting currency journal entries are also created.

Manual journal entries can be entered for primary ledgers or for secondary ledgers. Manual journals for primary ledgers are automatically created only for associated reporting currencies, not secondary ledgers.

Related Topics

· Creating a Manual Subledger Journal: Points to Consider

Reviewing a Subledger Journal Entry: Points to Consider

Subledger journal entries can be reviewed whether they were created from processing accounting events, or manually entered.

You can search subledger journal entries directly, or search for journal entries with a specific status, unprocessed accounting events, or subledger journal entry lines.

Advanced search functionality, including the ability to use multiple search criteria is available.

Review Subledger Journal Entries

Perform an inquiry on unprocessed accounting events, subledger journal entries and subledger journal entry lines based on multiple selection criteria.

- Create, edit, duplicate, reverse or delete a manual subledger journal entry
- View detailed information about the subledger journal entry
- View a subledger journal entry in the T-Accounts format
- View transactions underlying the accounting event or the subledger journal entry
- View supporting references associated with the subledger journal entry and lines
- View tagged subledger journal entries or create a tag on the subledger journal entry
- Perform subledger journal corrections by editing the account directly on a completed journal entry. Review the
 original entry together with the correction for easier reconciliation.
 - To correct the account on a subledger journal you must have the Override Subledger Journal Entry privilege.



Related Topics

Supporting Reference Assignments: Points to Consider

Projected Balances: Points to Consider

Use the projected balances feature to view the impact on account balances for selected subledger journal entry lines.

The projected balances flow has the following business benefits:

- The creation and validation of unposted manual journal entries by providing immediate information about the account balances for the selected journal lines.
- The validation and reconciliation of posted journal entries by providing immediate information about the account balances for the selected journal lines.

Projected Balances

Subledger Accounting manual journal entry and General Ledger manual journal entry, approval, and inquiry pages display projected or current balances including the current journal entry line amounts. Depending on whether the journal is posted or not, the current balance (for the period of the journal) is displayed or calculated.

The projected balance region displays the projected balances for the account that includes the amounts of the selected journal entry line. Additionally, if more than one journal line for same account of the selected journal line exists, then the projected balance amount includes the impact from each journal line. The Period To Date, Quarter To Date, and Year To Date balances are also available.

- For unposted journals, the period balance is projected by summing the current balance with the subledger journal entry line amounts
- For posted journals, the opening balance and the period activity are calculated using the current balance and journal line amount

Projected balances increases accuracy when booking entries to reconcile accounts.

Accounting Reversals: Explained

To create an accounting reversal for a transaction or transaction distribution, the transaction objects should include the appropriate header or line level accounting reversal options.

Accounting reversals enables you to reverse the accounting impact of a previously accounted transaction distribution or all existing accounting for a transaction.

Accounting reversal terminology includes the following:

- Reversed (original) Distribution
 - Refers to a transaction distribution that although successfully accounted, is either incorrect or canceled. The transaction distribution is therefore reversed.



- Reversal Distribution
 - Refers to a transaction distribution which reverses the effect of the original distribution on transaction balances. Typically, reversal distributions are identical to the reversed distributions in all respects except for entered (ledger) amounts that reverse the sign of the original.
- Replacement Distribution
 - Refers to a transaction distribution which replaces the reversed distribution with the correct value.

Distribution Examples

The table below illustrates the distributions described above.

| Invoice Distribution Line Number | Invoice Line Type | Accounting Date | Amount | Description |
|-------------------------------------|-------------------|-----------------|--------|-------------------------|
| 1 | Item | 10-Jan-2013 | 1000 | Reversed |
| 2 | Item | 12-Jan-2013 | -1000 | Reversal (of line 1) |
| 3 | Item | 12-Jan-2013 | 2000 | Replacement (of line 1) |
| Transaction Total | | | 2000 | |

Note that the original accounting impact of the reversed distributions is undone, even if the subledger journal set ups or accounting configurations have changed since the original subledger journal entry was generated.

Related Topics

• Subledger Journal Adjustments: Points to Consider





5 Manage Subledger Accounting Reporting

Subledger Accounting Predefined Reports

Oracle Subledger Accounting provides accounting reports for fiscal and internal control purposes.

The reports are comprehensive from a financial standpoint and include the best source of information for each type of journal entry. These reports can be used in lieu of the General Ledger based journals and account analysis reports to see detailed subledger journal entries as well as supporting transaction information.

Scheduled Processes work area

Reports can be scheduled and run from the Scheduled Processes work area found under Tools on the Navigator.

Reports and Analytics work area

In some cases, reports are also:

- Accessed from the Reports and Analytics work area found under Tools on the Navigator or from other work areas.
- Opened using links that launch the business intelligence (BI) catalog.

The following table contains the primary predefined reports by type:

Account Analysis Reports

| Display Name | Description |
|---|---|
| Account Analysis Report | Provides drill down information about the movement on a particular account for a period or range of periods. It only includes journal entries posted to general ledger. |
| Account Analysis by Legal Entity Report | Prints account balances by account combination and selected segments with subledger journal details, including third-party information and sequences. Flexible grouping and sorting options are provided at submission. |

Journal Reports

| Display Name | Description |
|------------------------|---|
| Daily Journals Report | Lists subledger journal activity for a given period or date range, journal source, entered currency, and journal batch. Report prints detailed subledger journal lines prior to general ledger summarization. Third party and transaction details are also listed for the journal lines. |
| Journal Entries Report | Displays detailed information for subledger and general ledger journal entries. Groups report by ledger, journal source, journal category, and event class at submission. |
| Journal Ledger Report | Lists the accounting entries with subledger details like transaction number, transaction date, and line description, using flexible sorting options that are provided at report submission. This report provides a real audit trail between general ledger and subledgers to satisfy legal and business requirements. |



| Display Name | Description |
|---------------------------------|---|
| Journals and Third Party Report | Prints all journals posted in Oracle Fusion General Ledger for the accounting period. The report provides accounting and reporting sequence details, detailed subledger accounting entry lines reporting level regardless of the ledger journals summarization. Assists in verifying that all journals are accurately recorded in chronological order with no gaps using legal sequencing rules for both accounting entries and source documents. |
| Subledger Detail Journal Report | Displays information about the posted general ledger journal batches that originate from Oracle Fusion Receivables and Oracle Fusion Payables subledgers. The report prints subledger details like transaction number, transaction date, transaction amount in entered and ledger currency. |

Third Party Reports

| Display Name | Description |
|--|--|
| Third-Party Balances Report | Displays subledger balance and account activity information for suppliers and customers. |
| Third-Party Account Balance Report | Prints account and original third-party transactions impacting the account during a particular period of time. The report is run to ensure that subledger and general ledger balances reconcile, and to identify possible reasons for any discrepancies. |
| Third-Party Balances Summary Report | Displays information for each account of the third party and third-party site, and account identification. This report can be used as a tool for auditing third-party accounts. |
| Third-Party Detail and Balances Report | Provides third party account balances and accounting activity details for the requested accounting period range. You can review the accounting process details by third party and audit third-party accounts in detail. |

Other Subledger Accounting Reports

| Display Name | Description |
|--|--|
| Accounting Event Diagnostic Report | Shows the transaction data used in accounting. The data is collected when the profile option SLA: Enable Diagnostics is set and the Create Accounting process is run. |
| Subledger Accounting Method Setups Report | Displays the accounting setups for a subledger application and accounting method. |
| Subledger Period Close Exceptions Report | Lists all accounting events and journal entries that fail period close validation. Groups report by ledger, period, journal source, journal category, and event class at submission. |

To run predefined reports, navigate to the Scheduled Processes work area and follow these steps:

- 1. Click the Schedule New Process button
- 2. Search on the process name.
- 3. Enter your parameters.
- **4.** Enter your process options and schedule.
- 5. Click Submit.



Related Topics

Reports and Analytics Pane: Explained

Subledger Accounting Subject Areas, Folders, and Attributes: Explained

To create real-time analyses for Oracle Fusion Subledger Accounting you should be familiar with subject areas, folders, and attributes.

Subject Areas

To create an analysis, you begin by selecting a subject area from which you select columns of information to include in the analysis. For example, to create an analysis of journal information, you begin by selecting a Subledger Accounting- Journals Real Time subject area. Subject areas are based around a business object or fact. In this example, the subject area is based on the column in the subledger entries tables.

Subledger Accounting has 2 specific subject areas:

- Subledger Accounting- Journals Real Time
- Subledger Accounting Supporting References Real Time

Folders

Each subject area has one fact folder and a number of dimension folders. Fact folders contain attributes that can be measured, meaning that they are numeric values like journal debit and credit amounts. Fact folders are usually at the bottom of the list of folders and are usually named after the subject area. Dimension folders contain attribute and hierarchical columns like journal name and accounting period.

Some folders appear in more than one subject area, such as Time. These are referred to as common folders or common dimensions.


Each folder within a subject area may have a different level of granularity. For example:

- Accounting Class has accounting class attributes.
- Bill-to Customer has subfolders and attributes under the subfolders.



Attributes

Finally, each dimension folder contains attributes (columns), such as balance type and posting date. This figure illustrates the structure of subject areas, folders, and attributes.



In the preceding figure, the following components are shown:

- Subject area: Subledger Accounting Journals Real Time
- Dimension Presentation Folder: Accounting Class
- Dimension Attributes: Accounting Class Code, Accounting Class Description and Accounting Class Meaning.
- Fact Presentation Folder: Journals



• Fact - Measures: Journal Line Accounted Amount CR, Journal Line Accounted Amount DR, Journal Line Entered Amount CR, Journal Line Entered Amount DR, Journal Line Statistical Amount, Unrounded Accounted Amount CR, Unrounded Accounted Amount DR, Unrounded Entered Amount CR, and Unrounded Entered Amount DR.

Related Topics

Data Structure for Analytics: Explained

Account Analysis Reports: Explained

This topic includes details about the account analysis reports.

Overview

Use the account analysis reports to provide a complete set of reports that support fiscal verification processes in countries in Europe and South America. You can also use these reports to inform shareholders on the financial results in other countries, including the United States.

The account analysis reports include the following reports:


 General Ledger and Subledger Account Analysis Report: Prints account balances by account with subledger journal details. The report displays entered amounts, third-party information, sequences, and total number of debit and credit documents.

The following figure is an example of the report.

| Vision Spain | | | | (| General Le | edger | and Sub | oledg | er Acco | ount Ana | alysis Repo | rt | Repo | rt Date 7/17/14 9 Page 1 of 1 | :15 AM |
|--------------------|-------------------|--|----------------------------------|----------------------------------|-----------------------------|-----------------|-------------------|-------------|------------------------------------|----------|---------------|-------------------|--------------------|----------------------------------|------------------|
| | | | | | | | | | | | 1 | Brought Forward | | | |
| | | Accoun | Accoun | | .000.000 perty (Input VA | .TI.No Co | st Center.No | o Produ | ct | | Beginning B | alance forJan-14 | 7,720,001,110.13 | 20,220.93 | 7,719,980,889.20 |
| | | | | · | . , | • | | | | | Be | ginning Balance | 7,720,001,110.13 | 20,220.93 | 7,719,980,889.20 |
| Accounting Date | Subledger Date | General Ledger Sequence/ Number | Reporting Sequence/ Number | Subledger Sequence/ Number | Transaction Number | Source | Category | Tax Code | Line Number/ Descripti on | Currency | Entered Debit | Entered Credit | Accounted Debit | Accounted Credit | Balance |
| 1/3/14 | 1/3/14 | | | | TE1401123 | Payabl es | Supplier Cost | | 3 ES VAT - ES VAT | EUR | 160.00 | | 160.00 | | 7,719,981,049.20 |
| 1/3/14 | 1/3/14 | | | | T14010001 | Receiv ables | Sales Invoices | | 1 | EUR | | 160.00 | | 160.00 | 7,719,980,889.20 |
| | | | | | | | | | | | | Ending Balance | 7,720,001,270.13 | 20,380.93 | 7,719,980,889.20 |
| | | | | | | | | | | | | Total for Jan-14 | 160.00 | 160.00 | 0.00 |
| | | | | | | | | | | | Ending B | alance for Jan-14 | 7,720,001,270.13 | 20,380.93 | 7,719,980,889.20 |
| | | | | | | | | | | | | Debit Documents | 1 | | |
| | | | | | | | | | | | | redit Documents | | 1 | |
| | | | | | | | | | | | | Total For Report | 160.00 | 160.00 | 0.00 |


 General Ledger and Subledger Accounting by Journal Lines Report: Lists account balances or selected segment balances with subledger journal details including entered amounts, third-party name, journal source, journal category, and reporting and accounting sequences. Total number of debit and credit documents is also listed.





Account Analysis by Legal Entity Report: Prints account balances by account combination and selected segments
with subledger journal details, including third-party information and sequences. Flexible grouping and sorting options
are provided at submission.





Key Insights

The account analysis reports:

- Provide a legal account ledger
- Reconcile subledger balances with the general ledger balances
- Maintain an audit trail
- Allow a periodic internal verification

The following information is commonly displayed for each account:

- Account identification
- Account beginning balances for the reporting period
- Period transactions with subledger and general ledger information
- Resulting account ending balances

The General Ledger and Subledger Accounting by Journal Lines Report prints:

- Details of subledger accounting entry lines, regardless of the general ledger journals summarization.
- Audit trail information about the original business documents or transactions to support each accounting entry line.
 This information varies across countries.



Report Parameters

The following table lists the common parameters for all the account analysis reports:

| Parameter | Description |
|---------------------------|---|
| Ledger | Specify the ledgers for the selected data access set. Ledger is required for all general ledger reports. |
| Legal Entity | Specify the legal entity. You can control the report output through this parameter only if you have associated balancing segment values to your legal entities. |
| From Period and To Period | Indicate the period range for the report data. |
| Flex Filter Conditions | Enter the filtering conditions on the accounting flexfield. You can select all segments for the selected ledger and define conditions including account value ranges. |

The following table lists selected general ledger and subledger account analysis report parameters:

| Parameter | Description |
|----------------------------------|---|
| Include Legal Entity Information | Select Yes to print the legal entity on the report. |
| Balance Type | Specify whether the balance type is budget, encumbrance, or actual amounts. |
| Display Tax Rate Code | Select Yes to include the tax rate code details. |
| Document Sequence Name | Enter the name of the document sequence used to generate unique number for the journal. |

The following table lists selected general ledger and subledger accounting by journal lines report parameters:

| Parameter | Description |
|--------------------------|---|
| Accounting Sequence Name | Indicate the name of the sequence used to generate a unique number for the subledger journal. |
| Posting Status | Indicate whether the posting status is transferred but not posted, not transferred, or posted. |
| Journal Entry Status | Indicate whether the journal entries are in draft, final or invalid status. |
| Third-Party Type | Select the party type as customer or supplier. This is an optional parameter and you can leave it blank. |
| Journal Source | Enter the source of journal entries, such as payables, receivables, or manual. |
| Journal Category | Select journal category when you want to report on a specific subledger journal category. Leave it blank when you want to include all the journal categories. |



The following table lists selected account analysis by legal entity report parameters:

| Parameter | Description |
|---------------------------|---|
| Balance Type | Specify whether the balance type is budget, encumbrance, or actual amounts. |
| Include Zero Amount Lines | Indicate whether the report should include accounts with no activity in the selected period that is, zero amount lines. |
| Report Heading | Accept the default value or customize the report page heading by selecting one of the available values. The default value is the legal entity name. |

Frequently Asked Questions

The following table lists frequently asked questions about the account analysis reports.

| FAQ | Answer |
|---------------------------------|---|
| How do I find this report? | Schedule and run this report from the Scheduled Processes work area on the Navigator menu. |
| Who uses this report? | Financial Accountant Financial Manager Financial Specialist |
| When do I use this report? | Use the account analysis reports to: Collect and report information about all posted journal transactions in the general ledger for a selected period and range of accounts. Verify that transactions are recorded systematically, and ensure an audit trail from general ledger to the subledger. Perform validation for each accounting period once it's closed. Verify the accounting entry lines before their approval. |
| What type of reports are these? | Oracle Business Intelligence Publisher |

Related Topics

• General Ledger and Subledger Accounting Reports: Explained



Journal Reports: Explained

This topic includes details about the journal reports.

Overview

Use Journal reports to verify that your journals, accounting entries, and source documents are in compliance with the legal requirements.

Journal reports include the following reports:

• Daily Journals Report: Lists subledger journal activity for a given period or date range, journal source, entered currency, and journal batch. Report prints detailed subledger journal lines prior to general ledger summarization. Third party and transaction details are also listed for the journal lines.

The following figure is an example of the report.

| | ACLE: | | | Dai | ily Jou | rnals R | eport | | | | Report Date | | 1:04 AM |
|--------|--|--|---|--------------------------------|--|--------------------------|------------------------------------|---------------------|---------------|-----------------|-------------|--------|--------------------|
| /ision | Spain | | | | | | | | | Brought Forward | Page | 1 of 2 | |
| | GL Batch N Journal Cate Journal Descri Journal St Posting | Jan-14Supplier Co Supplier Cost Invoice Validated , TE1401123 , Invoi Invoice Descriptior tatus | st Invoice Number: ce Date: 03-JAN-14 , | Default | Currenc efault Rat Rate Typ t Rate Dat Use | e e e 1/3/14 | | | Document Se | Sequence Name | | | |
| Line | Account | Account Description | Line Description | Transaction Date/ Number | Tax Code | Third Party Number | Third Party Name | Entered Currency | Entered Debit | Entered Credit | Accounted | Debit | Accounted Credi |
| 1 | 40.400000.000. 000 | Spain.Domestic Suppliers.No Cost Center.No Product | | 1/3/14 / TE1401123 | | 1000000 1159621 1 | Advanced Network Devices_FIN | EUR | | 1,000.00 | | | 1,000.0 |
| 2 | 40.611000.000. 000 | Spain.Variation of existence of.No Cost Center.No Product | | 1/3/14 / TE1401123 | | 1000000 1159621 1 | Advanced Network Devices_FIN | EUR | 1,000.00 | | 1,0 | 00.00 | |
| 3 | 40.472000.000. 000 | Spain.Property (Input VAT).No Cost Center.No Product | ES VAT - ES VAT | 1/3/14 / TE1401123 | | 1000000 1159621 1 | Advanced Network Devices_FIN | EUR | 160.00 | | 11 | 60.00 | |
| 1 | 40.400000.000. 000 | Spain.Domestic Suppliers.No Cost Center.No Product | ES VAT - ES VAT | 1/3/14 / TE1401123 | | 1000000 1159621 1 | Advanced Network Devices_FIN | EUR | | 160.00 | | | 160.0 |
| | | | 1 | 1 | | | | | | | | | |
| | | | | | | | | | | Page Total | | 60.00 | 1,160. |
| | | | | | | | | | | Carried Forward | 1,1 | 60.00 | 1,10 |

 Subledger Detail Journal Report: Displays information about the posted general ledger journal batches that originate from Oracle Fusion Receivables and Oracle Fusion Payables subledgers. The report prints subledger details like transaction number, transaction date, and transaction amount in entered and ledger currency.



| | n Spain | | | | Su | ıbledger D | etail Jou | ırnal Repo | ort | • | 7/16/14 1:26 PM 1 of 1 |
|------|-----------------------------|-----------------------|---|---------------------------------------|-----------------------|---------------------|-----------|--------------------|--|--------------------------|---------------------------|
| | Pi | eriod Name | GL Date 03- Journal Name Jar | Jan-2014 n-14Suppli pplier Cost | | | | | Jour Subledger Jour | nal Number nal Number | |
| Line | Subledger Line Number | Account | Account Description | Tax Code | Transaction Number | Transaction Date | Currency | Conversion Rate | Entered Amount | Accounted Debit | Accounted Credit |
| 1 | 1 | 40.400000. 000.000 | Spain.Domestic Suppliers.No Cost Center.No Product | | TE1401123 | 1/3/14 | EUR | | -1,000.00 | | 1,000.00 |
| 2 | 2 | 40.611000. 000.000 | Spain.Variation of existence of.No Cost Center.No Product | | TE1401123 | 1/3/14 | EUR | | 1,000.00 | 1,000.00 | |
| 3 | 3 | 40.472000. 000.000 | Spain.Property (Input VAT).No Cost Center.No Product | | TE1401123 | 1/3/14 | EUR | | 160.00 | 160.00 | |
| 4 | 4 | 40.400000. 000.000 | Spain.Domestic Suppliers.No Cost Center.No Product | | TE1401123 | 1/3/14 | EUR | | -160.00 | | 160.00 |
| 5 | 5 | 40.611000. 000.000 | Spain.Variation of existence of.No Cost Center.No Product | | TE1401123 | 1/3/14 | EUR | | 0.00 | 0.00 | |
| | | | | | | | | | Journal Total | 1,160.00 | 1,160.00 |
| | | | | | | | | | Total ForJan-14 | 1,160.00 | 1,160.00 |
| | | | | | | | То | | Iger Accounting Entries Iger Accounting Entries | 0.00 1,160.00 | 0.00 1,160.00 |

• Journal Ledger Report: Lists the accounting entries with subledger details like transaction number, transaction date, and line description, using flexible sorting options provided at report submission. This report provides a real audit trail between general ledger and subledgers to satisfy legal and business requirements.



| ORACLE" | | | | | Journal Ledger Report | | | | R | eport Date Page | 7/16/14 3 1 of 2 | 06 PM |
|---------|---------------------------|--|---|-----------------------|--------------------------|--|---|---------------|---|--------------------|---------------------|---------------------|
| | | | | | | | | | Year To Date | | 0 | 0 |
| | Perio | od Name Jan-1 | 14 | | | | | | | | | |
| J | | ategory Supporting Invoice Num Date | 4 h is posted blier Cost ce Validated , ir ber: TE1401123 : 03-JAN-14 , in | 3 , Invoice | | gory S | Payables Supplier Cost nvoices nvoice Valida | | Accounting Sequence ccounting Sequence Reporting Sequence Reporting Sequence | Number ce Name | | |
| | Bato Referen | h Name Paya | ables A 14839 2 | 2753 N | Create | ed By | | | Subledger Sequen Subledger Sequence | | | |
| Line | Account | Account Description | Line Description | Internal Reference | Third Party Number | Third Party Name | Entered Currency | Entered Debit | Entered Credit | Accounted | Debit | Accounted Credit |
| 1 | 40.4720 00.000. 000 | Spain.Propert y (Input VAT).No Cost Center.No Product | ES VAT - ES VAT | TE140112 3 | 100000 011596 211 | Adva nced Netw ork Devic es_FI N | EUR | 160.00 | | 1 | 160.00 | |
| 2 | 40.4000 00.000. 000 | Spain.Domes tic Suppliers.No Cost Center.No Product | | TE140112 3 | 100000 011596 211 | Adva nced Netw ork Devic es_FI N | EUR | | 1,000.00 | | | 1,000.00 |

Key Insights

The Daily Journals Report provides:

- Subledger accounting entry lines regardless of the general ledger journals summarization.
- Audit trail information on the original business documents or transactions to support each accounting entry line.
- Verification details that all journals are recorded in chronological order with no gaps. It uses legal sequencing rules for both journal or accounting entries and source documents.
- Flexible sorting options to help you with reconciliation. Report data is sorted by period end document sequence name and number, accounting sequence, accounting date, and journal name.

The Journal Ledger Report provides an audit trail between the general ledger and subledgers to satisfy legal and business requirements. This report lists the accounting entries in general ledger with subledger details.

Use the Journal Ledger Report to:

- Maintain an audit trial.
- Perform periodic internal verification.
- Reconcile subledger accounting activity with general ledger journals.
- Sort data to audit and reconcile subledger data. You can sort data by period end document sequence name and number, accounting sequence, accounting date, and journal name.



Report Parameters

The following table lists selected parameters for the Daily Journals Report:

| Parameter | Description |
|-----------------------------|--|
| Posting Status | Select the applicable posting status. Valid values are Error Status, Posted Journals, and Unposted Journals. |
| Journal Entry Status | Indicate whether the journal entries are in draft, final or invalid status. |
| Third-Party Name | Select the name of the third party for whom you want to generate the report. |
| Summarization Level | Select: |
| | Detail: Displays details of each transaction line. |
| | • Summary : Summarizes the transaction lines by specific accounting flexfield segments. |
| Show Account Recapitulation | Select Yes to print the report summary at the accounting flexfield level. |

The following table lists selected parameters for the Subledger Detail Journal Report:

| Parameter | Description |
|--------------------------|--|
| Journal Entry Status | Indicate whether the journal entries are in draft, final or invalid status. |
| Accounting Sequence Name | Specify the accounting sequence name for which you want to run the journals. |

The following table lists selected parameters for the Journal Ledger Report:

| Parameter | Description |
|------------------------|---|
| Accounting Period Type | Indicate whether to submit the report for all, standard, or adjustment accounting period types. |
| Show Running Totals | Select Yes to print running totals in the report. |
| Summarize by Account | Select Yes to print summarized debit and credit lines per account for a single journal. The default value is No . |

Frequently Asked Questions

The following table lists frequently asked questions about the journal reports.



| FAQ | Answer |
|---------------------------------|---|
| How do I find this report? | Schedule and run this report from the Scheduled Processes work area on the Navigator menu. |
| Who uses this report? | Financial AccountantFinancial ManagerFinancial Specialist |
| When do I use this report? | Use the journal reports to verify whether your journals, accounting entries, and source documents comply with the legal requirements. |
| What type of reports are these? | Oracle Business Intelligence Publisher |

Related Topics

General Ledger and Subledger Accounting Reports: Explained


Third-Party Detail and Balances Reports: Explained

This topic includes details about third-party detail and balances reports.

Overview


The third-party detail and balances reports include:

 Third-Party Balances Summary Report: Displays information for each account of the third party and third-party site, and account identification. This report is a tool for auditing third-party accounts.
 The following figure is an example of the report.




Third-Party Detail and Balances Report: Provides third-party account balances and accounting activity details for a
period. You can review the accounting process details by third party and audit third-party accounts in detail.





• Third-Party Account Balance Report: Prints account and original third-party transactions impacting the account during a particular period. The report is run to ensure that subledger and general ledger balances reconcile, and to identify possible reasons for any discrepancies.





Journals and Third-Party Report: Prints all the journals posted to the general ledger for an accounting period.
It provides detailed subledger accounting entry lines regardless of the general ledger journals summarization.
Transaction line description, third-party name and number, and transaction amounts in entered and ledger currency.
The report uses legal sequencing rules for both accounting entries and source documents to verify if all journals are recorded in a chronological order without gaps. The report lets you create various views of reported information based on seven flexible sorting rules that help with reconciliation and auditing.



| Vision | ACLE [®] Spain | | | | Journals a | and Third Pa | rty Report | | | Report Date | |
|--------|----------------------------|-----------------------|--|----------------------------|---|----------------------------|------------------|---------------|--|---------------|-------------------------|
| | | | | | | | | | Brought Forward | | |
| | | Period Nam | 3/12 | | Application Name | | | | ng Sequence Name | | |
| | | escription Invo | al es Invoices oice transaction type: Gi oice transaction number 0312-AR01 Document egory: Document numb eivables A 14780 1970 | : ES- sequence er: 0 | Creation Date Event Class Event Type Journal Name | Invoice Invoice Created | oices | Reportin | Sequence Number ng Sequence Name Sequence Number | | |
| Line | , | Account | Account Description | Line Description | Third Party Number | Third Party Name | Entered Currency | Entered Debit | Entered Credit | Accounted Del | oit Accounted Credit |
| 1 | 4 | 40.472000.000.00) | Spain.Property (Input VAT).No Cost Center.No Product | | 2272 | Bulk Foods S.A. | EUR | | 8.00 | | 8.00 |
| 2 | (| 40.768000.000.00) | Spain.Foreign Exchange Gains.No Cost Center.No Product | | 2272 | Bulk Foods S.A. | EUR | | 50.00 | | 50.00 |
| 3 | 4 | 40.360000.000.00) | Spain.Residues etc\No Cost Center.No Product | | 2272 | Bulk Foods S.A. | EUR | 58.00 | | 58.1 | 00 |
| | | | | | | | Journal Total | 58.00 | | | .00 58.00 |
| | | | | | | | | | Total For 3/28/12 Total For Mar-12 | | .00 58.00 |

Key Insights

Before submitting the reports, complete the following tasks:

- Ensure that the third-party control account balances are available for printing for the selected date and account range.
- Manually run the Update Subledger Account Balances process for your ledger and application, if you accounted your third-party transactions online.
- Note: You must set up third-party control account, you can set it up as supplier control account, customer control account, or both.

During the accounting process, run the reports to ensure that subledger and general ledger balances reconcile, and to identify discrepancies such as:

- Transaction amounts are assigned to incorrect accounts. For example, an invoice distribution amount is assigned to a liability account.
- Transactions are not posted to the general ledger.
- Journal batches are not posted in the general ledger.

For each account, the report displays beginning balance, period activity, and period end balance.

Report Parameters

The following table lists selected parameters for the Third-Party Balances Summary Report:



| Parameter | Description |
|----------------------|---|
| Report Heading | Print report headings, select one of the following options: Ledger, Legal Entity, and Statutory Header for Italy. |
| Journal Entry Source | Enter the source of journal entries, such as payables, receivables, or manual. |
| Third-Party Type | Indicate the party type, such as supplier or customer. |
| Third-Party Name | Submit the report for a specific third party, or leave this field blank for all third parties. |

The following table lists selected parameters for the Third-Party Detail and Balances Report:

| Parameter | Description |
|----------------------|--|
| Journal Entry Source | Enter the source of journal entries, such as payables, receivables, or manual. |
| Third-Party Type | Indicate the party type, such as supplier or customer. |
| Third-Party Name | Submit the report for a specific third party, or leave this field blank for all third parties. |

The following table lists selected parameters for the Third-Party Account Balance Report:

| Parameter | Description |
|----------------------|---|
| Report Heading | Print report headings, select one of the following options: Ledger, Legal Entity, and Statutory Header for Italy. |
| Journal Entry Source | Enter the source of journal entries, such as payables, receivables, or manual. |
| Third-Party Type | Indicate the party type, such as supplier or customer. |

The following table lists selected parameters for the Journals and Third-Party Report:

| Parameter | Description |
|----------------------|--|
| Journal Entry Source | Enter the source of journal entries, such as payables, receivables, or manual. |
| Event Class | Indicate the event class, such as credit memos and debit memos. |
| Group by Period | Indicate whether to group the journal entries by period. |



Frequently Asked Questions

The following table lists frequently asked questions about third-party detail and balances reports.

| FAQ | Answer |
|---------------------------------|--|
| How do I find this report? | Schedule and run this report from the Scheduled Processes work area on the Navigator menu. |
| Who uses this report? | Financial AccountantFinancial ManagerFinancial Specialist |
| When do I use this report? | Use the third-party detail and balances reports to: Review the accounting process details by third party and third-party site. Audit third-party accounts in detail. Reconcile transactions accounted by an audited company with transactions accounted by the third parties. |
| What type of reports are these? | Oracle Business Intelligence Publisher |
| | |

Related Topics

• General Ledger and Subledger Accounting Reports: Explained





Glossary

accounting event class

Categories that classify transaction types and group event types for accounting rules.

accounting event type

Represents a business operation that may have an accounting impact.

descriptive flexfield

Customizable expansion space, such as fields used to capture additional descriptive information or attributes about an entity, such as a customer case. You may configure information collection and storage based on the context.

ESS

Acronym for Enterprise Storage Server. An application that optimizes data storage.

journal batch

An element of a journal entry consisting of the name, source, and accounting period. Used to group journals for processing and easier querying.

journal entry

Point of entry of business transactions into the accounting system. Chronological record, with an explanation of each transaction, the accounts affected, and the amounts to increase or decrease each account.

post

Update account balances by the recorded debit or credit amount in each journal entry to the related accounts in the general ledger.

primary ledger

Main record-keeping ledger.

process category

Group of one or more logically related event classes that can be used to restrict which events are processed by the Create Accounting process.

secondary ledger

An optional, additional ledger that is associated with the primary ledger for an accounting setup. Secondary ledgers can represent the primary ledger's data in another accounting representation. The Secondary ledger differs in chart of accounts, accounting calendar, currency, subledger accounting method and ledger processing options.



source system

A system that a non-Oracle software provider provides, or an internal system that creates events that the Oracle Fusion Accounting Hub uses.

subledger

A low-level ledger that stores and manages the details that substantiate the monetary value stored in the general ledger. Oracle Fusion Receivables and Oracle Fusion Payables are examples of subledgers.

subledger journal entry

A detailed journal entry generated for a transaction in a subledger application.

subledger journal entry line

An individual debit or credit line that is part of a subledger journal entry.

supporting reference

Stores additional source information about a subledger journal entry line which can be used to establish a subledger balance for source values for an account.

