Oracle® Cloud

Oracle Integration Cloud Service Error Messages Release 16.1

E69865-01

January 2016

This guide lists Oracle Integration Cloud Service error messages.



Oracle Cloud Oracle Integration Cloud Service Error Messages, Release 16.1

E69865-01

Copyright © 2016, Oracle and/or its affiliates. All rights reserved.

Primary Author: Mark Kennedy

This software and related documentation are provided under a license agreement containing restrictions on use and disclosure and are protected by intellectual property laws. Except as expressly permitted in your license agreement or allowed by law, you may not use, copy, reproduce, translate, broadcast, modify, license, transmit, distribute, exhibit, perform, publish, or display any part, in any form, or by any means. Reverse engineering, disassembly, or decompilation of this software, unless required by law for interoperability, is prohibited.

The information contained herein is subject to change without notice and is not warranted to be error-free. If you find any errors, please report them to us in writing.

If this is software or related documentation that is delivered to the U.S. Government or anyone licensing it on behalf of the U.S. Government, then the following notice is applicable:

U.S. GOVERNMENT END USERS: Oracle programs, including any operating system, integrated software, any programs installed on the hardware, and/or documentation, delivered to U.S. Government end users are "commercial computer software" pursuant to the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, use, duplication, disclosure, modification, and adaptation of the programs, including any operating system, integrated software, any programs installed on the hardware, and/or documentation, shall be subject to license terms and license restrictions applicable to the programs. No other rights are granted to the U.S. Government.

This software or hardware is developed for general use in a variety of information management applications. It is not developed or intended for use in any inherently dangerous applications, including applications that may create a risk of personal injury. If you use this software or hardware in dangerous applications, then you shall be responsible to take all appropriate fail-safe, backup, redundancy, and other measures to ensure its safe use. Oracle Corporation and its affiliates disclaim any liability for any damages caused by use of this software or hardware in dangerous applications.

Oracle and Java are registered trademarks of Oracle and/or its affiliates. Other names may be trademarks of their respective owners.

Intel and Intel Xeon are trademarks or registered trademarks of Intel Corporation. All SPARC trademarks are used under license and are trademarks or registered trademarks of SPARC International, Inc. AMD, Opteron, the AMD logo, and the AMD Opteron logo are trademarks or registered trademarks of Advanced Micro Devices. UNIX is a registered trademark of The Open Group.

This software or hardware and documentation may provide access to or information about content, products, and services from third parties. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to third-party content, products, and services unless otherwise set forth in an applicable agreement between you and Oracle. Oracle Corporation and its affiliates will not be responsible for any loss, costs, or damages incurred due to your access to or use of third-party content, products, or services, except as set forth in an applicable agreement between you and Oracle.

Contents

Preface	. '
Audience	. '
Related Documents	. '
Conventions	. '

1 ICS-10001 to ICS-14028

Preface

Oracle Integration Cloud Service Error Messages lists error messages you can receive when using Oracle Integration Cloud Service.

- Audience
- Related Documents
- Conventions

Audience

Oracle Integration Cloud Service Error Messages list error messages that users may encounter when using Oracle Integration Cloud Service.

Related Documents

For more information, see these Oracle resources:

- Using Oracle Integration Cloud Service
- Using the Oracle Mapper

Conventions

The following text conventions are used in this document:

Convention	Meaning				
boldface	Boldface type indicates graphical user interface elements associated with an action, or terms defined in text or the glossary.				
italic	Italic type indicates book titles, emphasis, or placeholder variables for which you supply particular values.				
monospace	Monospace type indicates commands within a paragraph, URLs, coin examples, text that appears on the screen, or text that you enter.				

ICS-10001 to ICS-14028

ICS-10001: An error occurred while retrieving the integration.

Category: ICS Web Console

Type: SEVERE

Level: 1 Name:

 $oracle. ics. we bconsole. common. resource. We bConsole Message Keys. IN TEGRATION_Parameters and the property of the proper$

ERSISTENCE_ERROR

Documented: Yes

Cause: An error occurred while retrieving the integration.

Action: Verify that Integration design time data is properly saved.

ICS-10002: An error occurred while retrieving the integration.

Category: ICS Web Console

Type: SEVERE

Level: 1 Name:

oracle.ics.webconsole.common.resource.WebConsoleMessageKeys.INTEGRATION_

CODE_OR_VERSION_NULL

Documented: Yes

Cause: Integration code or version is null.

Action: Verify that Integration design time data is properly saved.

ICS-10003: Integration is not found.

Category: ICS Web Console

Type: SEVERE

Level: 1 Name:

oracle.ics.webconsole.common.resource.WebConsoleMessageKeys.INTEGRATION_

NOT_FOUND_ERROR

Documented: Yes

Cause: Integration is not found.

Action: Verify that Integration design time data is properly saved.

ICS-10004: An error occurred while deleting the integration.

Category: ICS Web Console

Type: SEVERE

Level: 1 Name:

 $oracle.ics. we bconsole.common.resource. We bConsole Message Keys. IN TEGRATION_\\$

DELETE_ERROR

Documented: Yes

Cause: An error occurred while deleting the integration.

Action: Verify that Integration design time data is properly saved.

ICS-10005: An error occurred while exporting the integration.

Category: ICS Web Console

Type: SEVERE

Level: 1 Name:

 $oracle.ics.webconsole.common.resource.WebConsoleMessageKeys.INTEGRATION_E$

XPORT_ERROR
Documented: Yes

Cause: An error occurred while exporting the integration.

Action: Verify that Integration design time data is properly saved.

ICS-10006: Connection detail is missing for Integration.

Category: ICS Web Console

Type: SEVERE

Level: 1 Name:

 $oracle.ics. we bconsole.common.resource. We bConsole Message Keys. IN TEGRATION_ to the consoler formula of the consoler for$

CONNECTIONDETAILS_MISSING

Documented: Yes

Cause: Connection detail is missing for Integration

Action: Verify that Integration has connection detail information.

ICS-10007: You are editing an integration that has one or more incomplete connections. Please update the connection(s): "{0}" has/have missing config information.

Category: ICS Web Console

Type: SEVERE

Level: 1 Name:

 $oracle.ics. we bconsole.common.resource. We bConsole Message Keys. IN TEGRATION_CONNECTION DETAILS_MISSING_EDIT$

Documented: Yes

Cause: You are editing an integration that has one or more incomplete connections.

Please update the connection(s): "{0}" has/have missing config information.

Action: Verify that Integration has connection detail information.

ICS-10008: You are activating an integration that has one or more incomplete connections. Please update the connection(s): "{0}" has/have missing config information.

Category: ICS Web Console

Type: SEVERE

Level: 1 Name:

 $oracle.ics. we bconsole.common.resource. We bConsole Message Keys. IN TEGRATION_CONNECTION DETAILS_MISSING_ACTIVATE$

Documented: Yes

Cause: You are activating an integration that has one or more incomplete connections.

Please update the connection(s): "{0}" has/have missing config information.

Action: Verify that Integration has connection detail information.

ICS-10501: The agent group cannot be retrieved due to an internal error.

Category: ICS Web Console

Type: SEVERE

Level: 1

 $oracle. ics. we bconsole. common. resource. We bConsole Message Keys. AGENT_GROUP_$

RETRIEVE_FAILURE_DUE_TO_PERSISTENCE_ERROR

Documented: Yes

Cause: The Agent group couldn't be created due to an internal error.

Action: Check Abstraction API or OSB errors.

ICS-10502: The agent group couldn't be created due to an internal error.

Category: ICS Web Console

Type: SEVERE

Level: 1 Name:

 $oracle.ics. we bconsole.common.resource. We bConsole Message Keys. AGENT_GROUP_CONSOLEMENT STATEMENT STA$

CREATE_FAILURE_DUE_TO_PERSISTENCE_ERROR

Documented: Yes

Cause: The Agent group couldn't be created due to an internal error.

Action: Check Abstraction API or OSB errors.

ICS-10503: The agent group couldn't be created because input values are not valid.

Category: ICS Web Console

Type: SEVERE

Level: 1 Name:

 $oracle.ics. we bconsole.common.resource. We bConsole Message Keys. AGENT_GROUP_console.common.resource. We bconsole Message Keys. AGENT_GROUP_console Message Keys. AGENT_GROUP$

CREATE_FAILURE_DUE_TO_INVALID_ARGUMENT

Documented: Yes

Cause: The Agent group couldn't be created because input values are not valid.

Action: Verify that input values for Agent are not valid.

ICS-10504: The agent group couldn't be created because the agent group name already exists.

Category: ICS Web Console

Type: SEVERE

Level: 1 Name:

 $oracle.ics.webconsole.common.resource.WebConsoleMessageKeys.AGENT_GROUP_$

CREATE_FAILURE_DUE_TO_CONFLICT

Documented: Yes

Cause: The Agent group couldn't be created because the Agent group name already

exists.

Action: Verify that the Agent group name {0} exists.

ICS-10505: The agent group cannot be updated due to an internal error.

Category: ICS Web Console

Type: SEVERE

Level: 1

Name:

oracle.ics.webconsole.common.resource.WebConsoleMessageKeys.AGENT_GROUP_ UPDATE_FAILURE_DUE_TO_PERSISTENCE_ERROR

Documented: Yes

Cause: The Agent group cannot be updated.

Action: Check Abstraction API or OSB errors.

ICS-10506: The agent group cannot be updated because it is no longer available.

Category: ICS Web Console

Type: SEVERE

Level: 1

Name:

oracle.ics.webconsole.common.resource.WebConsoleMessageKeys.AGENT_GROUP_

UPDATE_FAILURE_DUE_TO_NONEXISTENCE

Documented: Yes

Cause: The Agent group cannot be updated because it is no longer available.

Action: Verify that the Agent group exists.

ICS-10507: The agent group cannot be updated because it is locked.

Category: ICS Web Console

Type: SEVERE

Level: 1

Name:

 $oracle.ics.webconsole.common.resource.WebConsoleMessageKeys.AGENT_GROUP_$

UPDATE_FAILURE_DUE_TO_LOCK

Documented: Yes

Cause: The Agent group cannot be updated because it is locked.

Action: Verify that the Agent group is unlocked.

ICS-10508: The agent group cannot be deleted because it is no longer available.

Category: ICS Web Console

Type: SEVERE

Level: 1 Name:

oracle.ics.webconsole.common.resource.WebConsoleMessageKeys.AGENT_GROUP_

DELETE_FAILURE_DUE_TO_NONEXISTENCE

Documented: Yes

Cause: The Agent group cannot be deleted because it is no longer available.

Action: Verify that the Agent group exists.

ICS-10509: The agent group cannot be deleted because it is locked.

Category: ICS Web Console

Type: SEVERE

Level: 1 Name:

 $oracle.ics. we bconsole.common.resource. We bConsole Message Keys. AGENT_GROUP_CONSOLEMENT STATEMENT STA$

DELETE_FAILURE_DUE_TO_LOCK

Documented: Yes

Cause: The Agent group cannot be deleted because it is locked.

Action: Verify that the Agent group is unlocked.

ICS-10510: The Agent couldn't be retrieved due to an internal error.

Category: ICS Web Console

Type: SEVERE

Level: 1 Name:

oracle.ics.webconsole.common.resource.WebConsoleMessageKeys.AGENT_RETRIEV

E_FAILURE_DUE_TO_PERSISTENCE_ERROR

Documented: Yes

Cause: The Agent couldn't be retrieved due to an internal error.

Action: Check Abstraction API or OSB errors.

ICS-10511: The Agent couldn't be created due to an internal error.

Category: ICS Web Console

Type: SEVERE

Level: 1 Name:

 $oracle.ics. we bconsole.common.resource. We bConsole Message Keys. A GENT_CREATE$

_FAILURE_DUE_TO_PERSISTENCE_ERROR

Documented: Yes

Cause: The Agent couldn't be created due to an internal error.

Action: Check Abstraction API or OSB errors.

ICS-10512: The Agent couldn't be created because input values are not valid.

Category: ICS Web Console

Type: SEVERE

Level: 1 Name:

 $oracle.ics. we bconsole.common.resource. We bConsole Message Keys. A GENT_CREATE$

_FAILURE_DUE_TO_INVALID_ARGUMENT

Documented: Yes

Cause: The Agent couldn't be created because input values are not valid.

Action: Verify that input values for Agent are not valid.

ICS-10513: The Agent couldn't be created because the Agent group name already exists.

Category: ICS Web Console

Type: SEVERE

Level: 1 Name:

oracle.ics.webconsole.common.resource.WebConsoleMessageKeys.AGENT_CREATE _FAILURE_DUE_TO_CONFLICT

Documented: Yes

Cause: The Agent couldn't be created because the Agent group name already exists.

Action: Verify that the same Agent name {0} exists.

ICS-10514: The Agent group cannot be updated due to an internal error.

Category: ICS Web Console

Type: SEVERE

Level: 1 Name:

 $oracle.ics. we bconsole.common.resource. We bConsole Message Keys. AGENT_UPDATE to the consoler of the conso$

_FAILURE_DUE_TO_PERSISTENCE_ERROR

Documented: Yes

Cause: The Agent group cannot be updated due to an internal error.

Action: Check Abstraction API or OSB errors.

ICS-10515: The Agent cannot be updated because it is no longer available.

Category: ICS Web Console

Type: SEVERE

Level: 1 Name:

 $oracle.ics. we bconsole.common.resource. We bConsole Message Keys. AGENT_UPDATE$

_FAILURE_DUE_TO_NONEXISTENCE

Documented: Yes

Cause: The Agent cannot be updated because it is no longer available.

Action: Verify that the Agent exists.

ICS-10516: The Agent cannot be updated because it is locked.

Category: ICS Web Console

Type: SEVERE

Level: 1 Name:

 $oracle.ics. we bconsole.common.resource. We bConsole Message Keys. AGENT_UPDATE$

_FAILURE_DUE_TO_LOCK

Documented: Yes

Cause: The Agent cannot be updated because it is locked.

Action: Verify that the Agent is unlocked.

ICS-10517: The Agent cannot be deleted because it is no longer available.

Category: ICS Web Console

Type: SEVERE

Level: 1 Name:

 $oracle.ics. we boonsole.common.resource. We bConsole Message Keys. A GENT_DELETE$

_FAILURE_DUE_TO_NONEXISTENCE

Documented: Yes

Cause: The Agent cannot be deleted because it is no longer available.

Action: Verify that the Agent exists.

ICS-10518: The Agent cannot be deleted because it is locked.

Category: ICS Web Console

Type: SEVERE

Level: 1 Name:

 $oracle.ics. we bconsole.common.resource. We bConsole Message Keys. AGENT_DELETE$

_FAILURE_DUE_TO_LOCK

Documented: Yes

Cause: The Agent cannot be deleted because it is locked.

Action: Verify that the Agent is unlocked.

ICS-10519: The certificate cannot be retrieved by alias name "{0}".

Category: ICS Web Console

Type: SEVERE

Level: 1 Name:

oracle.ics.webconsole.common.resource.WebConsoleMessageKeys.CERTIFICATE_C

OULD_NOT_RETRIEVE

Documented: Yes

Cause: The certificate cannot be retrieved due to an internal error.

Action: Check the detail message in the exception.

ICS-10520: The certificate cannot be added because the alias name "{0}" already exists.

Category: ICS Web Console

Type: SEVERE

Level: 1 Name:

 $oracle.ics. we bconsole.common.resource. We bConsole Message Keys. CERTIFICATE_COULD_NOT_ADD_ALREADY_USED$

Documented: Yes

Cause: The certificate cannot be added because the alias name already exists.

Action: Verify that the certificate alias name exists.

ICS-10521: The certificate cannot be added with alias name "{0}" because the certificate is invalid.

Category: ICS Web Console

Type: SEVERE

Level: 1 Name:

oracle.ics.webconsole.common.resource.WebConsoleMessageKeys.CERTIFICATE_C $\mbox{OULD_NOT_ADD_BAD}$

Documented: Yes

Cause: The certificate cannot be added because the certificate is invalid.

Action: Verify that the certificate is valid.

ICS-10522: The certificate cannot be added with alias name "{0}" due to an error.

Category: ICS Web Console

Type: SEVERE

Level: 1 Name:

 $oracle.ics. we bconsole.common.resource. We bConsole Message Keys. CERTIFICATE_COULD_NOT_ADD_ERROR$

_ _ _

Documented: Yes

Cause: The certificate cannot be added due to an error.

Action: Check server logs.

ICS-10523: An error occurred while creating tracking metrics string.

Category: ICS Web Console

Type: SEVERE

Level: 1

Name:

 $oracle. ics. we bconsole. common. resource. We bConsole Message Keys. TRACKING_METRICS_HISTORY_GENERATE_ERROR$

Documented: Yes

Cause: An error occurred while creating tracking metrics string.

Action: Check server logs.

ICS-10524: An error occurred while parsing tracking metrics string.

Category: ICS Web Console

Type: SEVERE

Level: 1 Name:

 $oracle.ics. we bconsole.common.resource. We bConsole Message Keys. TRACKING_MET$

RICS_HISTORY_PARSE_ERROR

Documented: Yes

Cause: An error occurred while parsing tracking metrics string.

Action: Check server logs.

ICS-10525: An error occurred while reading tracking metrics history.

Category: ICS Web Console

Type: SEVERE

Level: 1 Name:

 $oracle.ics. we bconsole.common.resource. We bConsole Message Keys. TRACKING_MET$

RICS_HISTORY_READ_ERROR

Documented: Yes

Cause: An error occurred while reading tracking metrics history.

Action: Check server logs.

ICS-10526: An error occurred while writing tracking metrics history.

Category: ICS Web Console

Type: SEVERE

Level: 1

Name:

 $oracle. ics. we bconsole. common. resource. We bConsole Message Keys. TRACKING_MET$

RICS_HISTORY_WRITE_ERROR

Documented: Yes

Cause: An error occurred while writing tracking metrics history.

Action: Check server logs.

ICS-10527: An error occurred while cleaning up tracking metrics history.

Category: ICS Web Console

Type: SEVERE

Level: 1 Name:

 $oracle.ics.webconsole.common.resource.WebConsoleMessageKeys.TRACKING_MET$

RICS_HISTORY_CLEANUP_ERROR

Documented: Yes

Cause: An error occurred while cleaning up tracking metrics history.

Action: Check server logs.

ICS-10528: An error occurred while get tracking metrics

Category: ICS Web Console

Type: SEVERE

Level: 1 Name:

 $oracle.ics.webconsole.common.resource.WebConsoleMessageKeys.TRACKING_MET$

RICS_HISTORY_RETRIEVE_ERROR

Documented: Yes

Cause: An error occurred while get tracking metrics

Action: Check server logs.

ICS-10529: A new agent group cannot be created; the maximum allowed agent groups for the specified agent type has been reached.

Category: ICS Web Console

Type: SEVERE

Level: 1 Name:

 $oracle. ics. we bconsole. common. resource. We bConsole Message Keys. AGENT_GROUP_console. The consoler Message Mess$

LIMIT_REACHED

Documented: Yes

Cause: The maximum allowed agent groups for the specified type has been reached. A new agent group cannot be created.

Action: To create a new agent group an existing agent group of the same type must first be deleted.

ICS-10530: Updating agent type is not supported.

Category: ICS Web Console

Type: SEVERE

Level: 1 Name:

oracle.ics.webconsole.common.resource.WebConsoleMessageKeys.AGENT_GROUP_

UPDATE_TYPE_ERROR

Documented: Yes

Cause: Updating an agent group's type is not supported.

Action: Retry update without modifying the agent group's type.

ICS-10531: Deleting an agent group of type execution agent is not supported.

Category: ICS Web Console

Type: SEVERE

Level: 1

Name:

 $oracle.ics. we bconsole.common.resource. We bConsole Message Keys. AGENT_GROUP_console.common.resource. We bConsole Message Keys. AGENT_GROUP_console Message Ke$

EXECUTION_DELETE_ERROR

Documented: Yes

Cause: Deleting an agent group of type execution agent is not supported.

Action: No action required.

ICS-10601: Agent heartbeat disabled due to missing credentials.

Category: ICS Web Console

Type: WARNING

Level: 1 Name:

 $oracle.ics. we bconsole.common.resource. We bConsole Message Keys. OP_AGENT_HEA$

RTBEAT_CREDENTIALS_ERROR

Documented: Yes

Cause: Agent heartbeat disabled due to missing credentials.

Action: Ensure correct name and password for credential in map "oracle.ics" with key

"INTEGRATIONSERVICE_APPID".

ICS-10602: Agent heartbeat disabled due to missing property

Category: ICS Web Console

Type: WARNING

Level: 1 Name:

 $oracle.ics. we bconsole.common.resource. We bConsole Message Keys. OP_AGENT_HEA$

RTBEAT_PROPERTY_MISSING

Documented: Yes

Cause: Agent heartbeat disabled due to missing property

Action: Set properties in ICSEnvironment.properties: agentId, agentGroupId,

heartbeatUri.

ICS-10603: Agent heartbeat received unexpected response from server.

Category: ICS Web Console

Type: WARNING

Level: 1 Name:

 $oracle.ics. we bconsole.common.resource. We bConsole Message Keys. OP_AGENT_HEA$

RTBEAT_UNEXPECTED_RESPONSE

Documented: Yes

Cause: Agent heartbeat received unexpected response from server.

Action: Action.

ICS-10902: Error while reading wsdl resource file : {0}.

Category: ICS Web Console

Type: SEVERE

Level: 1 Name:

 $oracle.ics. we bconsole. common. resource. We bConsole Message Keys. WSDL_PARSING to the control of the contr$

ERROR

Documented: Yes

Cause: Error while reading wsdl resource file.

Action: Action for parsing error.

ICS-10903: Illegal or inappropriate argument : {0}.

Category: ICS Web Console

Type: SEVERE

Level: 1 Name:

 $oracle.ics. we bconsole.common.resource. We bConsole Message Keys. ILLEGAL_ARGU$

MENT

Documented: Yes

Cause: Illegal argument.

Action: Action for illegal argument.

ICS-10904: Non-compliant schema namespace found : {0}.

Category: ICS Web Console

Type: SEVERE

Level: 1

Name:

oracle. ics. we bconsole. common. resource. We bConsole Message Keys. NON COMPLIAN to the consoler of the co

T_NAMESPACE
Documented: Yes

Cause: Non-compliant schema namespace found.

Action: Action for noncompliant namespace.

ICS-10905: Unable to read file: {0}.

Category: ICS Web Console

Type: SEVERE

Level: 1 Name:

 $oracle.ics. we bconsole.common.resource. We bConsole Message Keys. UNABLE_TO_RE$

AD_FILE

Documented: Yes

Cause: Unable to read file.

Action: Action for unable to read file.

ICS-10906: Unable to write file: {0}.

Category: ICS Web Console

Type: SEVERE

Level: 1

Name:

 $oracle.ics.webconsole.common.resource.WebConsoleMessageKeys.UNABLE_TO_WR$

 ITE_FILE

Documented: Yes

Cause: Unable to write file.

Action: Action for unable to read file.

ICS-10907: Unable to transform file: {0}.

Category: ICS Web Console

Type: SEVERE

Level: 1 Name:

 $oracle.ics. we bconsole.common.resource. We bConsole Message Keys. UNABLE_TO_TR$

ANSFORM_FILE

Documented: Yes

Cause: Unable to transform file.

Action: Action for unable to read file.

ICS-10908: Error reading container model file.

Category: ICS Web Console

Type: SEVERE

Level: 1 Name:

 $oracle.ics. we bconsole.common.resource. We bConsole Message Keys. ERROR_READIN$

G_CONTAINER_MODEL

Documented: Yes

Cause: Error reading container model file.

Action: Action for error reading.

ICS-10909: Error reading resource group model file.

Category: ICS Web Console

Type: SEVERE

Level: 1 Name:

 $oracle.ics. we bconsole.common.resource. We bConsole Message Keys. ERROR_READIN$

G_RESOURCE_GROUP_MODEL

Documented: Yes

Cause: Error reading resource group model file.

Action: Action for error reading.

ICS-10910: Resource file {0} not found.

Category: ICS Web Console

Type: SEVERE

Level: 1 Name:

 $oracle. ics. we bconsole. common. resource. We bConsole Message Keys. RESOURCE_FILE$

_NOT_FOUND
Documented: Yes

Cause: Resource file not found.

ICS-10911: Error reading resource file {0}.

Category: ICS Web Console

Type: SEVERE

Level: 1 Name:

oracle.ics.webconsole.common.resource.WebConsoleMessageKeys.ERROR_READIN

G_RESOURCE_FILE

Documented: Yes

Cause: Error reading resource file.

Action: Action.

ICS-10912: Failed to create directory {0}.

Category: ICS Web Console

Type: SEVERE

Level: 1 Name:

 $oracle. ics. we bconsole. common. resource. We bConsole Message Keys. FAILED_TO_CRE$

ATE_DIR

Documented: Yes

Cause: Failed to create directory.

Action: Action.

ICS-10913: Unable to relativize path {0} against path {1}.

Category: ICS Web Console

Type: SEVERE

Level: 1

Name:

 $oracle.ics. we bconsole.common.resource. We bConsole Message Keys. UNABLE_TO_RE$

LATIVIZE

Documented: Yes

Cause: Unable to relativize.

Action: Action.

ICS-10914: Invalid path resolution {0}.

Category: ICS Web Console

Type: SEVERE

Level: 1 Name:

oracle.ics.webconsole.common.resource.WebConsoleMessageKeys.INVALID_PATH_

RESOLUTION

Documented: Yes

Cause: Invalid path resolution.

ICS-10915: {0} filename exceeds maximum permitted length of 255 chars.

Category: ICS Web Console

Type: SEVERE

Level: 1 Name:

 $oracle.ics.webconsole.common.resource.WebConsoleMessageKeys.MAXIMUM_FILE$

NAME_LENGTH_ERROR

Documented: Yes

Cause: Maximum filename length error.

Action: Action.

ICS-10916: File {0} already exists.

Category: ICS Web Console

Type: SEVERE

Level: 1 Name:

 $oracle.ics. we bconsole.common.resource. We bConsole Message Keys. FILE_ALREADY_EARTHOUSE ALREADY_EARTHOUSE ALREADY_EARTHOUSE ALREADY_EA$

EXISTS

Documented: Yes

Cause: File already exists.

Action: Action.

ICS-10917: The directory domain_home/sdi/gsi does not exist, so unable to parse xml file : {0}.

Category: ICS Web Console

Type: SEVERE

Level: 1 Name:

oracle.ics.webconsole.common.resource.WebConsoleMessageKeys.GSI_DIRECTORY

_NOT_AVAILABLE

Documented: Yes

Cause: GSI Directory not available.

Action: Action.

ICS-10918: No xml file exists in the directory domain_home/sdi/gsi, so unable to parse xml file.

Category: ICS Web Console

Type: SEVERE

Level: 1 Name:

 $oracle.ics. we bconsole.common.resource. We bConsole Message Keys. GSI_FILE_NOT_A$

VAILABLE

Documented: Yes

Cause: GSI File not available.

ICS-10919: Unable to parse the xml file.

Category: ICS Web Console

Type: SEVERE

Level: 1 Name:

 $oracle.ics.webconsole.common.resource.WebConsoleMessageKeys.UNABLE_TO_PA$

RSE

Documented: Yes

Cause: Unable to parse the xml file.

Action: Action.

ICS-10920: Agent installer download file not found.

Category: ICS Web Console

Type: SEVERE

Level: 1 Name:

 $oracle. ics. we bconsole. common. resource. We bConsole Message Keys. A GENT_INSTAL$

LER_NOT_FOUND

Documented: Yes

Cause: Agent installer not found.

Action: Action.

ICS-10921: Error calling {0} constructor.

Category: ICS Web Console

Type: SEVERE

Level: 1 Name:

 $oracle.ics. we bconsole.common.resource. We bConsole Message Keys. ERROR_CALLIN$

G_CONSTRUCTOR

Documented: Yes

Cause: Error calling constructor.

Action: Action.

ICS-10922: Error writing wsdl file.

Category: ICS Web Console

Type: SEVERE

Level: 1 Name:

oracle.ics.webconsole.common.resource.WebConsoleMessageKeys.WSDL_WRITING

_ERROR

Documented: Yes

Cause: Error writing wsdl file.

ICS-10923: Failed to parse schema.

Category: ICS Web Console

Type: SEVERE

Level: 1 Name:

 $oracle.ics.webconsole.common.resource.WebConsoleMessageKeys.FAILED_TO_PAR$

SE_SCHEMA

Documented: Yes

Cause: Failed to parse schema.

Action: Action.

ICS-10924: Document Builder Factory failed.

Category: ICS Web Console

Type: SEVERE

Level: 1 Name:

 $oracle.ics. we bconsole.common.resource. We bConsole Message Keys. DOCUMENT_BUI$

LDER_FACTORY_FAILED

Documented: Yes

Cause: Document builder factory failed.

Action: Action.

ICS-10925: File read error.

Category: ICS Web Console

Type: SEVERE

Level: 1

Name:

 $oracle. ics. we bconsole. common. resource. We bConsole Message Keys. FILE_READ_ERR$

OR

Documented: Yes

Cause: File read error.

Action: Action.

ICS-10926: JAXB marshalling exception, object : {0}.

Category: ICS Web Console

Type: SEVERE

Level: 1 Name:

 $oracle. ics. we bconsole. common. resource. WebConsoleMessageKeys. JAXB_MARSHAL$

LING_EXCEPTION

Documented: Yes

Cause: JAXB Marshalling error.

ICS-10927: JAXB unmarshalling exception.

Category: ICS Web Console

Type: SEVERE

Level: 1 Name:

 $oracle.ics.webconsole.common.resource.WebConsoleMessageKeys.JAXB_UNMARSH$

ALLING_EXCEPTION

Documented: Yes

Cause: JAXB Unmarshalling exception.

Action: Action.

ICS-10928: JAXB unmarshalling exception, input file: {0}.

Category: ICS Web Console

Type: SEVERE

Level: 1 Name:

 $oracle. ics. we bconsole. common. resource. We bConsole Message Keys. JAXB_UNMARSH$

ALLING_EXCEPTION_INPUTFILE

Documented: Yes

Cause: JAXB Unmarshalling exception.

Action: Action.

ICS-10929: Error validating schema namespaces, URL: {0}.

Category: ICS Web Console

Type: SEVERE

Level: 1

Name:

oracle.ics.webconsole.common.resource.WebConsoleMessageKeys.WSDL_SCHEMA_

NAMESPACE_VALIDATION_ERROR

Documented: Yes

Cause: WSDL schema validation error.

Action: Action.

ICS-10930: User has successfully signed into ICS.

Category: ICS Web Console

Type: INFO Level: 1 Name:

oracle.ics.webconsole.common.resource.WebConsoleMessageKeys.ICS_LOGIN_SUC

CESS

Documented: Yes

Cause: User has successfully signed into ICS.

Action: No action is required.

ICS-10931: Request WSDL and JCA are null

Category: ICS Web Console

Type: SEVERE

Level: 1 Name:

 $oracle.ics. we bconsole.common.resource. We bConsole Message Keys. IN VALID_REQ_$

WSDL_JCA

Documented: Yes

Cause: Request WSDL and JCA are null Action: Request WSDL and JCA are null

ICS-10932: WSDL parser is null; WSDL: {0}.

Category: ICS Web Console

Type: SEVERE

Level: 1 Name:

 $oracle.ics. we bconsole.common.resource. We bConsole Message Keys. WSDL_PARSER_F$

AILURE

Documented: Yes

Cause: WSDL parser is null. Action: WSDL parser is null.

ICS-10933: WSDL message part is null.

Category: ICS Web Console

Type: SEVERE

Level: 1 Name:

 $oracle.ics. we bconsole.common.resource. We bConsole Message Keys. INVALID_WSDL_width= 1.00\% and 1.00\% a$

MSG_PART

Documented: Yes

Cause: WSDL message part is null. Action: WSDL message part is null.

ICS-10934: WSDL port type is null or size is zero.

Category: ICS Web Console

Type: SEVERE

Level: 1 Name:

oracle.ics.webconsole.common.resource.WebConsoleMessageKeys.INVALID_WSDL_

PORT_TYPE

Documented: Yes

Cause: WSDL Port type is null or size is zero. Action: WSDL Port type is null or size is zero.

ICS-10935: WSDL operation is null or size is zero.

Category: ICS Web Console

Type: SEVERE

Level: 1 Name:

oracle.ics.webconsole.common.resource.WebConsoleMessageKeys.INVALID_WSDL_

OPS

Documented: Yes

Cause: WSDL operation is null or size is zero. Action: WSDL operation is null or size is zero.

ICS-10936: Cloud adapter artifact is null.

Category: ICS Web Console

Type: SEVERE

Level: 1 Name:

 $oracle.ics. we bconsole.common.resource. We bConsole Message Keys. INVALID_CA_AR$

TIFACTS

Documented: Yes

Cause: Cloud adapter artifact is null. Action: Cloud adapter artifact is null.

ICS-10937: Cloud adapter filter is null.

Category: ICS Web Console

Type: SEVERE

Level: 1

Name:

 $oracle.ics. we bconsole.common.resource. We bConsole Message Keys. INVALID_CA_FI$

LTER

Documented: Yes

Cause: Cloud adapter filter is null. Action: Cloud adapter filter is null.

ICS-10938: Resource path is null. Failed to get resource path from Container Model.

Category: ICS Web Console

Type: SEVERE

Level: 1 Name:

oracle.ics.webconsole.common.resource.WebConsoleMessageKeys.INVALID_RESOU

RCE PATH

Documented: Yes

Cause: Resource path is null. Failed to get resource path from container model.

Action: Resource path is null. Failed to get resource path from container model.

ICS-10939: Instance code is null. Failed to get instance code from cloud adapter

Category: ICS Web Console

Type: SEVERE

Level: 1 Name:

 $oracle.ics. we bconsole.common.resource. We bConsole Message Keys. INVALID_INSTA$

NCE_CODE

Documented: Yes

Cause: Instance code is null. Failed to get instance code from cloud adapter filter. Action: Instance code is null. Failed to get instance code from cloud adapter filter.

ICS-10940: The processing of the publisher integration failed.

Category: ICS Web Console

Type: SEVERE

Level: 1 Name:

 $oracle. ics. we bconsole. common. resource. WebConsoleMessageKeys. PROCESS_PUBLICATION for the common structure of the common structure of the common structure of the common structure. WebConsoleMessageKeys. PROCESS_PUBLICATION for the common structure of the common structure of the common structure of the common structure. WebConsoleMessageKeys. PROCESS_PUBLICATION for the common structure of the common structure of the common structure of the common structure. WebConsoleMessageKeys. PROCESS_PUBLICATION for the common structure of the common structu$

SHER_RESOURCES_FAILURE

Documented: Yes

Cause: The processing of the publisher integration failed. Action: The processing of the publisher integration failed.

ICS-10941: Error deleting directory {0}.

Category: ICS Web Console

Type: SEVERE

Level: 1 Name:

 $oracle.ics.webconsole.common.resource.WebConsoleMessageKeys.ERROR_DELETIN$

G_DIR

Documented: Yes

Cause: Error deleting directory.

Action: Action.

ICS-10942: Key: {0} is missing from resource bundle.

Category: ICS Web Console

Type: SEVERE

Level: 1

 $oracle.ics.webconsole.common.resource.WebConsoleMessageKeys.RESOURCE_MISS$

ING

Documented: Yes

Cause: Resource is missing.

ICS-10943: Cloud Application Adapter exception.

Category: ICS Web Console

Type: SEVERE

Level: 1 Name:

oracle.ics.webconsole.common.resource.WebConsoleMessageKeys.CLOUDAPP_AD

APTER_FAILURE
Documented: Yes

Cause: Cloud Application Adapter localization failed.

Action: Action.

ICS-10944: Storage Cloud failure.

Category: ICS Web Console

Type: SEVERE

Level: 1 Name:

 $oracle.ics. we bconsole.common.resource. We bConsole Message Keys. STORAGE_CLOU$

D_FAILURE

Documented: Yes

Cause: Input Stream Storage cloud failure.

Action: Action.

ICS-10945: Persistency Manager initialization failed.

Category: ICS Web Console

Type: SEVERE

Level: 1 Name:

oracle.ics.webconsole.common.resource.WebConsoleMessageKeys.CLIENT_TRACKI

NG_BUSINESS_PM_FAILURE

Documented: Yes

Cause: Persistency Manager initialization failed.

Action: Action.

ICS-10946: Unable to get Tracking Manager

Category: ICS Web Console

Type: SEVERE

Level: 1 Name:

oracle.ics.webconsole.common.resource.WebConsoleMessageKeys.UNABLE_TOGET

_TRACKING_MANAGER

Documented: Yes

Cause: Unable to get Tracking Manager.

ICS-10947: Cannot retrieve SecurityContext from AdfContext.

Category: ICS Web Console

Type: SEVERE

Level: 1 Name:

 $oracle. ics. we bconsole. common. resource. WebConsole Message Keys. A DFCTX_CANN$

OT_RETRIEVE_SECURITY_CONTENT

Documented: Yes

Cause: Cannot retrieve SecurityContext from AdfContext

Action: Action.

ICS-10948: Failed to get schema from the specified path : {0}.

Category: ICS Web Console

Type: SEVERE

Level: 1 Name:

 $oracle.ics. we bconsole.common.resource. We bConsole Message Keys. XSD_FAILED_TO$

_GET_SCHEMA

Documented: Yes

Cause: Failed to get schema

Action: Action.

ICS-10949: We cannot retrieve the package because of an error.

Category: ICS Web Console

Type: SEVERE

Level: 1 Name:

 $oracle.ics.webconsole.common.resource.WebConsoleMessageKeys.PACKAGE_PERSI$

STENCE_ERROR Documented: Yes

Cause: Cannot retrieve the package.

Action: Action.

ICS-10950: Input schema validation has failed.

Category: ICS Web Console

Type: SEVERE

Level: 1 Name:

oracle.ics.webconsole.common.resource.WebConsoleMessageKeys.VALIDATE_INPU

T_SCHEMA_FAILED

Documented: Yes

Cause: Input schema validation has failed.

ICS-10951: An error occurred while retrieving the package.

Category: ICS Web Console

Type: SEVERE

Level: 1 Name:

 $oracle.ics.webconsole.common.resource.WebConsoleMessageKeys.PACKAGE_ERRO$

R

Documented: Yes

Cause: An error occurred while retrieving the package.

Action: Action.

ICS-10952: An error occurred while retrieving the integration.

Category: ICS Web Console

Type: SEVERE

Level: 1 Name:

 $oracle.ics. we bconsole.common.resource. We bConsole Message Keys. FLOW_ERROR$

Documented: Yes

Cause: An error occurred while retrieving the integration.

Action: Action.

ICS-10953: An error occurred while retrieving the lookup.

Category: ICS Web Console

Type: SEVERE

Level: 1 Name:

 $oracle. ics. we bconsole. common. resource. We bConsole Message Keys. LOOKUP_ERROR$

Documented: Yes

Cause: An error occurred while retrieving the lookup.

Action: Action.

ICS-10954: An error occurred while retrieving the connection.

Category: ICS Web Console

Type: SEVERE

Level: 1 Name:

 $oracle.ics. we bconsole.common.resource. We bConsole Message Keys. CONNECTION_E$

RROR

Documented: Yes

Cause: An error occurred while retrieving the connection.

Action: Action.

ICS-10955: An error occurred while retrieving the agent data.

Category: ICS Web Console

Type: SEVERE

Level: 1 Name:

 $oracle. ics. we bconsole. common. resource. We bConsole Message Keys. A GENT_PERSIST$

ENCE_ERROR

Documented: Yes

Cause: An error occurred while retrieving the agent data.

Action: Action.

ICS-10956: An error occurred while retrieving the monitoring data.

Category: ICS Web Console

Type: SEVERE

Level: 1 Name:

 $oracle. ics. we bconsole. common. resource. We bConsole Message Keys. MONITORING_E$

RROR

Documented: Yes

Cause: An error occurred while retrieving the monitoring data.

Action: Action.

ICS-10957: Container Model is null.

Category: ICS Web Console

Type: SEVERE

Level: 1 Name:

 $oracle.ics.web console.common.resource.Web Console Message Keys.CONTAINER_M$

ODEL_NULL

Documented: Yes

Cause: Container Model is null.

Action: Action.

ICS-10958: An error occurred while deleting the integration {0}.

Category: ICS Web Console

Type: SEVERE

Level: 1

oracle.ics.webconsole.common.resource.WebConsoleMessageKeys.PROJECT_DELET

E_ERROR

Documented: Yes

Cause: Project delete error.

Action: Action.

ICS-10959: We cannot write to the CSV file because of an error.

Category: ICS Web Console

Type: SEVERE

Level: 1

Name:

 $oracle.ics. we bconsole.common.resource. We bConsole Message Keys. DVM_EXPORT_T$

O_CSV_ERROR

Documented: Yes

Cause: We cannot write to the CSV file because of an error.

Action: Action.

ICS-10960: Integration code or version is null.

Category: ICS Web Console

Type: SEVERE

Level: 1 Name:

 $oracle.ics. we bconsole.common.resource. We bConsole Message Keys. PROJECT_CODE_console.common.resource. We bConsole Message Keys. PROJECT_CODE_console Message Keys. PROJECT_code$

OR_VERSION_NULL

Documented: Yes

Cause: Integration code or version is null.

Action: Action.

ICS-10961: Integration not found.

Category: ICS Web Console

Type: SEVERE

Level: 1 Name:

 $oracle.ics. we bconsole.common.resource. We bConsole Message Keys. PROJECT_NOT_F$

OUND_ERROR

Documented: Yes

Cause: Integration not found.

Action: Action.

ICS-10962: Integration {0} cannot be deleted.

Category: ICS Web Console

Type: SEVERE

Level: 1 Name:

BE_DELETED

Documented: Yes

Cause: Integration cannot be deleted.

Action: Action.

ICS-10963: An error occurred while retrieving the integration.

Category: ICS Web Console

Type: SEVERE

Level: 1

Name:

 $oracle. ics. we bconsole. common. resource. We bConsole Message Keys. PROJECT_PERSIS$

TENCE_ERROR

Documented: Yes

Cause: An error occurred while retrieving the integration.

Action: Action.

ICS-10964: We cannot import the lookup file because of an error.

Category: ICS Web Console

Type: SEVERE

Level: 1 Name:

 $oracle.ics. we bconsole.common.resource. We bConsole Message Keys. DVM_IMPORT_FI$

LE_EXCEPTION

Documented: Yes

Cause: We cannot import the lookup file because of an error.

Action: Action.

ICS-10965: We cannot retrieve the lookup because of an error.

Category: ICS Web Console

Type: SEVERE

Level: 1 Name:

 $oracle.ics. we bconsole.common.resource. We bConsole Message Keys. DVM_PERSISTEN$

CE_READ_ERROR

Documented: Yes

Cause: We cannot retrieve the lookup because of an error.

Action: Action.

ICS-10966: No file is selected. Select a CSV file to import.

Category: ICS Web Console

Type: SEVERE

Level: 1 Name:

 $oracle.ics.webconsole.common.resource.WebConsoleMessageKeys.DVM_IMPORT_N$

ULL_TYPE

Documented: Yes

Cause: No file is selected. Select a CSV file to import.

Action: Action.

ICS-10967: Lookups failed

Category: ICS Web Console

Type: SEVERE

Level: 1

Name:

oracle.ics.webconsole.common.resource.WebConsoleMessageKeys.DVMS_FAILED

Documented: Yes

Cause: Lookups failed.

Action: Action.

ICS-10968: We cannot export the lookup because an error occurred while processing the file.

Category: ICS Web Console

Type: SEVERE

Level: 1 Name:

 $oracle.ics. we bconsole.common.resource. We bConsole Message Keys. DVM_EXPORT_FI$

LE_EXCEPTION

Documented: Yes

Cause: We cannot export the lookup because an error occurred while processing the

file.

Action: Action.

ICS-10969: The lookup is formatted incorrectly. The Name and Description line is invalid.

Category: ICS Web Console

Type: SEVERE

Level: 1 Name:

oracle.ics.webconsole.common.resource.WebConsoleMessageKeys.DVM_NAME_DE

SC_MISMATCH Documented: Yes

Cause: The lookup is formatted incorrectly. The Name and Description line is invalid.

Action: Action.

ICS-10970: Error converting "{0}" to valid URL.

Category: ICS Web Console

Type: SEVERE

Level: 1 Name:

oracle.ics.webconsole.common.resource.WebConsoleMessageKeys.WSDL_RESOURC

E_URL_CONVERT_ERROR

Documented: Yes

Cause: Error converting parameter to valid URL.

Action: Action.

ICS-10971: Error processing WSDL message details, part: "{0}", name: "{1}",

namespace: "{2}".

Category: ICS Web Console

Type: SEVERE

Level: 1

Name:

 $oracle.ics. we bconsole.common.resource. We bConsole Message Keys. WSDL_SCHEMA_CONSOLEMENT AND CONSOLEMENT A$

MESSAGE_DETAILS_VALIDATION_ERROR

Documented: Yes

Cause: Error processing WSDL message details.

Action: Action.

ICS-10972: Error while creating WSDL bytearray

Category: ICS Web Console

Type: SEVERE

Level: 1 Name:

oracle.ics.webconsole.common.resource.WebConsoleMessageKeys.WSDL_GETTING

_BYTEARRAY_FAILURE

Documented: Yes

Cause: Error while creating WSDL bytearray.

Action: Action.

ICS-10973: We cannot retrieve the connection because of an error.

Category: ICS Web Console

Type: SEVERE

Level: 1 Name:

 $oracle.ics. we bconsole.common.resource. We bConsole Message Keys. APP_PERSISTEN$

CE_ERROR

Documented: Yes

Cause: We cannot retrieve the connection because of an error.

Action: Action.

ICS-10974: Problem occurred while reading the input stream.

Category: ICS Web Console

Type: SEVERE

Level: 1 Name:

 $oracle.ics. we bconsole.common.resource. We bConsole Message Keys. BUFFER_READ_E$

RROR

Documented: Yes

Cause: Problem occurred while reading the input stream.

Action: Action.

ICS-10975: An error occurred while retrieving the credential properties.

Category: ICS Web Console

Type: SEVERE

Level: 1

Name:

oracle.ics.webconsole.common.resource.WebConsoleMessageKeys.CREDENTIAL_PR OP ERROR

Documented: Yes

Cause: An error occurred while retrieving the credential properties.

Action: Action.

ICS-10976: We cannot refresh the metadata for connection "{0}".

Category: ICS Web Console

Type: SEVERE

Level: 1 Name:

 $oracle. ics. we bconsole. common. resource. We bConsole Message Keys. APP_INST_CACH$

E_REFRESH_FAILED

Documented: Yes

Cause: We cannot refresh the metadata for the connection

Action: Action.

ICS-10977: Unable to test the connection. Error code : {0}.

Category: ICS Web Console

Type: SEVERE

Level: 1 Name:

 $oracle. ics. we bconsole. common. resource. WebConsoleMessageKeys. CONNECTION_T$

EST_ERROR_MSG_CODE

Documented: Yes

Cause: Unable to test the connection.

Action: Action.

ICS-10978: Unable to test the connection.

Category: ICS Web Console

Type: SEVERE

Level: 1 Name:

 $oracle. ics. we bconsole. common. resource. We bConsole Message Keys. CONNECTION_T$

EST_ERROR_MSG

Documented: Yes

Cause: Unable to test the connection.

Action: Action.

ICS-10981: One or more characters are invalid in search string, please retry with valid characters.

Category: ICS Web Console

Type: SEVERE

Level: 1

oracle.ics.webconsole.common.resource.WebConsoleMessageKeys.PROJECT_SEARC H $\,$ ERROR

Documented: Yes

Cause: One or more characters are invalid in search string, please retry with valid

characters.

Action: Action.

ICS-10982: Integration "{0}" cannot be exported.

Category: ICS Web Console

Type: SEVERE

Level: 1 Name:

oracle.ics.webconsole.common.resource.WebConsoleMessageKeys.PROJECT_CANT_

BE_EXPORTED

Documented: Yes

Cause: Integration cannot be exported.

Action: Action.

ICS-10983: An error occurred while exporting the integration "{0}".

Category: ICS Web Console

Type: SEVERE

Level: 1 Name:

 $oracle. ics. we bconsole. common. resource. We bConsole Message Keys. PROJECT_EXPOR$

T_ERROR

Documented: Yes

Cause: An error occurred while exporting the integration

Action: Action.

ICS-10984: The IAR file you selected is invalid. Select an IAR file that was previously exported from Integration Cloud Service.

Category: ICS Web Console

Type: SEVERE

Level: 1 Name:

oracle.ics.webconsole.common.resource.WebConsoleMessageKeys.INTEGRATION_I

MPORT_INVALID_FILE

Documented: Yes

Cause: The IAR file you selected is invalid. Select an IAR file that was previously

exported from Integration Cloud Service.

Action: Action.

ICS-10985: Integration "{0}" is not active so it cannot be deactivated.

Category: ICS Web Console

Name:

 $oracle. ics. we bconsole. common. resource. We bConsole Message Keys. PROJECT_CANT_console. The consoler Message Keys. PROJECT_CANT_consoler Message Keys. PROJECT_CANT_cons$

BE_DEACTIVATED

Documented: Yes

Cause: Integration is not active so it cannot be deactivated.

Action: Action.

ICS-10986: Integration "{0}" cannot be deactivated for the following reason:

Category: ICS Web Console

Type: SEVERE

Level: 1 Name:

 $oracle.ics. we bconsole.common.resource. We bConsole Message Keys. PROJECT_FAILE$

D_DEACTIVATION

Documented: Yes

Cause: Integration cannot be deactivated for the mentioned reason.

Action: Action.

ICS-10987: Integration "{0}" cannot be deactivated because of an internal error.

Category: ICS Web Console

Type: SEVERE

Level: 1 Name:

 $oracle.ics. we bconsole.common.resource. We bConsole Message Keys. TECHNICAL_ER$

ROR_DEACTIVATION

Documented: Yes

Cause: Integration cannot be deactivated because of an internal error.

Action: Action.

ICS-10988: Integration "{0}" is either already active or not ready for activation.

Category: ICS Web Console

Type: SEVERE

Level: 1 Name:

BE_ACTIVATED

Documented: Yes

Cause: Integration is either already active or not ready for activation.

Action: Action.

ICS-10989: Integration "{0}" cannot be activated for the following reason:

Category: ICS Web Console

Type: SEVERE

oracle.ics.webconsole.common.resource.WebConsoleMessageKeys.PROJECT_FAILE D_ACTIVATION

Documented: Yes

Cause: Integration cannot be activated for the mentioned reason.

Action: Action.

ICS-10990: Integration "{0}" cannot be activated because of an internal error.

Category: ICS Web Console

Type: SEVERE

Level: 1 Name:

 $oracle. ics. we bconsole. common. resource. We bConsole Message Keys. TECHNICAL_ER$

ROR_ACTIVATION

Documented: Yes

Cause: Integration cannot be activated because of an internal error.

Action: Action.

ICS-10991: Error while retrieving integrations with same identifier:

Category: ICS Web Console

Type: SEVERE

Level: 1 Name:

 $oracle. ics. we bconsole. common. resource. Web Console Message Keys. PROJECTS_BY_C$

ODE_READ_ERROR

Documented: Yes

Cause: Error while retrieving integrations with same identifier:

Action: Action.

ICS-10992: Container Model creation failed.

Category: ICS Web Console

Type: SEVERE

Level: 1 Name:

 $oracle.ics. we bconsole.common.resource. We bConsole Message Keys. CONTAINER_M$

ODEL_CREATION_FAILED

Documented: Yes

Cause: Container model creation failed.

Action: Action.

ICS-10993: Write string to integration failed.

Category: ICS Web Console

Type: SEVERE

oracle.ics.webconsole.common.resource.WebConsoleMessageKeys.WRITE_STRING_ ${\tt TO_PROJECT_FAILED}$

Documented: Yes

Cause: Write string to Integration failed.

Action: Action.

ICS-10994: Error while retrieving the integration.

Category: ICS Web Console

Type: SEVERE

Level: 1 Name:

 $oracle.ics.webconsole.common.resource.WebConsoleMessageKeys.PROJECT_EXIST$ EXIST_EXIST_EXIST_EXIST_EXIST_EXIST_EXIST_EXISTEXIST_EXIST_EXIST_EXIST_EXIST_EXIST_EXIST_EXIST_EXISTEXIST_EX

ERROR

Documented: Yes

Cause: Error while retrieving the integration.

Action: Action.

ICS-10995: Error while importing the integration.

Category: ICS Web Console

Type: SEVERE

Level: 1 Name:

oracle.ics.webconsole.common.resource.WebConsoleMessageKeys.INTEGRATION_I

MPORT_ERROR
Documented: Yes

Cause: Error while importing the integration.

Action: Action.

ICS-10996: Failed to create the lookup.

Category: ICS Web Console

Type: SEVERE

Level: 1 Name:

 $oracle.ics.webconsole.common.resource.WebConsoleMessageKeys.CONFIRM_CREA$

TE_DVM_FAILED

Documented: Yes

Cause: Failed to create the Lookup.

Action: Action.

ICS-10997: Failed to update the lookup.

Category: ICS Web Console

Type: SEVERE

oracle.ics.webconsole.common.resource.WebConsoleMessageKeys.CONFIRM_UPDA $\ensuremath{\mathsf{TE}}\xspace_\mathsf{DVM}$ _FAILED

Documented: Yes

Cause: Failed to update the Lookup.

Action: Action.

ICS-10998: Failed to lock the lookup.

Category: ICS Web Console

Type: SEVERE

Level: 1 Name:

 $oracle.ics. we bconsole.common.resource. We bConsole Message Keys. LOCK_DVM_FAI$

LED

Documented: Yes

Cause: Failed to lock the Lookup

Action: Action.

ICS-10999: There is not enough information to clone this connection. Enter all the required fields.

Category: ICS Web Console

Type: SEVERE

Level: 1 Name:

oracle.ics.webconsole.common.resource.WebConsoleMessageKeys.APP_INST_CLON

E_INPUT_NOT_CORRECT

Documented: Yes

Cause: There is not enough information to clone this connection. Enter all the

required fields. Action: Action.

ICS-11000: The connection cannot be cloned because it is no longer available.

Category: ICS Web Console

Type: SEVERE

Level: 1 Name:

oracle.ics.webconsole.common.resource.WebConsoleMessageKeys.CLONE_APP_INS

TANCE_FAILED_RESOURCE_NOT_FOUND

Documented: Yes

Cause: The connection cannot be cloned because it is no longer available.

Action: Action.

ICS-11001: The connection cannot be cloned because it is locked.

Category: ICS Web Console

Name:

 $oracle.ics. we bconsole.common.resource. We bConsole Message Keys. CLONE_APP_INS$

TANCE_FAILED_RESOURCE_LOCK

Documented: Yes

Cause: The connection cannot be cloned because it is locked.

Action: Action.

ICS-11002: A connection already exists with the ID you entered. Enter a different ID.

Category: ICS Web Console

Type: SEVERE

Level: 1 Name:

oracle.ics.webconsole.common.resource.WebConsoleMessageKeys.DUPLICATE_APP

_INST_CODE_MSG

Documented: Yes

Cause: A connection already exists with the ID you entered. Enter a different ID.

Action: Action.

ICS-11003: We cannot clone the connection.

Category: ICS Web Console

Type: SEVERE

Level: 1

 $oracle.ics. we bconsole.common.resource. We bConsole Message Keys. CLONE_APP_INS$

TANCE_FAILED

Documented: Yes

Cause: We cannot clone the connection.

Action: Action.

ICS-11004: The connection was cloned successfully.

Category: ICS Web Console

Type: INFO Level: 1

 $oracle.ics. we bconsole.common.resource. We bConsole Message Keys. CLONE_APP_INS$

TANCE_SUCCESS

Documented: Yes

Cause: The connection was cloned successfully.

Action: Action.

ICS-11005: This connection is locked by another user and cannot be processed right now.

Category: ICS Web Console

Type: SEVERE

Level: 1

Name:

 $oracle.ics. we bconsole.common.resource. We bConsole Message Keys. APP_INST_LOCK$

ED

Documented: Yes

Cause: This connection is locked by another user and cannot be processed right now.

Action: Action.

ICS-11006: An exception occurred

Category: ICS Web Console

Type: SEVERE

Level: 1 Name:

oracle.ics.webconsole.common.resource.WebConsoleMessageKeys.UNIDENTIFIED_

GENERIC_EXCEPTION

Documented: Yes

Cause: An exception occurred

Action: Action.

ICS-11007: Internal server error occurred.

Category: ICS Web Console

Type: SEVERE

Level: 1 Name:

 $oracle. ics. we bconsole. common. resource. We bConsole Message Keys. IN TERNAL_SERV$

ER_ERROR_MESSAGE

Documented: Yes

Cause: Internal Server Error occurred.

Action: Action.

ICS-11008: We cannot delete the connection.

Category: ICS Web Console

Type: SEVERE

Level: 1

 $oracle.ics.webconsole.common.resource.WebConsoleMessageKeys.APP_INST_DEL_F$

AILED

Documented: Yes

Cause: We cannot delete the connection.

Action: Action.

ICS-11009: There was an error while uploading the file.

Category: ICS Web Console

Name:

 $oracle.ics. we bconsole.common.resource. We bConsole Message Keys. CONNECTION_U$

PLOAD_EXCEPTION

Documented: Yes

Cause: There was an error while uploading the file.

Action: Action.

ICS-11010: Credential Properties for provided Security Policy was not fetched from Connection Resource

Category: ICS Web Console

Type: SEVERE

Level: 1

Name:

 $oracle.ics. we bconsole.common.resource. We bConsole Message Keys. APP_CONFIG_CR$

EATE_CREDPROP_FOR_POLICY_ERR

Documented: Yes

Cause: Credential Properties for provided Security Policy was not fetched from

Connection Resource

Action: Action.

ICS-11011: The connection cannot be retrieved because it is no longer available.

Category: ICS Web Console

Type: SEVERE

Level: 1 Name:

oracle.ics.webconsole.common.resource.WebConsoleMessageKeys.APP_INST_FETC

H FAILED

Documented: Yes

Cause: The connection cannot be retrieved because it is no longer available.

Action: Action.

ICS-11012: The connection identifier cannot be null.

Category: ICS Web Console

Type: SEVERE

Level: 1 Name:

 $oracle.ics. we bconsole.common.resource. We bConsole Message Keys. APP_INSTANCE_instance and the property of the property of$

CODE_NULL

Documented: Yes

Cause: The connection identifier cannot be null.

Action: Action.

ICS-11013: The adapter cannot be retrieved because it is no longer available.

Category: ICS Web Console

Type: SEVERE

Level: 1 Name:

oracle.ics.webconsole.common.resource.WebConsoleMessageKeys.APP_TYPE_FETC

H_FAILED

Documented: Yes

Cause: The adapter cannot be retrieved because it is no longer available.

Action: Action.

ICS-11014: The adapter name cannot be null.

Category: ICS Web Console

Type: SEVERE

Level: 1 Name:

oracle.ics.webconsole.common.resource.WebConsoleMessageKeys.APP_TYPE_NAM

E_NULL

Documented: Yes

Cause: The adapter name cannot be null.

Action: Action.

ICS-11015: Connection "{0}" was created successfully.

Category: ICS Web Console

Type: INFO Level: 1

Name:

oracle.ics.webconsole.common.resource.WebConsoleMessageKeys.CREATE_APP_IN

STANCE_SUCCESS

Documented: Yes

Cause: Connection "{0}" was created successfully.

Action: Action.

ICS-11016: We cannot save your connection.

Category: ICS Web Console

Type: SEVERE

Level: 1

oracle.ics.webconsole.common.resource.WebConsoleMessageKeys.SAVE_APP_INST

ANCE_FAILED

Documented: Yes

Cause: We cannot save your connection.

Action: Action.

ICS-11017: The ID is required.

Category: ICS Web Console

Name:

 $oracle.ics. we bconsole.common.resource. We bConsole Message Keys. APP_INST_CODE$

_REQD

Documented: Yes

Cause: The ID is required.

Action: Action.

ICS-11018: The connection name is required.

Category: ICS Web Console

Type: SEVERE

Level: 1 Name:

 $oracle.ics. we bconsole.common.resource. We bConsole Message Keys. APP_INST_NAM$

E_REQD

Documented: Yes

Cause: The connection name is required.

Action: Action.

ICS-11019: The version cannot be empty.

Category: ICS Web Console

Type: SEVERE

Level: 1 Name:

REQD

Documented: Yes

Cause: The version cannot be empty.

Action: Action.

ICS-11020: icsversion.properties is not available at mwHome/osb/ics/ location.

Category: ICS Web Console

Type: SEVERE

Level: 1 Name:

oracle.ics.webconsole.common.resource.WebConsoleMessageKeys.ICS_PROPERTIES

_FILE_NOT_FOUND

Documented: Yes

Cause: ics.properties is not available at mwHome/osb/ics/ location.

Action: Action.

ICS-11021: Validation Error

Category: ICS Web Console

Type: SEVERE

 $oracle.ics. we bconsole.common.resource. We bConsole Message Keys. VALIDATION_ER$

ROR

Documented: Yes

Cause: Validation Error

Action: Action.

ICS-11022: We failed to copy customization

Category: ICS Web Console

Type: SEVERE

Level: 1 Name:

oracle.ics.webconsole.common.resource.WebConsoleMessageKeys.COPY_CUSTOMI

ZATION_FAILED

Documented: Yes

Cause: We failed to copy customization

Action: Action.

ICS-11023: No file is selected. Select a PAR file to import.

Category: ICS Web Console

Type: SEVERE

Level: 1 Name:

 $oracle. ics. we bconsole. common. resource. WebConsoleMessageKeys. PACKAGE_IMPO$

RT_NULL_TYPE

Documented: Yes

Cause: No file is selected. Select a PAR file to import.

Action: Action.

ICS-11024: The selected connection cannot be used as a source. Try selecting another connection.

Category: ICS Web Console

Type: WARNING

Level: 1 Name:

oracle.ics.webconsole.common.resource.WebConsoleMessageKeys.INVALID_APP_I

NST_SOURCE

Documented: Yes

Cause: The selected connection cannot be used as a source. Try selecting another

connection.

Action: Action.

ICS-11025: The selected connection cannot be used as a target. Try selecting another connection.

Category: ICS Web Console

Type: WARNING

Name:

 $oracle.ics.web console.common.resource.Web Console Message Keys.INVALID_APP_I$

NST_TARGET

Documented: Yes

Cause: The selected connection cannot be used as a target. Try selecting another

connection.

Action: Action.

ICS-11026: Unable to edit the target.

Category: ICS Web Console

Type: SEVERE

Level: 1

Name:

 $oracle.ics. we bconsole.common.resource. We bConsole Message Keys. TARGET_EDIT_F$

AILURE

Documented: Yes

Cause: Unable to edit the target.

Action: Action.

ICS-11027: Unable to edit the enrichment response.

Category: ICS Web Console

Type: SEVERE

Level: 1

Name:

 $oracle.ics. we bconsole.common.resource. We bConsole Message Keys. ENRICHMENT_R$

ESPONSE_EDIT_FAILURE

Documented: Yes

Cause: Unable to edit the enrichment response.

Action: Action.

ICS-11028: Unable to edit the source.

Category: ICS Web Console

Type: SEVERE

Level: 1

Name:

 $oracle.ics. we bconsole.common.resource. We bConsole Message Keys. SOURCE_EDIT_F$

AILURE

Documented: Yes

Cause: Unable to edit the source.

Action: Action.

ICS-11029: Unable to edit the enrichment request.

Category: ICS Web Console

Name:

 $oracle.ics. we bconsole.common.resource. We bConsole Message Keys. ENRICHMENT_R$

EQUEST_EDIT_FAILURE

Documented: Yes

Cause: Unable to edit the enrichment request.

Action: Action.

ICS-11030: Mapper Error : {0}

Category: ICS Web Console

Type: SEVERE

Level: 1 Name:

 $oracle.ics. we bconsole.common.resource. We bConsole Message Keys. MAPPER_ERROR$

Documented: Yes

Cause: Mapper Error: {0}

Action: Action.

ICS-11031: You are trying to activate a subscriber but the associated publisher "{0}" is not in the required "{1}" state.

Category: ICS Web Console

Type: SEVERE

Level: 1 Name:

 $oracle.ics. we bconsole.common.resource. We bConsole Message Keys. INTG_ACT_SUBSERVENT ACT_SUBSERVENT ACT_SUBSERVENT ACT_SUB$

CRIBER_PUBLISHER_NOT_REQUIRED_STATE

Documented: Yes

Cause: You are trying to activate a subscriber but the associated publisher "{0}" is not

in the required "{1}" state.

Action: Action.

ICS-11032: We cannot generate the WSDL.

Category: ICS Web Console

Type: SEVERE

Level: 1 Name:

 $oracle. ics. we bconsole. common. resource. We bConsole Message Keys. WSDL_GENERAT$

OR_ERROR

Documented: Yes

Cause: We cannot generate the WSDL.

Action: Action.

ICS-11033: We cannot delete the lookup.

Category: ICS Web Console

Name:

 $oracle. ics. we bconsole. common. resource. We bConsole Message Keys. DELETE_DVM_F$

AILED

Documented: Yes

Cause: We cannot delete the lookup.

Action: Action.

ICS-11034: Lookup "{0}" deleted successfully.

Category: ICS Web Console

Type: INFO Level: 1

Name:

 $oracle.ics. we bconsole.common.resource. We bConsole Message Keys. DELETE_DVM_S$

UCCESS

Documented: Yes

Cause: Lookup "{0}" deleted successfully.

Action: Action.

ICS-11035: Invalid lookup in the system.

Category: ICS Web Console

Type: SEVERE

Level: 1 Name:

ERROR_MSG

Documented: Yes

Cause: Invalid lookup in the system.

Action: Action.

ICS-11036: We cannot save the lookup.

Category: ICS Web Console

Type: SEVERE

Level: 1 Name:

oracle.ics.webconsole.common.resource.WebConsoleMessageKeys.SAVE_DVM_FAI

LED

Documented: Yes

Cause: We cannot save the lookup.

Action: Action.

ICS-11037: The PAR file you selected is invalid. Select a PAR file that was previously exported from Integration Cloud Service.

Category: ICS Web Console

Name:

 $oracle. ics. we bconsole. common. resource. We bConsole Message Keys. PACKAGE_IMPO$

RT_INVALID_FILE

Documented: Yes

Cause: The PAR file you selected is invalid. Select a PAR file that was previously

exported from Integration Cloud Service.

Action: Action.

ICS-11038: Unable to export package {0}.

Category: ICS Web Console

Type: SEVERE

Level: 1

Name:

 $oracle. ics. we bconsole. common. resource. We bConsole Message Keys. PACKAGE_EXPO$

RT_ERROR

Documented: Yes

Cause: Unable to export package {0}.

Action: Action.

ICS-11039: Connection "{0}" was saved successfully.

Category: ICS Web Console

Type: INFO Level: 1

Name:

ANCE_SUCCESS

Documented: Yes

Cause: Connection "{0}" was saved successfully.

Action: Action.

ICS-11100: The lookup you are importing already exists.

Category: ICS Web Console

Type: SEVERE

Level: 1 Name:

 $oracle.ics.webconsole.common.resource.WebConsoleMessageKeys.DVM_IMPORT_D$

UPLICATE

Documented: Yes

Cause: The lookup you are importing already exists.

Action: Action.

ICS-11101: The file type you selected is invalid. Select a CSV file to import.

Category: ICS Web Console

Name:

 $oracle.ics. we bconsole.common.resource. We bConsole Message Keys. DVM_IMPORT_I$

NVALID_TYPE

Documented: Yes

Cause: The file type you selected is invalid. Select a CSV file to import.

Action: Action.

ICS-11102: We cannot export the lookup because the input was null.

Category: ICS Web Console

Type: SEVERE

Level: 1 Name:

 $oracle.ics. we bconsole.common.resource. We bConsole Message Keys. DVM_EXPORT_N$

ULL_INPUT

Documented: Yes

Cause: We cannot export the lookup because the input was null.

Action: Action.

ICS-11103: The lookup format is not valid because an adapter name is not correct. Verify the name of the adapters and try again.

Category: ICS Web Console

Type: SEVERE

Level: 1 Name:

oracle.ics.webconsole.common.resource.WebConsoleMessageKeys.DVM_IMPORT_A PP_TYPE_NAME_INVALID

Documented: Yes

Cause: The lookup format is not valid because an adapter name is not correct. Verify the name of the adapters and try again.

the name of the adapters a

Action: Action.

ICS-11104: The lookup format is not valid because it contains duplicate adapters. Verify the import file and try again.

Category: ICS Web Console

Type: SEVERE

Level: 1

Name:

oracle.ics.webconsole.common.resource.WebConsoleMessageKeys.DVM_IMPORT_A PP_TYPE_NAME_DUPLICATE

Documented: Yes

Cause: The lookup format is not valid because it contains duplicate adapters. Verify the import file and try again.

ICS-11105: You need a minimum of two columns (adapters).

Category: ICS Web Console

Type: SEVERE

Level: 1 Name:

 $oracle.ics.webconsole.common.resource.WebConsoleMessageKeys.DVM_IMPORT_M$

IN_COL

Documented: Yes

Cause: You need a minimum of two columns (adapters).

Action: Action.

ICS-11106: The lookup file is formatted incorrectly. The number of cells and columns do not match.

Category: ICS Web Console

Type: SEVERE

Level: 1 Name:

 $oracle. ics. we bconsole. common. resource. We bConsole Message Keys. DVM_IMPORT_C$

OL_CELL_MISMATCH

Documented: Yes

Cause: The lookup file is formatted incorrectly. The number of cells and columns do

not match.

Action: Action.

ICS-11107: The lookup format is invalid. You need at least two columns (adapters).

Category: ICS Web Console

Type: SEVERE

Level: 1

 $oracle.ics. we bconsole.common.resource. We bConsole Message Keys. DVM_EXPORT_M$

IN_COL

Documented: Yes

Cause: The lookup format is invalid. You need at least two columns (adapters).

Action: Action.

ICS-11108: The lookup format is invalid. The number of cells and columns do not match.

Category: ICS Web Console

Type: SEVERE

Level: 1 Name:

oracle.ics.webconsole.common.resource.WebConsoleMessageKeys.DVM_EXPORT_COL_CELL_MISMATCH

Documented: Yes

Cause: The lookup format is invalid. The number of cells and columns do not match.

Action: Action.

ICS-11109: We cannot save the lookup because an error occurred while persisting the lookup file.

Category: ICS Web Console

Type: SEVERE

Level: 1 Name:

 $oracle.ics. we bconsole.common.resource. We bConsole Message Keys. DVM_PERSISTEN$

CE_ERROR

Documented: Yes

Cause: We cannot save the lookup because an error occurred while persisting the

lookup file.

Action: Action.

ICS-11110: Illegal or inappropriate arguments : {0}, {1}.

Category: ICS Web Console

Type: SEVERE

Level: 1

Name:

 $oracle.ics. we bconsole.common.resource. We bConsole Message Keys. ILLEGAL_ARGU$

MENTS2

Documented: Yes

Cause: Illegal arguments.

Action: Action for illegal arguments.

ICS-11111: Failed to create Explicit Date.

Category: ICS Web Console

Type: SEVERE

Level: 1 Name:

 $oracle.ics. we bconsole.common.resource. We bConsole Message Keys. EXPLICITD ATE_console.common.resource. We bconsole.common.resource. We bconsole.common.resource$

CREATION_FAILURE

Documented: Yes

Cause: Explicit Date creation failure.

Action: Action.

ICS-11112: Application type named {0} not found.

Category: ICS Web Console

Type: SEVERE

Level: 1 Name:

 $oracle.ics.webconsole.common.resource.WebConsoleMessageKeys.APP_TYPE_NOT_total and the consolements of t$

FOUND

Documented: Yes

Cause: Application type not found.

Action: Action.

ICS-11113: Illegal state: $\{0\} = \{1\}$.

Category: ICS Web Console

Type: SEVERE

Level: 1 Name:

 $oracle. ics. we bconsole. common. resource. We bConsole Message Keys. ILLEGAL_STATE$

_WITH_PARAMS

Documented: Yes Cause: Illegal state.

Action: Action.

ICS-11114: Format to readable xml failed.

Category: ICS Web Console

Type: SEVERE

Level: 1

 $oracle.ics. we bconsole.common.resource. We bConsole Message Keys. FORMAT_TO_RE$

ADABLE_XML
Documented: Yes

Cause: Format to readable xml failed.

Action: Action.

ICS-11115: Invalid argument(s) in [{0}]; {1}

Category: ICS Web Console

Type: SEVERE

Level: 1 Name:

 $oracle.ics. we bconsole.common.resource. We bConsole Message Keys. INVALID_ARGU$

MENTS

Documented: Yes

Cause: Invalid argument(s).

Action: Action.

ICS-11116: {0} "{1}" not found.

Category: ICS Web Console

Type: SEVERE

Level: 1 Name:

 $oracle.ics. we bconsole.common.resource. We bConsole Message Keys. OB J_NOT_FOUN$

D_IN_BINDING_CONTAINER

Documented: Yes

Cause: Object not found in binding container.

Action: Action.

ICS-11117: Failed to initialize health checking module.

Category: ICS Web Console

Type: SEVERE

Level: 1 Name:

oracle.ics.webconsole.common.resource.WebConsoleMessageKeys.HEALTH_CHEC

K_INIT_FAILURE Documented: Yes

Cause: Failed to initialize health checking module

Action: Action.

ICS-11118: Failed to check Aggregator availability.

Category: ICS Web Console

Type: SEVERE

Level: 1 Name:

oracle.ics.webconsole.common.resource.WebConsoleMessageKeys.HEALTH_CHEC

K_AGGREGATOR_AVAILABILITY_CHECK_FAILURE

Documented: Yes

Cause: Failed to check Aggregator availability.

Action: Action.

ICS-11119: Failed to check Managed Server availability.

Category: ICS Web Console

Type: SEVERE

Level: 1 Name:

oracle.ics.webconsole.common.resource.WebConsoleMessageKeys.HEALTH_CHEC

K_MANAGED_SERVER_AVAILABILITY_CHECK_FAILURE

Documented: Yes

Cause: Failed to check Managed Server availability.

Action: Action.

ICS-11120: Failed to check OSB availability.

Category: ICS Web Console

Type: SEVERE

Level: 1 Name:

oracle.ics.webconsole.common.resource.WebConsoleMessageKeys.HEALTH_CHEC

K_OSB_AVAILABILITY_CHECK_FAILURE

Documented: Yes

Cause: Failed to check OSB availability.

ICS-11121: Failed to check OMCS availability.

Category: ICS Web Console

Type: SEVERE

Level: 1 Name:

 $oracle.ics. we bconsole.common.resource. We bConsole Message Keys. HEALTH_CHEC$

K_OMCS_AVAILABILITY_CHECK_FAILURE

Documented: Yes

Cause: Failed to check OMCS availability.

Action: Action.

ICS-11122: Failed to check DB availability.

Category: ICS Web Console

Type: SEVERE

Level: 1 Name:

 $oracle.ics. we bconsole.common.resource. We bConsole Message Keys. HEALTH_CHEC$

K_DB_AVAILABILITY_CHECK_FAILURE

Documented: Yes

Cause: Failed to check DB availability.

Action: Action.

ICS-11123: Failed to check WSM availability.

Category: ICS Web Console

Type: SEVERE

Level: 1

Name:

 $oracle.ics. we bconsole.common.resource. We bConsole Message Keys. HEALTH_CHECCONSOLEM STATE AND STATE A$

K_WSM_AVAILABILITY_CHECK_FAILURE

Documented: Yes

Cause: Failed to check WSM availability.

Action: Action.

ICS-11200: Generic Web Service (SOAP)

Category: ICS Web Console

Type: INFO Level: 1 Name:

oracle.ics.webconsole.common.resource.WebConsoleMessageKeys.INTEGRATION_

GENERIC_WEB_SERVICE_TITLE

Documented: Yes

Cause: Generic Web Service (SOAP)

ICS-11201: ICS Messaging Service

Category: ICS Web Console

Type: INFO Level: 1 Name:

oracle.ics.webconsole.common.resource.WebConsoleMessageKeys.ICS_MESSAGING

_SERVICE_TITLE Documented: Yes

Cause: ICS Messaging Service

Action: Action.

ICS-11202: Unconfigured

Category: ICS Web Console

Type: INFO Level: 1 Name:

oracle.ics.webconsole.common.resource.WebConsoleMessageKeys.UNCONFIGURE

Documented: Yes Cause: Unconfigured

Action: Action.

ICS-11203: The connection test was successful!

Category: ICS Web Console

Type: INFO Level: 1 Name:

 $oracle.ics. we bconsole.common.resource. We bConsole Message Keys. APP_INST_TEST_test and the properties of the proper$

SUCCESS

Documented: Yes

Cause: Connection tested successfully.

Action: Action.

ICS-11204: Connection not found.

Category: ICS Web Console

Type: INFO Level: 1 Name:

 $oracle.ics. we bconsole.common.resource. We bConsole Message Keys. CONNECTION_\\$

NOT_FOUND_ERROR

Documented: Yes

Cause: Connection not found.

ICS-11205: This integration cannot be imported.

Category: ICS Web Console

Type: INFO Level: 1 Name:

oracle.ics.webconsole.common.resource.WebConsoleMessageKeys.PROJECT_CANT_

BE_IMPORTED

Documented: Yes

Cause: This integration cannot be imported.

Action: Action.

ICS-11206: Package not found.

Category: ICS Web Console

Type: INFO Level: 1 Name:

 $oracle.ics. we bconsole.common.resource. We bConsole Message Keys. PACKAGE_NOT_to a consoler the consoler than the con$

FOUND_ERROR
Documented: Yes

Cause: Package not found.

Action: Action.

ICS-11207: Prebuilt package cannot be deleted.

Category: ICS Web Console

Type: INFO Level: 1 Name:

 $oracle.ics. we bconsole.common.resource. We bConsole Message Keys. PACKAGE_CAN$

T_BE_DELETED

Documented: Yes

Cause: Prebuilt Package cannot be deleted.

Action: Action.

ICS-11208: This package already exists and therefore cannot be imported.

Category: ICS Web Console

Type: INFO Level: 1 Name:

oracle.ics.webconsole.common.resource.WebConsoleMessageKeys.PACKAGE_CAN

T_BE_IMPORTED_DUE_TO_CONFLICT

Documented: Yes

Cause: This package already exists and therefore cannot be imported.

ICS-11209: An error occurred while retrieving a package file from Storage Cloud Service.

Category: ICS Web Console

Type: INFO Level: 1 Name:

oracle.ics.webconsole.common.resource.WebConsoleMessageKeys.STORAGE_CLOU

D_FILE_ERROR Documented: Yes

Cause: An error occurred while retrieving a package file from Storage Cloud Service.

Action: Action.

ICS-11210: Invalid request

Category: ICS Web Console

Type: INFO Level: 1 Name:

 $oracle.ics. we bconsole.common.resource. We bConsole Message Keys. BAD_REQUEST_$

ERROR

Documented: Yes Cause: Invalid request

Action: Action.

ICS-11211: Unauthorized access

Category: ICS Web Console

Type: INFO Level: 1 Name:

oracle.ics. we bconsole.common.resource. We bConsole Message Keys. UNAUTHORIZE

D ERROR

Documented: Yes

Cause: Unauthorized access

Action: Action.

ICS-11212: Access denied

Category: ICS Web Console

Type: INFO Level: 1

 $oracle.ics.web console.common.resource.Web Console Message Keys.FOR BIDDEN_ER$

ROR

Documented: Yes Cause: Access denied

ICS-11213: Internal server error occurred. Please try again later

Category: ICS Web Console

Type: INFO Level: 1 Name:

 $oracle. ics. we bconsole. common. resource. We bConsole Message Keys. IN TERNAL_SERV$

ER ERROR

Documented: Yes

Cause: Internal server error occurred. Please try again later

Action: Action.

ICS-11214: We cannot get filename from {0}.

Category: ICS Web Console

Type: INFO Level: 1 Name:

 $oracle.ics. we bconsole.common.resource. We bConsole Message Keys. FAILED_TO_GET$

_FILENAME

Documented: Yes

Cause: Failed to get filename

Action: Action.

ICS-11215: We cannot find {0} resource.

Category: ICS Web Console

Type: INFO Level: 1 Name:

 $oracle.ics. we bconsole.common.resource. We bConsole Message Keys. RESOURCE_NOT$

_FOUND

Documented: Yes

Cause: Resource not found

Action: Action.

ICS-11216: Failed to create the lookup. Error Code:

Category: ICS Web Console

Type: INFO Level: 1 Name:

oracle.ics.webconsole.common.resource.WebConsoleMessageKeys.CREATE_DVM_F

AILED_ERROR_CODE

Documented: Yes

Cause: Create DVM failed.

ICS-11217: Illegal state.

Category: ICS Web Console

Type: SEVERE

Level: 1 Name:

 $oracle.ics. we bconsole.common. resource. We bConsole Message Keys. ILLEGAL_STATE$

Documented: Yes Cause: Illegal state. Action: Action.

ICS-11218: Illegal state: {0} closed.

Category: ICS Web Console

Type: SEVERE

Level: 1 Name:

 $oracle.ics.webconsole.common.resource.WebConsoleMessageKeys.ILLEGAL_STATE$

_MODEL_CLOSED Documented: Yes

Cause: Illegal state. Action: Action.

ICS-11219: Mapper input and/or output message not defined. Review application messages.

Category: ICS Web Console

Type: SEVERE

Level: 1

Name:

 $oracle.ics. we bconsole.common.resource. We bConsole Message Keys. MAPPER_CONTE$

XT_ERROR

Documented: Yes

Cause: Mapper input and/or output message not defined.

Action: Review application messages.

ICS-11220: Mapper Generic Error

Category: ICS Web Console

Type: SEVERE

Level: 1 Name:

oracle.ics.webconsole.common.resource.WebConsoleMessageKeys.MAPPER_GENER

IC ERROR

Documented: Yes

Cause: Mapper Generic Error

ICS-11221: Enter all the required fields.

Category: ICS Web Console

Type: WARNING

Level: 1 Name:

 $oracle.ics.web console.common.resource. Web Console Message Keys. ENTER_ALL_TH$

E_REQUIRED_FIELDS

Documented: Yes

Cause: One or more required fields are missing.

Action: Enter all required fields.

ICS-11226: Integration code: {0}, version: {1} had bad data. It was fixed.

Category: ICS Web Console

Type: INFO Level: 1 Name:

 $oracle.ics. we bconsole.common.resource. We bConsole Message Keys. PROJECT_MODE$

L_WIRE_FIXED

Documented: Yes

Cause: Integration code {0}, version {1} had bad data.

Action: Action.

ICS-11227: An error occurred while trying to fix the integration, code : {0}, version :

{1}.

Category: ICS Web Console

Type: SEVERE

Level: 1 Name:

 $oracle. ics. we bconsole. common. resource. We bConsole Message Keys. PROJECT_MODE$

L_WIRE_FIX_FAILED

Documented: Yes

Cause: Failed to fix the integration's bad data. Code {0}, version {1}.

Action: Action.

ICS-11228: Removed bad wire from the integration, name: {0}, code: {1}, version: {2}, source URI: {3}, target URI: {4}.

(2), source on : (5), target on

Category: ICS Web Console

Type: INFO Level: 1 Name:

 $oracle.ics. we bconsole.common.resource. We bConsole Message Keys. PROJECT_MODE$

L_REMOVE_BAD_WIRE

Documented: Yes

Cause: Removed bad wire from the integration, name:{0}, code:{1}, version:{2}, sourceUri:{3}, targetUri:{4}.

Action: Action.

ICS-11229: Added wire to integration, name: {0}, code: {1}, version: {2}, source

URI: {3}, target URI: {4}. Category: ICS Web Console

Type: INFO Level: 1

Name:

 $oracle.ics.webconsole.common.resource.WebConsoleMessageKeys.PROJECT_MODE$

L_ADD_WIRE

Documented: Yes

Cause: Added wire to integration, name:{0}, code:{1}, version:{2}, sourceUri:{3},

targetUri:{4}.

Action: Action.

ICS-11230: Error executing "Run Now" for integration : {0}. Error: Unable to retrieve JCA file

Category: ICS Web Console

Type: SEVERE

Level: 1 Name:

oracle.ics.webconsole.common.resource.WebConsoleMessageKeys.JCA_FILE_NOT_F

OUND_ERROR

Documented: Yes

Cause: Error executing "Run Now" for integration: {0}. Error: Unable to read source

ftp Jca Properties file

Action: Action.

ICS-11231: Integration: {0} submitted to ess successfully with request id: {1}

Category: ICS Web Console

Type: SEVERE

Level: 1 Name:

 $oracle.ics.webconsole.common.resource.WebConsoleMessageKeys.INTEGRATION_E$

SS_JOB_SUBMIT_SUCCESS_MESSAGE

Documented: Yes

Cause: Integration: {0} submitted to ess successfully with request id: {1}

Action: Action.

ICS-11232: Attempting to add auto resubmission parameters to an integration that does not contain a source application.

Category: ICS Web Console

Type: SEVERE

oracle.ics.webconsole.common.resource.WebConsoleMessageKeys.AUTORESUBMIT _INVALID_STATE_NO_SOURCE_APPL

Documented: Yes

Cause: Attempting to add auto resubmission parameters to an integration that does not contain a source application.

Action: First define the source application, which defines the message context, and then define the auto resubmission parameters.

ICS-11233: Internal error. Auto resubmission parameters not found or not properly defined in integration.

Category: ICS Web Console

Type: SEVERE

Level: 1 Name:

oracle.ics.webconsole.common.resource.WebConsoleMessageKeys.AUTORESUBMIT $_INVALID_STATE$

Documented: Yes

Cause: Auto resubmission processor definition is missing or is in an incomplete state.

Action: This is an internal issue; the auto resubmission processor should either exist in its entirety or not exist at all.

ICS-11234: Auto resubmission parameters not found or not properly defined. Integration model is missing {0}.

Category: ICS Web Console

Type: SEVERE

Level: 1 Name:

 $oracle. ics. we bconsole. common. resource. We bConsole Message Keys. AUTORE SUBMIT_INVALID_STATE_DETAIL$

Documented: Yes

Cause: Auto resubmission processor definition is missing or is in an incomplete state. Integration model may be corrupt.

Action: This is an internal issue; the auto resubmission processor should either exist in its entirety or not exist at all.

ICS-11235: The Agent Instance metrics couldn't be retrieved due to an internal error.

Category: ICS Web Console

Type: SEVERE

Level: 1 Name:

oracle.ics.webconsole.common.resource.WebConsoleMessageKeys.AGENT_METRIC $S_RETRIEVE_FAILURE_DUE_TO_PERSISTENCE_ERROR$

Documented: Yes

Cause: The Agent Instance metrics couldn't be retrieved due to an internal error.

Action: Check Abstraction API or OSB errors.

ICS-11300: Error occurred. Error {0}.

Category: ICS Web Console

Type: SEVERE

Level: 1 Name:

 $oracle. ics. we bconsole. common. resource. Web Console Message Keys. ROUTING_EXPR$

ESSION_ERROR Documented: Yes

Cause: Error occurred while running the flow. Error {0}.

Action: Action.

ICS-11301: In trial mode, no more than two asynchronous integrations may be active at any time. De-activate another asynchronous integration before activating this integration.

Category: ICS Web Console

Type: SEVERE

Level: 1 Name:

 $oracle. ics. we bconsole. common. resource. WebConsoleMessageKeys. IN TEGRATION_T$ OO_MANY_ACTIVATED

Documented: Yes

Cause: In trial mode, no more than two asynchronous integrations may be active at any time.

Action: De-activate another asynchronous integration before activating this integration.

ICS-11302: Enrichment operations must be synchronous. Use a synchronous operation for the enrichment.

Category: ICS Web Console

Type: SEVERE

Level: 1 Name:

oracle.ics.webconsole.common.resource.WebConsoleMessageKeys.INTEGRATION_S YNCHRONOUS_ENRICHMENT

Documented: Yes

Cause: Enrichment operations must be synchronous.

Action: Use a synchronous operation for the enrichment.

ICS-11303: An error occurred while initializing monitoring API

Category: ICS Web Console

Type: SEVERE

oracle.ics.webconsole.common.resource.WebConsoleMessageKeys.MONITORING_A PI ERROR

Documented: Yes

Cause: An error occurred while initializing monitoring API.

Action: Action.

ICS-11304: One or more managed servers are not available. Monitoring data might not be displayed properly.

Category: ICS Web Console

Type: SEVERE

Level: 1 Name:

 $oracle.ics.web console.common.resource. Web Console Message Keys. MANAGED_SER$

VERS_NOT_AVAILABLE

Documented: Yes

Cause: One or more managed servers are not available. Monitoring data might not be displayed properly.

Action: Action.

ICS-11305: Managed server that has Aggregator is not available. Monitoring data might not be displayed properly.

Category: ICS Web Console

Type: SEVERE

Level: 1 Name:

 $oracle. ics. we bconsole. common. resource. We bConsole Message Keys. AGGREGATOR_S$

ERVER NOT AVAILABLE

Documented: Yes

Cause: Managed server that has Aggregator is not available. Monitoring data might not be displayed properly.

Action: Action.

ICS-11306: Integration "{0}" is unavailable in runtime store. Synchronizing the runtime and designtime by updating the Integration.

Category: ICS Web Console

Type: SEVERE

Level: 1 Name:

 $oracle.ics. we bconsole.common.resource. We bConsole Message Keys. IN TEGRATION_UNA VBL_IN_RUNTIME$

Documented: Yes

Cause: Integration "{0}" is unavailable in runtime store. Synchronizing the runtime and designtime by updating the Integration.

ICS-11310: Invalid Run Id. Only Numbers are permitted.

Category: ICS Web Console

Type: SEVERE

Level: 1 Name:

 $oracle.ics.webconsole.common.resource.WebConsoleMessageKeys.INVALID_RUNID$

Documented: Yes

Cause: Invalid Run ID.

Action: Action for invalid run Id.

ICS-12001: Error executing "Run Now" for integration: {0}. Error: {1}

Category: ICS Web Console

Type: SEVERE

Level: 1 Name:

 $oracle.ics. we bconsole.common.resource. We bConsole Message Keys. SCHEDULE_RUN$

_NOW_ERROR
Documented: Yes

Cause: Error executing "Run Now" for integration: {0}. Error: {1}

Action: Action.

ICS-12002: Error occurred while creating the schedule.

Category: ICS Web Console

Type: SEVERE

Level: 1 Name:

oracle.ics.webconsole.common.resource.WebConsoleMessageKeys.SCHEDULE_CRE

ATE_ERROR

Documented: Yes

Cause: Error occurred while creating the schedule.

Action: Action.

ICS-12003: Error occurred while updating the schedule.

Category: ICS Web Console

Type: SEVERE

Level: 1

 $oracle.ics. we bconsole.common.resource. We bConsole Message Keys. SCHEDULE_UPD$

ATE_ERROR

Documented: Yes

Cause: Error occurred while updating the schedule.

Action: Action.

ICS-12004: Error occurred while reading the schedule.

Category: ICS Web Console

Type: SEVERE

Level: 1 Name:

D_ERROR

Documented: Yes

Cause: Error occurred while reading the schedule.

Action: Action.

ICS-12005: Unable to start schedule for integration: {0}. Error: {1}.

Category: ICS Web Console

Type: SEVERE

Level: 1 Name:

oracle.ics.webconsole.common.resource.WebConsoleMessageKeys.SCHEDULE_STA

RT_ERROR

Documented: Yes

Cause: Unable to start schedule for integration: {0}. Error: {1}.

Action: Action.

ICS-12006: Unable to stop schedule for integration: {0}. Error: {1}.

Category: ICS Web Console

Type: SEVERE

Level: 1 Name:

oracle.ics.webconsole.common.resource.WebConsoleMessageKeys.SCHEDULE_STO

P_ERROR

Documented: Yes

Cause: Unable to stop schedule for integration: {0}. Error: {1}.

Action: Action.

ICS-12007: Schedule stopped successfully for integration: {0}.

Category: ICS Web Console

Type: INFO Level: 1

oracle.ics.webconsole.common.resource.WebConsoleMessageKeys.SCHEDULE_STO

P_SUCC

Documented: Yes

Cause: Schedule stopped successfully for integration: {0}.

Action: Action.

ICS-12008: Unable to pause schedule for integration: {0}. Error: {1}.

Category: ICS Web Console

Name:

 $oracle.ics. we bconsole.common.resource. We bConsole Message Keys. SCHEDULE_PAU$

SE_ERROR

Documented: Yes

Cause: Unable to pause schedule for integration: {0}. Error: {1}.

Action: Action.

ICS-12009: Schedule paused successfully for integration {0}.

Category: ICS Web Console

Type: INFO Level: 1

Name:

 $oracle.ics. we bconsole.common.resource. We bConsole Message Keys. SCHEDULE_PAU$

SE_SUCC

Documented: Yes

Cause: Schedule paused successfully for integration: {0}.

Action: Action.

ICS-12010: Unable to resume schedule for integration: {0}. Error: {1}.

Category: ICS Web Console

Type: SEVERE

Level: 1 Name:

 $oracle.ics. we bconsole.common.resource. We bConsole Message Keys. SCHEDULE_RES$

UME_ERROR

Documented: Yes

Cause: Unable to resume schedule for integration: {0}. Error: {1}.

Action: Action.

ICS-12011: Schedule resumed successfully for integration {0}.

Category: ICS Web Console

Type: INFO Level: 1 Name:

 $oracle.ics.webconsole.common.resource.WebConsoleMessageKeys.SCHEDULE_RES$

UME_SUCC

Documented: Yes

Cause: Schedule resumed successfully for integration: {0}.

Action: Action.

ICS-12012: Schedule request for Integration: {0} submitted successfully with requestId: {1}.

Category: ICS Web Console

Type: INFO

Name:

oracle.ics.webconsole.common.resource.WebConsoleMessageKeys.SCHEDULED_JO B_SUBMIT_SUCCESS_MESSAGE

Documented: Yes

Cause: Schedule request for Integration: {0} submitted successfully with request id:

{1}.

Action: Action.

ICS-12013: "Run Now" request for Integration: {0} submitted successfully with requestId: {1}.

Category: ICS Web Console

Type: INFO Level: 1

Name:

oracle.ics.webconsole.common.resource.WebConsoleMessageKeys.SCHEDULE_RUN _NOW_JOB_SUBMIT_SUCCESS_MESSAGE

Documented: Yes

Cause: "Run Now" request for Integration: {0} submitted successfully with request id:

*{*1*}*.

Action: Action.

ICS-12014: Failed to pause jobs with request ids: {0}.

Category: ICS Web Console

Type: WARNING

Level: 1 Name:

oracle.ics.webconsole.common.resource.WebConsoleMessageKeys.SCHEDULE_PAU

SE_FAILED_REQUESTIDS_MSG

Documented: Yes

Cause: Failed to pause for integration {1} jobs with request ids: {0}.

Action: Action.

ICS-12015: Schedule for integration {0} paused with errors. Check log for more details.

Category: ICS Web Console

Type: WARNING

Level: 1 Name:

 $oracle.ics. we bconsole.common.resource. We bConsole Message Keys. SCHEDULE_PARTIAL_PAUSE_SUCCESS_MESSAGE$

TITLE_TTIOSE_SOCCEESS_IVII

Documented: Yes

Cause: Schedule for integration {0} is paused with errors. Check log for more details.

ICS-12016: Failed to resume jobs with request ids: {0}.

Category: ICS Web Console

Type: WARNING

Level: 1 Name:

 $oracle.ics. we bconsole.common.resource. We bConsole Message Keys. SCHEDULE_RES$

UME_FAILED_REQUESTIDS_MSG

Documented: Yes

Cause: Failed to resume jobs for integration {1} with request ids: {0}.

Action: Action.

ICS-12017: Schedule for integration {0} resumed with errors. Check log for more details.

Category: ICS Web Console

Type: WARNING

Level: 1 Name:

 $oracle.ics. we bconsole.common.resource. We bConsole Message Keys. SCHEDULE_PARTIAL_RESUME_SUCCESS_MESSAGE$

Documented: Yes

Cause: Schedule for integration {0} resumed with errors. Check log for more details.

Action: Action.

ICS-12018: Failed to stop jobs with request ids: {0}.

Category: ICS Web Console

Type: WARNING

Level: 1 Name:

 $oracle. ics. we bconsole. common. resource. We bConsole Message Keys. SCHEDULE_STOME and the state of the s$

P_FAILED_REQUESTIDS_MSG

Documented: Yes

Cause: Failed to stop jobs for integration {1} with request ids: {0}.

Action: Action.

ICS-12019: Schedule for integration {0} stopped with errors. Check log for more details.

Category: ICS Web Console

Type: WARNING

Level: 1

Name:

oracle.ics.webconsole.common.resource.WebConsoleMessageKeys.SCHEDULE_PAR TIAL_STOP_SUCCESS_MESSAGE

Documented: Yes

Cause: Schedule for integration {0} stopped with errors. Check log for more details.

ICS-12020: An error occurred while retrieving the schedule.

Category: ICS Web Console

Type: SEVERE

Level: 1 Name:

 $oracle.ics. we bconsole.common.resource. We bConsole Message Keys. SCHEDULE_ERR$

OR

Documented: Yes

Cause: An error occurred while retrieving the schedule.

Action: Action.

ICS-12021: An error occurred while retrieving the schedule. Check code and version.

Category: ICS Web Console

Type: SEVERE

Level: 1 Name:

 $oracle. ics. we bconsole. common. resource. We bConsole Message Keys. SCHEDULE_RET$

RIEVAL_ERROR

Documented: Yes

Cause: An error occurred while retrieving the schedule. Check code and version.

Action: Action.

ICS-14000: Persistency manager initialization failed.

Category: ICS Web Console

Type: SEVERE

Level: 1 Name:

oracle.ics.webconsole.common.resource.WebConsoleMessageKeys.ERRORHOSPITA

L_BUSINESS_PM_FAILURE

Documented: Yes

Cause: Persistency manager initialization failed.

Action: Action.

ICS-14001: Project resource not Found.

Category: ICS Web Console

Type: SEVERE

Level: 1

oracle.ics. we bconsole.common.resource. We bConsole Message Keys. ERRORHOSPITA to the control of the control

L_PROJECT_RESOURCE_FAILURE

Documented: Yes

Cause: Project resource not Found.

ICS-14002: An error occurred while retrieving records for Errors By Integration.

Category: ICS Web Console

Type: SEVERE

Level: 1 Name:

oracle.ics.webconsole.common.resource.WebConsoleMessageKeys.ERRORHOSPITA L_EI_PERSISTANCE_FAILURE

Documented: Yes

Cause: An error occurred while retrieving records for Errors By Integration.

Action: Action.

ICS-14003: An error occurred while retrieving records for Errors By Connection.

Category: ICS Web Console

Type: SEVERE

Level: 1 Name:

oracle.ics.webconsole.common.resource.WebConsoleMessageKeys.ERRORHOSPITA L_EC_PERSISTANCE_FAILURE

Documented: Yes

Cause: An error occurred while retrieving records for Errors By Connection.

Action: Action.

ICS-14004: An error occurred while retrieving apptype for Errors By Connection.

Category: ICS Web Console

Type: SEVERE

Level: 1

Name:

oracle. ics. we bconsole. common. resource. Web Console Message Keys. ERRORHOSPITAL_EC_APPTYPE_RETRIEVAL_FAILURE

Documented: Yes

Cause: An error occurred while retrieving apptype for Errors By Connection.

Action: Action.

ICS-14005: An error occurred while retrieving project resources for Error Message Details.

Category: ICS Web Console

Type: SEVERE

Level: 1 Name:

oracle.ics.webconsole.common.resource.WebConsoleMessageKeys.ERRORHOSPITA L_ED_PROJECTRESOURCES_RETRIEVAL_FAILURE

Documented: Yes

Cause: An error occurred while retrieving project resources for Error Message Details.

ICS-14006: An error occurred while retrieving records for Error Message Details.

Category: ICS Web Console

Type: SEVERE

Level: 1 Name:

oracle.ics.webconsole.common.resource.WebConsoleMessageKeys.ERRORHOSPITA

L_ED_PERSISTANCE_FAILURE

Documented: Yes

Cause: An error occurred while retrieving records for Error Message Details.

Action: Action.

ICS-14007: An error occurred while invoking composer instance from Error Message Details.

Category: ICS Web Console

Type: SEVERE

Level: 1 Name:

oracle.ics.webconsole.common.resource.WebConsoleMessageKeys.ERRORHOSPITA L_ED_COMPOSER_INSTANCE_FAILURE

Documented: Yes

Cause: An error occurred while invoking composer instance from Error Message

Details.

Action: Action.

ICS-14008: An error occurred while recovering fault from Error Message Details.

Category: ICS Web Console

Type: SEVERE

Level: 1 Name:

oracle. ics. webconsole. common. resource. WebConsoleMessageKeys. ERRORHOSPITA

L_ED_RECOVER_INSTANCE_FAILURE

Documented: Yes

Cause: An error occurred while recovering fault from Error Message Details.

Action: Action.

ICS-14009: An error occurred while recovering faults from Error Message Details.

Category: ICS Web Console

Type: SEVERE

Level: 1 Name:

oracle.ics.webconsole.common.resource.WebConsoleMessageKeys.ERRORHOSPITA

L_ED_RECOVER_INSTANCES_FAILURE

Documented: Yes

Cause: An error occurred while recovering faults from Error Message Details.

ICS-14010: An error occurred while recovering faults from Errors By Integration.

Category: ICS Web Console

Type: SEVERE

Level: 1 Name:

oracle.ics.webconsole.common.resource.WebConsoleMessageKeys.ERRORHOSPITA L_EI_RECOVER_INTEGRATION_INSTANCES_FAILURE

Documented: Yes

Cause: An error occurred while recovering faults from Errors By Integration.

Action: Action.

ICS-14011: An error occurred while recovering faults from Errors By Connection.

Category: ICS Web Console

Type: SEVERE

Level: 1 Name:

oracle.ics.webconsole.common.resource.WebConsoleMessageKeys.ERRORHOSPITA L_EC_RECOVER_CONNECTION_INSTANCES_FAILURE

Documented: Yes

Cause: An error occurred while recovering faults from Errors by Connection.

Action: Action.

ICS-14012: An error occurred while discarding error instance from Error Message Details.

Category: ICS Web Console

Type: SEVERE

Level: 1 Name:

oracle.ics.webconsole.common.resource.WebConsoleMessageKeys.ERRORHOSPITA L_ED_INSTANCE_DISCARD_FAILURE

Documented: Yes

Cause: An error occurred while discarding error instance from Error Message Details.

Action: Action.

ICS-14013: An error occurred while discarding error instances from Error Message Details.

Category: ICS Web Console

Type: SEVERE

Level: 1

Name:

oracle.ics.webconsole.common.resource.WebConsoleMessageKeys.ERRORHOSPITA L_ED_INSTANCES_DISCARD_FAILURE

Documented: Yes

Cause: An error occurred while discarding error instances from Error Message Details.

Action: Action.

ICS-14014: An error occurred while discarding error instances from Errors By Integration.

Category: ICS Web Console

Type: SEVERE

Level: 1 Name:

oracle.ics.webconsole.common.resource.WebConsoleMessageKeys.ERRORHOSPITA L_EI_INTEGRATION_DISCARD_FAILURE

Documented: Yes

Cause: An error occurred while discarding error instances from Errors By Integration.

Action: Action.

ICS-14015: An error occurred while discarding error instances from Errors By Connection.

Category: ICS Web Console

Type: SEVERE

Level: 1 Name:

oracle.ics.webconsole.common.resource.WebConsoleMessageKeys.ERRORHOSPITA L_EC_CONNECTION_DISCARD_FAILURE

Documented: Yes

Cause: An error occurred while discarding error instances from Errors By Connection.

Action: Action.

ICS-14016: An error occurred while execution of future task.

Category: ICS Web Console

Type: SEVERE

Level: 1 Name:

oracle. ics. we bconsole. common. resource. We bConsole Message Keys. ERRORHOSPITA

L_FUTURE_TASK_FAILURE

Documented: Yes

Cause: An error occurred while execution of future task.

Action: Action.

ICS-14017: An error occurred while discarding error instance from Error Message Details.

Category: ICS Web Console

Type: SEVERE

Level: 1 Name:

oracle.ics.webconsole.common.resource.WebConsoleMessageKeys.ERRORHOSPITA L_ED_AUTORECOVERABLE_FAULTIDS_RETRIEVAL_FAILURE

Documented: Yes

Cause: An error occurred while retrieval of autorecoverable fault ids.

Action: Action.

ICS-14018: An error occurred while error hospital factory creation.

Category: ICS Web Console

Type: SEVERE

Level: 1 Name:

oracle.ics.webconsole.common.resource.WebConsoleMessageKeys.ERRORHOSPITA $L_FACTORY_MANAGER_FAILURE$

Documented: Yes

Cause: An error occurred while error hospital factory creation.

Action: Action.

ICS-14019: The resubmission for connection couldn't be completed due to an internal error.

Category: ICS Web Console

Type: SEVERE

Level: 1 Name:

oracle.ics.webconsole.common.resource.WebConsoleMessageKeys.ERRORHOSPITA L_EC_RESUBMISSION_INTERNAL_ERROR

Documented: Yes

Cause: The resubmission for connection couldn't be completed due to an internal

error.

Action: Action.

ICS-14020: The discard for connection couldn't be completed due to an internal error.

Category: ICS Web Console

Type: SEVERE

Level: 1 Name:

oracle.ics.webconsole.common.resource.WebConsoleMessageKeys.ERRORHOSPITA

L_EC_DISCARD_INTERNAL_ERROR

Documented: Yes

Cause: The discard for connection couldn't be completed due to an internal error.

Action: Action.

ICS-14021: The resubmission for integration couldn't be completed due to an internal error.

Category: ICS Web Console

Type: SEVERE

oracle.ics.webconsole.common.resource.WebConsoleMessageKeys.ERRORHOSPITA L_EI_RESUBMISSION_INTERNAL_ERROR

Documented: Yes

Cause: The resubmission for integration couldn't be completed due to an internal

error.

Action: Action.

ICS-14022: The discard for integration couldn't be completed due to an internal error.

Category: ICS Web Console

Type: SEVERE

Level: 1 Name:

oracle.ics. we bconsole.common.resource. We bConsole Message Keys. ERRORHOSPITA

L_EI_DISCARD_INTERNAL_ERROR

Documented: Yes

Cause: The discard for integration couldn't be completed due to an internal error.

Action: Action.

ICS-14023: The resubmission for error instance couldn't be completed due to an internal error.

Category: ICS Web Console

Type: SEVERE

Level: 1 Name:

oracle. ics. webconsole. common. resource. WebConsoleMessageKeys. ERRORHOSPITA

L_ED_RESUBMISSION_INTERNAL_ERROR

Documented: Yes

Cause: The resubmission for error instance couldn't be completed due to an internal

error.

Action: Action.

ICS-14024: The discard for error instance couldn't be completed due to an internal error.

Category: ICS Web Console

Type: SEVERE

Level: 1 Name:

oracle.ics.webconsole.common.resource.WebConsoleMessageKeys.ERRORHOSPITA L_ED_DISCARD_INTERNAL_ERROR

Documented: Yes

Cause: The discard for error instance couldn't be completed due to an internal error.

ICS-14025: The resubmission for error instances couldn't be completed due to an internal error.

Category: ICS Web Console

Type: SEVERE

Level: 1 Name:

oracle.ics.webconsole.common.resource.WebConsoleMessageKeys.ERRORHOSPITA L_ED_MULTIRESUBMISSION_INTERNAL_ERROR

Documented: Yes

Cause: The resubmission for error instances couldn't be completed due to an internal

error.

Action: Action.

ICS-14026: The discard for error instances couldn't be completed due to an internal error.

Category: ICS Web Console

Type: SEVERE

Level: 1

oracle. ics. webconsole. common. resource. WebConsoleMessageKeys. ERRORHOSPITA

L_ED_MULTIDISCARD_INTERNAL_ERROR

Documented: Yes

Cause: The discard for error instances couldn't be completed due to an internal error.

Action: Action.

ICS-14027: An error occurred while cloning the integration

Category: ICS Web Console

Type: SEVERE

Level: 1 Name:

 $oracle.ics.web console.common.resource.Web Console Message Keys.CLONE_INTEGR$

ATION_ERROR

Documented: Yes

Cause: An error occurred while cloning the integration.

Action: Action.

ICS-14028: An error occurred while calculating size of Error Instances for Error Message Details.

Category: ICS Web Console

Type: SEVERE

Level: 1

Name:

oracle. ics. we bconsole. common. resource. We bConsole Message Keys. ERRORHOSPITA to the common of the common o

L_ED_SIZE_CALCULATE_ERROR

Documented: Yes

Cause: An error occurred while calculating size of Error Instances for Error Message Details.