

Oracle® Warehouse Management Cloud

Technical Requirements Guide

Update 18C

Part No. E99998-01

September 2018

Copyright Notice

Oracle® Warehouse Management Cloud Technical Requirements Guide, Update 18C

Part No. E99998-01

Copyright © 2017, 2018 Oracle and/or its affiliates. All rights reserved.

This software and related documentation are provided under a license agreement containing restrictions on use and disclosure and are protected by intellectual property laws. Except as expressly permitted in your license agreement or allowed by law, you may not use, copy, reproduce, translate, broadcast, modify, license, transmit, distribute, exhibit, perform, publish, or display any part, in any form, or by any means. Reverse engineering, disassembly, or decompilation of this software, unless required by law for interoperability, is prohibited.

The information contained herein is subject to change without notice and is not warranted to be error-free. If you find any errors, please report them to us in writing.

If this is software or related documentation that is delivered to the U.S. Government or anyone licensing it on behalf of the U.S. Government, then the following notice is applicable:

U.S. GOVERNMENT END USERS: Oracle programs, including any operating system, integrated software, any programs installed on the hardware, and/or documentation, delivered to U.S. Government end users are "commercial computer software" pursuant to the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, use, duplication, disclosure, modification, and adaptation of the programs, including any operating system, integrated software, any programs installed on the hardware, and/or documentation, shall be subject to license terms and license restrictions applicable to the programs. No other rights are granted to the U.S. Government.

This software or hardware is developed for general use in a variety of information management applications. It is not developed or intended for use in any inherently dangerous applications, including applications that may create a risk of personal injury. If you use this software or hardware in dangerous applications, then you shall be responsible to take all appropriate fail-safe, backup, redundancy, and other measures to ensure its safe use. Oracle Corporation and its affiliates disclaim any liability for any damages caused by use of this software or hardware in dangerous applications.

Oracle and Java are registered trademarks of Oracle and/or its affiliates. Other names may be trademarks of their respective owners.

Intel and Intel Xeon are trademarks or registered trademarks of Intel Corporation. All SPARC trademarks are used under license and are trademarks or registered trademarks of SPARC International, Inc. AMD, Opteron, the AMD logo, and the AMD Opteron logo are trademarks or registered trademarks of Advanced Micro Devices. UNIX is a registered trademark of The Open Group.

This software or hardware and documentation may provide access to or information about content, products, and services from third parties. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to third-party content, products, and services unless otherwise set forth in an applicable agreement between you and Oracle. Oracle Corporation and its affiliates will not be responsible for any loss, costs, or damages incurred due to your access to or use of third-party content, products, or services, except as set forth in an applicable agreement between you and Oracle.

Documentation Accessibility

For information about Oracle's commitment to accessibility, visit the Oracle Accessibility Program website at <http://www.oracle.com/pls/topic/lookup?ctx=acc&id=docacc>.

Access to Oracle Support

Oracle customers that have purchased support have access to electronic support through My Oracle Support. For information, visit <http://www.oracle.com/pls/topic/lookup?ctx=acc&id=info> or visit <http://www.oracle.com/pls/topic/lookup?ctx=acc&id=trs> if you are hearing impaired.

Contents

COPYRIGHT NOTICE.....	III
CONTENTS.....	IV
SEND US YOUR COMMENTS	V
PREFACE	VI
CHANGE HISTORY	VI
1. NETWORK REQUIREMENTS.....	1-1
2. HARDWARE	2-1
DESKTOP PCs	2-1
RF DEVICES	2-1
LABEL PRINTERS.....	2-2
LASER PRINTERS.....	2-2
DOT MATRIX PRINTERS	2-2
PRINT SERVERS.....	2-2
NETWORK CONFIGURATION.....	2-2
3. INTERFACES.....	3-1
4. AUTHENTICATION	4-2

Send Us Your Comments

Oracle® Warehouse Management Cloud Technical Requirements Guide, Update 18C

Part No. E99998-01

Oracle welcomes your comments and suggestions on the quality and usefulness of this publication. Your input is an important part of the information used for revision.

- Did you find any errors?
- Is the information clearly presented?
- Do you need more information? If so, where?
- Are the examples correct? Do you need more examples?
- What features did you like most about this manual?

If you find any errors or have any other suggestions for improvement, please indicate the title and part number of the documentation and the chapter, section, and page number (if available). You can send comments to us in the following ways:

- Electronic mail: owms-cloud-comms_us@oracle.com

If you would like a reply, please give your name, address, telephone number, and electronic mail address (optional).

If you have problems with the software, contact Support at <https://support.oracle.com> or find the Support phone number for your region at <http://www.oracle.com/support/contact.html>.

Preface

This guide contains the network, hardware, and interface requirements for Oracle Warehouse Management Cloud. Oracle Warehouse Management Cloud was formerly known as LogFire.

Change History

Date	Document Revision	Summary of Changes
03/2017	-01	Initial version
05/2017	-02	Revised Interfaces
03/2018	-03	Updates for 9.0.0

1. Network Requirements

As a cloud SaaS application, Oracle Warehouse Management Cloud, formerly LogFire, is accessed over the internet. Adequate bandwidth is required to provide a responsive experience. Bandwidth requirements vary based on the volume at a client site. Bandwidth is not the only determining factor for application responsiveness. Among other factors, network related items such as latency and reliability of the network service may affect the application response.

To calculate the bandwidth required at a site, the determining factors are the number of users at the site, split into number of RF device users and number of Desktop Web interface users. This information will be used by Oracle Warehouse Management Cloud to recommend a bandwidth for the site. To provide some rough guidance, we recommend a minimum of 1.5Mbps dedicated¹* and that can support about 60 users (45 RF and 15 Desktop UI). Even if user counts are lower than that, we do not recommend going below this minimum bandwidth at a site.

¹ dedicated:

- Shared non-commercial internet services such as cable internet or DSL are not recommended.
- The bandwidth should be primarily allocated for the WMS, and not shared for other purposes, so that, for example a laptop user on the same Wi-Fi network playing streaming music or video does not affect the bandwidth available to the WMS. Ideally, the RF Wi-Fi network should not be used for other purposes.

2. Hardware

The following section describes the various hardware devices used by end users to access the Oracle Warehouse Management Cloud application or devices that are accessed by the application. The client's IT department is responsible for setting up and configuring these.

Desktop PCs

Oracle Warehouse Management Cloud provides a Desktop Web Interface to access the application. Any recent computer running Windows, Mac OS X, or Linux with a modern browser is supported. A minimum browser resolution of 1440x900 is recommended. The application will work fine at lower resolutions but screen layout may be sub-optimal. A resolution of 1920x1080 will provide a much better experience.

The following browser versions are supported:

- Chrome 64
- Firefox 59
- Edge 40
- Safari 11

Earlier versions of these browsers, especially within the past 12 months, and Internet Explorer 11, should mostly work fine, though they are not officially supported, in that it may not be possible to resolve certain issues, if they arise, in those browsers.

RF Devices

Oracle Warehouse Management Cloud supports a handheld RF (Radio Frequency) device interface to access the application. The basic requirements for these devices are:

- Should have a Secure Shell (SSH) app that can connect via secure encrypted SSH protocol to any configurable port number
- Capable of supporting vt100 terminal emulation
- Ability to display at least 24 characters by 16 lines of text, preferably 29 x 19
- Keyboard should have separate alpha and numeric keys with support for Control keys

Typical RF Devices used in warehouses run Windows Mobile Operating systems (version 5.x or 6.x) or Android. WaveLink is a typical SSH application used by Oracle Cloud WMS customers, and others can be used as well. Note: SSH apps may not be included with the RF Device and may need to be bought separately. The RF Device vendor may offer other SSH apps. The following are some models used by current Oracle Warehouse Management Cloud customers:

- LXE/Honeywell MX7
- Motorola MC9190/MC9190G
- Motorola MC9590/MC9090
- INTERMEC CK3

Label printers

Oracle Warehouse Management Cloud supports the Zebra Printing Language (ZPL). Printers manufactured by Zebra as well as many other companies that support the ZPL printing language should work. The customer is required to test it and verify that label printing works as expected. Some typical models in use by current clients are Zebra / ZM400, Zebra 105SL, Zebra R110Xi4 and INTERMEC /PD42. The Oracle Warehouse Management Cloud application prints to label printers at customer locations via network access that must be configured as described in the network configuration section below. These printers must be configured in the Oracle Warehouse Management Cloud application.

Laser printers

Report documents are typically generated as a PDF by the Oracle Warehouse Management Cloud application desktop web interface and can be printed to a local printer by the user. As such these printers typically do not need to be configured in the Oracle Warehouse Management Cloud application. If the ability to print certain PDF documents from the handheld RF interface is used, then laser printers also need to be setup in the application and accessed by the Oracle Warehouse Management Cloud application over the network similar to label printers.

Dot matrix printers

These are used for certain shipping documents such as GDD documents common in South American countries. These must be setup as network accessible printers similar to laser printers. Printers that support the ESC-P language are supported. Some sample models used by current clients are:

- PRINTRONIX/P7220
- EPSON / DFX 9000
- EPSON / FX890
- OKI/Pacemark 4410

Print Servers

We recommend that clients use a print server to manage printers that the Oracle Warehouse Management Cloud application needs to access. Printers connected to an external dedicated print server (typically a Windows Server or a Linux Server) are more robust and can handle larger volumes of labels. Printers that use a built in print server (network card or dongle) may have trouble with higher volumes and may have issues with lost labels or repeated labels etc. Clients should base printing choices on the expected volume and type of use. For example, if they are going to routinely print dozens or hundreds of label at a time from the wave, they should have a dedicated print server to avoid problems. In addition, print servers avoid the need to have multiple public IP addresses for printers.

Network Configuration

The following diagram describes a typical configuration of how the various hardware devices in a facility running the Oracle Warehouse Management Cloud application access the Oracle Warehouse Management Cloud application.




Figure 1: Cloud WMS Network Configuration

3. Interfaces

Oracle Warehouse Management Cloud supports multiple standard communication mechanisms in addition to client specific custom ones. Standard data formats are XML and flat files. Standard communication methods are Web Services (XML data) or secure FTP (SFTP) for XML or flat files. All languages are supported. We recommend that you use Web Services rather than SFTP as it offers several advantages. It is recommended that UTF-8 encoding is used for data in order to have the widest language compatibility, but other encodings are supported as well such as latin-1 (for western European languages only). Whichever encoding is chosen it must be configured in the Oracle Warehouse Management Cloud system so that data is interpreted accurately. If you have further question please contact The Oracle Warehouse Management Cloud services and support team.

4. Authentication

In addition to the built in username and password authentication capability, Cloud WMS can also use customer's systems to authenticate users. Currently only authentication is supported and groups or authorization policies are not supported (they can be managed within the WMS). The following methods are supported:

- ADFS Backend: Cloud WMS can authenticate against Active Directory Federated Services
- OAuth2 Backend: This is supported using only this grant type: Resource Owner Password Credentials Grant
- HTTP POST Backend: This can be any HTTP service defined by the customer to which we can POST the username and password. Upon receiving a specific previously agreed upon response, user will be allowed into the application.
- SAML2 Single Sign On (SSO): In this mechanism, Cloud WMS will redirect to the configured SAML2 compliant identity provider's login page and the username and password are entered there instead of on the Cloud WMS login page. Upon successful authentication, the user is redirected back to the application.

Configuration for the above authentication methods is performed by Oracle Cloud Operations. Customers should raise a support request via MOS. You should also setup the alternate username within the application for users that need to be authenticated using one of the above methods.

NOTE: Since SAML2 is a web-based mechanism, it is not supported for logging into the mobile RF application, however it is possible to use one of the other methods above for the same user.