| METHOD | TEST | RESPONSE |
|---|---|---|
| POST: http://localhost:9000}/api/users/login | {<br>   "email" : "bikalp@gmail.com",<br>   "password" : "1234"<br>} | 401 Unauthorized<br><br>{<br>   "message": "Unrecognized email or password",<br>   "stack": "Error: Unrecognized email or password\n   at file:///D:/prototype/backend/controllers/userController.js:40:11"<br>} |
| POST: http://localhost:9000}/api/users/login | {<br>   "email" : "bikalp@gmail.com",<br>   "password" : "1234567"<br>} | 200 OK<br><br>{<br>   "_id": "608a33977390f5741c5ee429",<br>   "user": "Bikalp",<br>   "email": "bikalp@gmail.com",<br>   "isAdmin": **false**,<br>   "token": "eyJhbGciOiJIUzI1NiIsInR5cCI6IkpXVCJ9.eyJpZCI6IjYwOGEzMzk3NzM5MGY1NzQxYzVlZTQyOSIsImlhdCI6MTYxOTY3NDAwMiwiZXhwIjoxNjIyMjY2MDAyfQ.DDnOsc485bdRI_IHfsfs-QMuQr-7S7yf3JIYvDoHmbs"<br>} |
| GET: http://localhost:9000}/api/users/profile? | If the user is logged in | 200 OK<br><br>{<br>   "_id": "608a33977390f5741c5ee429",<br>   "user": "Bikalp",<br>   "email": "bikalp@gmail.com",<br>   "isAdmin": **false**<br>} |

| | | |
|---|---|---|
| GET: http://localhost:9000}/api/users/profile? | If the user is not logged in | 401 Unauthorized<br>{<br>  "message": "Not authorized, no token",<br>  "stack": "Error: Not authorized, no token\n   at file:///D:/prototype/backend/middleware/authMiddleware.js:32:11\n   at asyncUtilWrap (D:\\prototype\\node_modules\\express-async-handler\\index.js:3:20)\n  at Layer.handle [as handle_request] (D:\\prototype\\node_modules\\express\\lib\\router\\layer.js:95:5)\n   at next (D:\\prototype\\node_modules\\express\\lib\\router\\route.js:137:13)\n  at Route.dispatch (D:\\prototype\\node_modules\\express\\lib\\router\\route.js:112:3)\n   at Layer.handle [as handle_request] (D:\\prototype\\node_modules\\express\\lib\\router\\layer.js:95:5)\n   at D:\\prototype\\node_modules\\express\\lib\\router\\index.js:281:22\n   at Function.process_params (D:\\prototype\\node_modules\\express\\lib\\router\\index.js:335:12)\n  at next (D:\\prototype\\node_modules\\express\\lib\\router\\index.js:275:10)\n  at Function.handle (D:\\prototype\\node_modules\\express\\lib\\router\\index.js:174:3)\n   at router (D:\\prototype\\node_modules\\express\\lib\\router\\index.js:47:12)\n   at Layer.handle [as handle_request] |

| | | (D:\\prototype\\node_modules\\express\\lib\\router\\layer.js:95:5)\n    at trim_prefix (D:\\prototype\\node_modules\\express\\lib\\router\\index.js:317:13)\n    at D:\\prototype\\node_modules\\express\\lib\\router\\index.js:284:7\n    at Function.process_params (D:\\prototype\\node_modules\\express\\lib\\router\\index.js:335:12)\n    at next (D:\\prototype\\node_modules\\express\\lib\\router\\index.js:275:10)"<br>} |
|---|---|---|
| POST: http://localhost:9000}/api/users | {<br>    "name": "Sanji Vinsmokes",<br>    "email":"sanji@gmail.com",<br>    "password":"12345678"<br>} | 400 Bad Request<br><br>{<br>    "message": "User already exists",<br>    "stack": "Error: User already exists\n    at file:///D:/prototype/backend/controllers/userController.js:56:11\n    at runMicrotasks (<anonymous>)\n    at processTicksAndRejections (node:internal/process/task_queues: 94:5)"<br>} |
| POST: http://localhost:9000}/api/users | {<br>    "name": "Zoro",<br>    "email":"zoro@gmail.com",<br>    "password":"12345678"<br>} | 201 Created<br>{<br>    "_id": "608a443798bd02cb8cb4a314",<br>    "user": "Zoro",<br>    "email": "zoro@gmail.com",<br>    "isAdmin": **false**,<br>    "token": "eyJhbGciOiJIUzI1NiIsInR5cCl6Ikp |

| | | |
|---|---|---|
| | | XVCJ9.eyJpZCI6IjYwOGE0NDM3OThiZDAyY2I4Y2I0YTMxNCIsImlhdCI6MTYxOTY3NDE2NywiZXhwIjoxNjIyMjY2MTY3fQ.tjA5SwUld7cu5GZOWeyd5S8ps9xHg35nLzqkZ0sPKTg"<br>} |