

Conifer Init

v0.1.0
2026-Jul-08

User Guide

Table of contents

Important Notes	1
Compatibility	1
Warning	1
Limitations	1
Usage	2
1. Open the Conifer Init window	2
2. Configure	2
3. Execute	2
4. Wait	3
Troubleshooting	4
Glossary	5

Important Notes

Compatibility

Editor version - Unity 6.0+

Warning

1. The tool is in an early stage of development. It is possible to encounter problems that are not covered here. If the tool wasn't helpful or even caused more trouble than it was worth, I apologize.
2. Only intended for use in freshly created Unity projects. Using it at any other stage of a project's lifecycle violates the design of the tool and will likely result in unstable behavior.
3. This tool doesn't operate in a transactional manner. If the setup process is canceled midway, the completed work will still persist. Subsequent runs with the same configuration will be faster as a result.
4. If any assets were queued for interactive import, the standard Unity asset import window will appear. In case you want to close it, press the *Cancel* button. Do not close the window with the window close button. If you did, refer to the Troubleshooting section.
5. Importing packages that depend on the *Burst* package is supported but may require additional steps. If a different version of the Burst package is already present in the project, you will be asked to restart the editor. Refer to the Troubleshooting section.
6. The tool should be removed from the project as soon as you finish the setup.

Limitations

- ◆ Doesn't list packages from custom scopes.
- ◆ Doesn't show if a package is already in the project.
- ◆ Only lists assets cached on your machine. If you have already downloaded a certain asset from the Asset Store, it will be listed.
- ◆ Doesn't detect if an asset is already fully imported in the project at the configuration phase. However, during the execution phase fully imported assets are identified and skipped.

Usage

Short video demonstration - <https://youtu.be/5E8Atag36eY>

1. Open the Conifer Init window

Open the window with *Tools/Conifer Init* submenu.

2. Configure

Folder Structure

Define the folder structure of the project in the *Folder Structure* section. Add, remove, or rename folders.

Package Settings

Choose packages to import in the project. It does not include custom scopes. Will also import the TMP essentials.

Asset Settings

Choose assets to import in the project. Assets must be present in the assets cache directory in order to be listed.

Interactable toggle will prompt the Unity asset import window for the specified asset.

Project Settings

Scripting backend won't always be set for all platforms. Most platforms support only the *IL2CPP* backend.

Misc Settings

Choose if you want to delete the *URP/HDRP* tutorial and rename the default *SampleScene*.

Profiles

The tool configuration can be saved for later reuse in other projects in the form of a profile. Default profile cannot be modified. Settings profile creation is a simple and straightforward process.

3. Execute

When ready, press the *Execute Setup* button.

You will be prompted with the Unity asset import window for every queued asset marked as "Interactive". After all such assets were imported, everything else executes.

4. Wait

Wait for the tool to finish the setup.

Once the tool finishes the setup, you can verify that everything was set up correctly. The current tool configuration can be saved in its own profile for later reuse.

Remove the tool from the project after the setup is done. Press the *Uninstall* button and it will automatically delete itself, its dependencies, and its cache from the project.

Troubleshooting

Closed the asset import window with the close button

Press the *Reset Execution* button and then the *Execute Setup* button.

The tool becomes unstable when you close the asset import window with the close button because Unity has no way of telling if you did this, unlike when you do it with the *Cancel* button. The tool doesn't know that the import was canceled and its state gets corrupted.

Stuck on *Importing Packages, Preparing...* progress bar

If the bar is displayed for 2 minutes or longer, restart the editor and try again.

This part shouldn't take long. However, it is unlikely, but theoretically possible, that it can get stuck here.

Changed *Burst* package version in the project

Restart the editor and run the tool again. The second run with the same configuration should be much faster. This will ensure that the setup is executed correctly.

If the *Burst* package was imported in the project that already had *Burst* package but of a different version, you will see a bunch of error messages and the setup execution process will be interrupted.

Glossary

1. Configuration phase

The phase during which the user can adjust parameters in the *Conifer Init* window.

2. Execution phase

The phase during which the tool sets up the project, triggered by clicking the *Execute Setup* button.

3. Package

UPM (Unity Package Manager) package.

4. Asset

.unitypackage package.