中南大学
CENTRAL SOUTH UNIVERSITY

Web程序设计

CH02 HTML（上）

本章内容

- HTML的基本结构
- HTML文本标签
- HTML列表标签
- HTML超链接标签

HTML简介-1

- HTML——HyperText Markup Language（超文本标记语言）
  - ✓ HTML是一种语言规范，用来描述网页的结构与内容。
  - ✓ HTML规定了网页中可以有哪些元素（段落、标题、超链接、表格……）
  - ✓ HTML规定了元素该如何用标签（Tag）表达
  - ✓ HTML规定了浏览器应该如何解释这些元素

HTML简介-2

中南大學 CENTRAL SOUTH UNIVERSITY

- HTML文档
  - ✓ HTML文档是一个纯文本文档，一般是后缀名为.html或.htm的文件。
  - ✓ HTML文档中按照HTML语法规定的标签，编写文档的结构和内容。
  - ✓ HTML语法不区分大小写，但是有一些规范的写法(最佳实践)。
  - ✓ 任何文本编辑工具软件均可以编辑HTML文档，一般使用专用的工具，比如VS Code。
  - ✓ 编辑好的HTML文档(脚本)，交由浏览器进行解释执行，不进行编译，也没有调试和报错纠错功能。

HTML简介-3

中南大學 CENTRAL SOUTH UNIVERSITY

- 第一个HTML文档

```
<!DOCTYPE html>
<html lang="en">

<head>
    <meta charset="UTF-8">
    <title>Demo</title>
</head>

<body>
    Hello Web&HTML World!
</body>

</html>
```

- HTML文档第第一行为文档类型声明DOCTYPE。
- HTML文档由多个标签组成，标签和其内容一起被称为元素。
- 标签可以分为单标签和双标签两种类型，大部分为双标签。
- 标签和标签之间有包含和嵌套的关系，有些标签可以有属性，这些规则均由文档类型定义DTD进行规定。

HTML文档结构-1

中南大學 CENTRAL SOUTH UNIVERSITY

- 文档类型声明
  - ✓ HTML文档的第一行，必须是DTD声明。
  - ✓ DTD：Document Type Definition，文档类型定义。

```
<!DOCTYPE html>
```

HTML 4.01 三种 DOCTYPE 对比

类型	声明写法	特点	适用场景
严格版 (Strict)	`html <!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.01//EN" "http://www.w3.org/TR/html4/strict.dtd">`	不允许使用已废弃的表现性标签 (如 <font>、bgcolor)。强调结构与样式分离，必须用 CSS 控制样式。	追求标准化和语义化的页面，推荐使用。
过渡版 (Transitional)	`html <!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.01 Transitional//EN" "http://www.w3.org/TR/html4/loose.dtd">`	允许使用部分已废弃的表现性标签和属性。兼容性好。	老站点升级时常用，过渡到标准写法。
框架版 (Frameset)	`html <!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.01 Frameset//EN" "http://www.w3.org/TR/html4/frameset.dtd">`	在过渡版基础上，允许 <frameset> 和 <frame>。	仅用于基于框架的布局 (现代已弃用)。

HTML文档结构-2

- 范例：

```
<html>
  <body>
    <h1>This is the Main Heading</h1>
    <p>This text might be an introduction to the rest of
       the page. And if the page is a long one it might
       be split up into several sub-headings.<p>
    <h2>This is a Sub-Heading</h2>
    <p>Many long articles have sub-headings so to help
       you follow the structure of what is being written.
       There may even be sub-sub-headings (or lower-level
       headings).</p>
    <h2>Another Sub-Heading</h2>
    <p>Here you can see another sub-heading.</p>
  </body>
</html>
```

HTML文档结构-3

- HTML使用元素/标签来描述页面的结构

```
<html>
  <body>
    <h1>This is the Main Heading</h1>
    <p>This text might be an introduction to the rest of
       the page. And if the page is a long one it might
       be split up into several sub-headings.<p>

    <h2>This is a Sub-Heading</h2>
    <p>Many long articles have sub-headings so to help
       you follow the structure of what is being written.
       There may even be sub-sub-headings (or lower-level
       headings).</p>

    <h2>Another Sub-Heading</h2>
    <p>Here you can see another sub-heading.</p>

  </body>
</html>
```

The opening <html> tag indicates that anything between it and a closing </html> tag is HTML code.

The <body> tag indicates that anything between it and the closing </body> tag should be shown inside the main browser window.

Words between <h1> and </h1> are a main heading.

A paragraph of text appears between these and tags.

Words between <h2> and </h2> form a sub-heading.

Here is another paragraph between opening and closing tags.

Another sub-heading inside <h2> and </h2> tags.

Another paragraph inside and tags.


The closing </body> tag indicates the end of what should appear in the main browser window.

The closing </html> tag indicates that it is the end of the HTML code.

HTML文档结构-4

中南大學 CENTRAL SOUTH UNIVERSITY

- 标签的基本语法




- 尖括号中的字符表示标签的用途，例如p表示段落，结束标签有/。
- 标签和元素这两个术语经常互换使用，但严格来说，元素是包括标签及其内容两个部分的。

HTML文档结构-5

中南大學 CENTRAL SOUTH UNIVERSITY

❖ HTML标签的属性




- 每个标签都有一些可用的属性，属性由属性名和属性值组成，写在起始标签中。
- 比如上例中的lang属性表示语言，这个属性取值为en-us(美式英语)。
- 属性不是必须的，不同标签的属性一般也不一样。
- 属性值用“”包含，旧的语法可以省略“”，但HTML5规范要求“”。

HTML文档结构-6

```html
<!DOCTYPE html>
<html lang="en">
    <head>
        <meta charset="UTF-8">
        <title>Demo</title>
    </head>
    <body>
        Hello Web&HTML World!
    </body>

</html>
```



- 一个网页的结构/骨架，一般由<html></html>、<head></head>和<body></body>三部分组成。
- 其中head元素用来指定网页的一些属性和特征，比如这里的meta元素用来指定网页的编码格式为UTF-8，而title元素用来指定网页的标题。
- 而body元素用来编写网页的实际内容，即用户能在浏览器中见到的内容。

HTML文档结构-6

中南大學 CENTRAL SOUTH UNIVERSITY

- 关于编码和字符集

```
<head>
    <meta charset="UTF-8">
    <title>Demo</title>
</head>
```

- meta标签位于head标签中，用于给网页设置一些元配置/基础配置。
- 上例中的charset为meta标签常用的属性之一，用于设置网页编码。

字符集	涵盖字符	字节数	适用场景
UTF-8	涵盖全球所有国家、民族的文字和大量图形字符	3	制作跨国家、民族的通用网页
GB2312/GBK等	收录所有汉字字符(简体和繁体)和英语 少量韩、日及图形字符	2	制作只有汉语和英语的网页

本章内容

- HTML的基本结构
- HTML文本标签
- HTML列表标签
- HTML超链接标签

文本标签-1

- 标题标签H1-H6
  - ✓ HTML有6个标题标签，H1-H6，浏览器使用从大到小的字体渲染这6中标题。
  - ✓ 一般来说一个网页中只使用一个H1标签。

chapter-02/headings.html HTML

```
<h1>This is a Main Heading</h1>
<h2>This is a Level 2 Heading</h2>
<h3>This is a Level 3 Heading</h3>
<h4>This is a Level 4 Heading</h4>
<h5>This is a Level 5 Heading</h5>
<h6>This is a Level 6 Heading</h6>
```

RESULT

This is a Main Heading

This is a Level 2 Heading

This is a Level 3 Heading

This is a Level 4 Heading

This is a Level 5 Heading

This is a Level 6 Heading

文本标签-2

- 段落标签P
  - ✓ p标签用于表示一个段落的文字，默认情况下，浏览器在显示段落时，会另起一行，并与后续段落保持一定的间距。

HTML chapter-02/paragraphs.html

```
<p>A paragraph consists of one or more sentences
   that form a self-contained unit of discourse. The
   start of a paragraph is indicated by a new
   line.</p>
<p>Text is easier to understand when it is split up
   into units of text. For example, a book may have
   chapters. Chapters can have subheadings. Under
   each heading there will be one or more
   paragraphs.</p>
```

RESULT

A paragraph consists of one or more sentences that form a self-contained unit of discourse. The start of a paragraph is indicated by a new line.

Text is easier to understand when it is split up into units of text. For example, a book may have chapters. Chapters can have subheadings. Under each heading there will be one or more paragraphs.

文本标签-3

- 文本中的空白/空格/换行
  - ✓ **空白折叠现象**：文字和文字之间的多个空格、换行会被折叠成一个空格；标签的“内壁”和文字之间的空格会被忽略。

chapter-02/white-space.html HTML

```
<p>The moon is drifting away from Earth.</p>
<p>The moon          is drifting away from Earth.</p>
<p>The moon is drifting away from

      Earth.</p>
```

RESULT

The moon is drifting away from Earth.


The moon is drifting away from Earth.


The moon is drifting away from Earth.

文本标签-4

- 文本中的标签
  - ✓ **文本中的标签也会被解析：本想作为纯文本显示在网页上的“标签”内容，也会被浏览器当做标签解析。**

```
<body>
    今天我学习了<p></p>标签。
</body>
```





文本标签-5

中南大學 CENTRAL SOUTH UNIVERSITY

- 转义字符
  - ✓ 转义字符是编程语言或标记语言中，用来表示特殊含义的符号的一种写法。
  - ✓ 转义字符通常由一个“引导符”（例如 \ 或 &） + 特定符号/代码组成。
  - ✓ 作用是：避免歧义，让系统正确识别那些原本有特殊含义的符号。
  - ✓ HTML常用的转义字符：

转义字符	意义
<	小于号<
>	大于号>
	空格(不会被折叠)
©	版权符号©

文本标签-6

- 转义字符的使用效果

```
<body>
    <p>大于号 &gt;</p>
    <p>小于号 &lt;</p>
    <p>空格 文字     文字</p>
    <p>版权符号 &copy;</p>
    今天我学习了 &lt;p&gt;&lt;/p&gt; 标签。
</body>
```



文本标签-7

- 手动换行br和划线标签hr

HTML chapter-02/line-breaks.html

```
<p>The Earth<br />gets one hundred tons heavier
   every day<br />due to falling space dust.</p>
```

RESULT

The Earth
gets one hundred tons heavier every day
due to falling space dust.

HTML chapter-02/horizontal-rules.html

```
<p>Venus is the only planet that rotates
   clockwise.</p>
<hr />
<p>Jupiter is bigger than all the other planets
   combined.</p>
```

RESULT


Venus is the only planet that rotates clockwise.

Jupiter is bigger than all the other planets combined.

文本标签-8

- HTML注释
  - ✓ HTML注释的语法：<!-- -->
  - ✓ 通过添加注释，可以提高代码的可读性，但注释内容用户在网页上不可见。


```
<body>
    <!-- 这是网页的头部 -->
    <p>网页头部</p>
    <!-- 这是网页的中部 -->
    <p>网页中部</p>
    <!-- 这是网页的底部 -->
    <p>网页底部</p>
</body>
```



文本标签-9

中南大學 CENTRAL SOUTH UNIVERSITY

- 其他文本类标签(语义化标签)



文本标签-综合范例

```
<body>
    <h1>The Story in the Book</h1>
    <h2>Chapter 1</h2>
    <p>Molly had been staring out of her window for
    about an hour now. On her desk, lying between the
    copies of
        <i>Nature</i>, <i>New Scientist</i>, and all
        the other scientific journals her work had
        appeared in, was a well
        thumbed copy of <cite>On The Road</cite>. It
        had been Molly's favourite book since
        college, and the longer she
        spent in these four walls the more she felt
        she needed to be free.
    </p>
    <p>She had spent the last ten years in this room,
    sitting under a poster with an Oscar Wilde quote
    proclaiming that
        <q>Work is the refuge of people who have
        nothing better to do</q>. Although many
        considered her pioneering work,
        unraveling the secrets of the llama <abbr
        title="Deoxyribonucleic acid">DNA</abbr>, to
        be an outstanding
        achievement, Molly <em>did</em> think she had
        something better to do.
    </p>
</body>
```

The Story in the Book

Chapter 1

Molly had been staring out of her window for about an hour now. On her desk, lying between the copies of *Nature*, *New Scientist*, and all the other scientific journals her work had appeared in, was a well thumbed copy of *On The Road*. It had been Molly's favourite book since college, and the longer she spent in these four walls the more she felt she needed to be free.

She had spent the last ten years in this room, sitting under a poster with an Oscar Wilde quote proclaiming that “Work is the refuge of people who have nothing better to do”. Although many considered her pioneering work, unraveling the secrets of the llama DNA, to be an outstanding achievement, Molly *did* think she had something better to do.

本章内容

中南大學
CENTRAL SOUTH UNIVERSITY

- HTML的基本结构
- HTML文本标签
- HTML列表标签
- HTML超链接标签

列表标签

- HTML提供三种列表标签：
  - ✓ 有序列表ol：其中的每个列表项都有编号，并且编号有顺序。
  - ✓ 无序列表ul：列表项没有顺序，用圆点或其他图标表示列表项。
  - ✓ 定义列表dl：自定义的由名词/术语及其解释/定义组成的列表。

列表标签——有序列表

- 有序列表
  - ✓ 使用
标签来创建有序列表，列表中的每个项都被
标签包含。
  - ✓ 浏览器解析有序列表时，默认进行编号和缩进。

chapter-03/ordered-lists.html HTML

```
<ol>
  <li>Chop potatoes into quarters</li>
  <li>Simmer in salted water for 15-20
      minutes until tender</li>
  <li>Heat milk, butter and nutmeg</li>
  <li>Drain potatoes and mash</li>
  <li>Mix in the milk mixture</li>
</ol>
```

RESULT

1. Chop potatoes into quarters
2. Simmer in salted water for 15-20 minutes until tender
3. Heat milk, butter and nutmeg
4. Drain potatoes and mash
5. Mix in the milk mixture

列表标签——无序列表

- 无序列表
  - ✓ 使用
标签来创建无序列表，列表中的每个项都被
标签包含。
  - ✓ 浏览器解析有无序列表时，默认添加图标和缩进。

HTML chapter-03/unordered-lists.html

```
<ul>
  <li>1kg King Edward potatoes</li>
  <li>100ml milk</li>
  <li>50g salted butter</li>
  <li>Freshly grated nutmeg</li>
  <li>Salt and pepper to taste</li>
</ul>
```

RESULT

- 1kg King Edward potatoes
- 100ml milk
- 50g salted butter
- Freshly grated nutmeg
- Salt and pepper to taste

列表标签——定义列表

中南大學 CENTRAL SOUTH UNIVERSITY

- 定义列表<dt>
  - ✓ 使用<dl>标签来创建无序列表，列表中的每个项都被<dt></dt>和<dd></dd>两组标签，其中dt元素用来表示定义的名词/术语，dd元素用于表示该名词/术语的解释/说明。

chapter-03/definition-lists.html HTML

```
<dl>
  <dt>Sashimi</dt>
  <dd>Sliced raw fish that is served with
      condiments such as shredded daikon radish or
      ginger root, wasabi and soy sauce</dd>
  <dt>Scale</dt>
  <dd>A device used to accurately measure the
      weight of ingredients</dd>
  <dd>A technique by which the scales are removed
      from the skin of a fish</dd>
  <dt>Scamorze</dt>
  <dt>Scamorzo</dt>
  <dd>An Italian cheese usually made from whole
      cow's milk (although it was traditionally made
      from buffalo milk)</dd>
</dl>
```

RESULT

Sashimi
: Sliced raw fish that is served with condiments such as shredded daikon radish or ginger root, wasabi and soy sauce

Scale
: A device used to accurately measure the weight of ingredients
: A technique by which the scales are removed from the skin of a fish

Scamorze
Scamorzo
: An Italian cheese usually made from whole cow's milk (although it was traditionally made from buffalo milk)

列表标签——说明

- 有序列表、无序列表和定义列表的说明：
  - ✓ 列表和列表项是一种父子组合标签，所以相关标签不能单独出现。
  - ✓ 标签不能单独使用，必须放到<ol>或者<ul>标签中。
  - ✓ 或者<ul>的子标签只能是<li>标签，不能是其他任何标签。

购物清单

- 面包
- 牛奶
- 蔬菜
- 水果

```
<ul>
    <h1>购物清单</h1>
    <li>面包</li>
    <li>牛奶</li>
    <li>蔬菜</li>
    <li>水果</li>
</ul>
```

```
<h1>购物清单</h1>
<ul>
    <li>面包</li>
    <li>牛奶</li>
    <li>蔬菜</li>
    <li>水果</li>
</ul>
```

列表标签——说明

中南大學 CENTRAL SOUTH UNIVERSITY

- 有序列表、无序列表和定义列表的说明：
  - ✓ **<li>标签是一个容器，可以是其他标签，从而实现列表的嵌套。**

HTML chapter-03/nested-lists.html

```
<ul>
  <li>Mousses</li>
  <li>Pastries
    <ul>
      <li>Croissant</li>
      <li>Mille-feuille</li>
      <li>Palmier</li>
      <li>Profiterole</li>
    </ul>
  </li>
  <li>Tarts</li>
</ul>
```

RESULT

- Mousses
- Pastries
  - Croissant
  - Mille-feuille
  - Palmier
  - Profiterole
- Tarts

列表标签——说明

- 无序列表的属性
  - ✓ **无序列表有type属性**(disc，circle，square)，可以定义前导符号的样式，但是在HTML5中已经被废弃，建议使用CSS替代。

```
<h1>购物清单</h1>
<ul type="circle">
    <li>面包</li>
    <li>牛奶</li>
    <li>蔬菜</li>
    <li>水果</li>
</ul>
```

购物清单

- 面包
- 牛奶
- 蔬菜
- 水果

列表标签——说明

- 有序列表的属性
  - ✓ **有序列表也有type属性(α，A，i，I，1)，可以定义前导符号的样式。**

```
<h1>购物清单</h1>
<ol type="I">
    <li>面包</li>
    <li>牛奶</li>
    <li>蔬菜</li>
    <li>水果</li>
</ol>
```

购物清单

I. 面包
II. 牛奶
III. 蔬菜
IV. 水果

列表标签——说明

- 有序列表的属性
  - ✓ **有序列表还有start属性(指定起始编号，用整数表示)，和reversed属性。**

```
<h1>购物清单</h1>
<ol type="A" start="5" reversed>
    <li>面包</li>
    <li>牛奶</li>
    <li>蔬菜</li>
    <li>水果</li>
</ol>
```

购物清单

E. 面包
D. 牛奶
C. 蔬菜
B. 水果


列表标签——使用场景

中南大學 CENTRAL SOUTH UNIVERSITY

学生 教职工 未来学生 校友校董 招聘

信息门户 图书馆 教育机构 研究机构 English

走进中南 教育教学 学院学科 师资队伍 科学研究 招生就业 合作交流 学生天地



44个

一级学科博士学位授权点44个

48个

一级学科硕士学位授权点48个

14个

博士专业学位授权点14个

31个

硕士专业学位授权点31个

32个

博士后科研流动站32个

6个

一级学科国家重点学科6个

12个

二级学科国家重点学科12个


1个

国家重点（培育）学科1个

106个

国家临床重点（培育）专科106个

现任校党委书记易红、校长李建成



列表标签-综合范例

```
<h1>Scrambled Eggs</h1>
<p>Eggs are one of my favorite foods. Here is a
recipe for deliciously rich scrambled eggs.</p>
<h2>Ingredients</h2>
<ul>
    <li>2 eggs</li>
    <li>1tbs butter</li>
    <li>2tbs cream</li>
</ul>
<h2>Method</h2>
<ol>
    <li>Melt butter in a frying pan over a
    medium heat</li>
    <li>Gently mix the eggs and cream in a
    bowl</li>
    <li>Once butter has melted add cream and
    eggs</li>
    <li>Using a spatula fold the eggs from the
    edge of the pan to the center every 20
    seconds (as if you are making
        an
        omelette)</li>
    <li>When the eggs are still moist remove
    from the heat (it will continue to cook on
    the plate until served)</li>
</ol>
```

Scrambled Eggs

Eggs are one of my favorite foods. Here is a recipe for deliciously rich scrambled eggs.

Ingredients

- 2 eggs
- 1tbs butter
- 2tbs cream

Method

1. Melt butter in a frying pan over a medium heat
2. Gently mix the eggs and cream in a bowl
3. Once butter has melted add cream and eggs
4. Using a spatula fold the eggs from the edge of the pan to the center every 20 seconds (as if you are making an omelette)
5. When the eggs are still moist remove from the heat (it will continue to cook on the plate until served)

本章内容

- HTML的基本结构
- HTML文本标签
- HTML列表标签
- HTML超链接标签

超链接标签-1

中南大學 CENTRAL SOUTH UNIVERSITY

- 超级链接标签<a>
  - ✓ **超链接是网页的主要特色，因为通过超链接可以实现从一个网页跳转到另一个网页，也是互联网真正成为“网”的原因。**
  - ✓ **常用的链接方式有：**
    - 从一个网站指向另一个网站的链接
    - 从一个网页指向同一网站内部另一个网页的链接
    - 从网页的一个位置指向同一网页另一个位置的链接
    - 在新浏览器窗口中打开的链接
    - 启动其他应用程序（邮箱软件、拨号软件）的链接

超链接标签-2

- <a>标签基本语法
  - ✓ 超链接由<a>元素创建。用户可以单击位于起始标签<a>和结束标签之间的任何内容进行跳转。
  - ✓ <a>标签使用href属性来指定要链接/跳转到的页面。



超链接标签-3

中南大學 CENTRAL SOUTH UNIVERSITY

- 指向其他网站的链接
  - ✓ href属性中直接填写另一个网站的完整URL。

chapter-04/linking-to-other-sites.html HTML

```
<p>Movie Reviews:
  <ul>
    <li><a href="http://www.empireonline.com">
        Empire</a></li>
    <li><a href="http://www.metacritic.com">
        Metacritic</a></li>
    <li><a href="http://www.rottentomatoes.com">
        Rotten Tomatoes</a></li>
    <li><a href="http://www.variety.com">
        Variety</a></li>
  </ul>
</p>
```

RESULT

Movie Reviews:

- Empire
- Metacritic
- Rotten Tomatoes
- Variety

超链接标签-4

中南大學 CENTRAL SOUTH UNIVERSITY

- 绝对路径与相对路径
  - ✓ **绝对路径：从根目录开始，完整描述一个文件或资源的位置。**
  - ✓ **绝对路径的路径唯一、完整，不依赖当前文件的位置。**
  - ✓ **绝对路径示例：**
    - Windows操作系统示例：C:\Users\songtie\Documents\index.html
    - Linux/Mac操作系统示例：/home/songtie/docs/index.html
    - Web URL示例：http://www.example.com/xxx/index.html

超链接标签-5

- 绝对路径与相对路径
  - ✓ **相对路径：相对于当前文件所在目录，去描述目标文件的位置。**
  - ✓ **相对路径更简洁、可移植，依赖当前文件所在目录。**
  - ✓ **相对路径常见写法：**
    - **`./demo.html`** → 当前目录下的 demo.html。（./可以省略）
    - **`../demo.html`** → 上一级目录的 demo.html。
    - **`../../demo.html`** → 上上一级目录的 demo.html。

- 在本地开发软件时：推荐用相对路径，方便整体迁移。
- 在生产环境/公共资源时：常用绝对路径，确保唯一性。

超链接标签-6

- 指向同一网站中其他页面的链接
  - ✓ href属性中填写**本网站中其他页面的相对路径。**

HTML chapter-04/linking-to-other-pages.html


```
<p>
  <ul>
    <li><a href="index.html">Home</a></li>
    <li><a href="about-us.html">About</a></li>
    <li><a href="movies.html">Movies</a></li>
    <li><a href="contact.html">Contact</a></li>
  </ul>
</p>
```

RESULT

- Home
- About
- Movies
- Contact

超链接标签-6

- 网站文件夹的目录结构
  - ✓ 用HTML编写的网站主页文件(包括子目录中各个板块的主页文件)，通常命名为`index.html`。



超链接标签-7

- 链接到当前页面的特定位置——锚点
  - ✓ href属性中填写本页面中某个锚点的id属性。

chapter-05/linking-to-a-specific-part.html HTML

```html
<h1 id="top">Film-Making Terms</h1>
<a href="#arc_shot">Arc Shot</a><br />
<a href="#interlude">Interlude</a><br />
<a href="#prologue">Prologue</a><br /><br />
<h2 id="arc_shot">Arc Shot</h2>
<p>A shot in which the subject is photographed by an
   encircling or moving camera</p>
<h2 id="interlude">Interlude</h2>
<p>A brief, intervening film scene or sequence, not
   specifically tied to the plot, that appears
   within a film</p>
<h2 id="prologue">Prologue</h2>
<p>A speech, preface, introduction, or brief scene
   preceding the the main action or plot of a film;
   contrast to epilogue</p>
<p><a href="#top">Top</a></p>
```

RESULT

Film-Making Terms

Arc Shot
Interlude
Prologue

Arc Shot

A shot in which the subject is photographed by an encircling or moving camera

Interlude

A brief, intervening film scene or sequence, not specifically tied to the plot, that appears within a film

Prologue

A speech, preface, introduction, or brief scene preceding the the main action or plot of a film; contrast to epilogue

Top

超链接标签-8

- 链接到当前页面的特定位置
  - ✓ 绝对/相对路径+锚点位置

```
<a href="http://www.csu.edu.cn/index.html#top"></a>
```

- 链接到邮箱或电话

```
<a href="mailto:30280091@qq.com">联系我</a>
<a href="tel:12306">购票</a>
```

- 自动成为下载链接

```
<a href="xxx.zip">下载xxx</a>
```

链接标签-综合范例

中南大學 CENTRAL SOUTH UNIVERSITY

Film Folk

Festival Diary

Here are some of the film festivals we will be attending this year.
Please contact us if you would like more information.

January

Sundance Film Festival
Park City, Utah, USA
20 – 30 January 2011

February

Tropfest
Sydney, Australia
20 February 2011

March

South by Southwest
Austin, Texas, USA
11 – 20 March 2011

April

London Independent Film Festival
London, UK
15 – 24 April 2011

May

Cannes International Film Festival
Cannes, France
11 – 22 May 2011

June

Sydney Film Festival
Sydney, Australia
8 – 19 June 2011

July

Melbourne International Film Festival
Melbourne, Victoria, Australia
22 July – 7 August 2011

August

New Zealand International Film Festival
Dunedin, New Zealand
4 – 25 August 2011

September

Venice Film Festival
Venice, Italy
31 August – 10 September 2011

October

London Film Festival
London, UK
12 – 27 October 2011

November

International Documentary Film Festival Amsterdam (IDFA)
Amsterdam, Netherlands
16 – 27 November 2011

December

Whistler Film Festival
Whistler, BC, Canada
30 November – 4 December 2011

About Film Folk

Top of page

本章小结

中南大學
CENTRAL SOUTH UNIVERSITY

- **HTML的基本结构**
- 文本标签
- 列表标签
- 超链接标签