

1942-02-10

79

33 12 9 / 192301 ID 3000000180

| | | T | P / min | R / min | BP mmHg | SPO2 (%) | | | | | | | | L/ min) | | |
|----------------|---------|-------|------------|------------|------------|-------------|--|------|------|--|--|--|--|------------|--|---|
| | | | | | | | | (ml) | (ml) | | | | | | | |
| 2022-01-2 5 | 09. 15 | 36. 3 | 87 | 18 | 106/ 61 | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | / |
| | 10. CO | 36. 3 | 87 | 18 | | | | | | | | | | | | |
| | 11: 00 | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | 4407 | | | | | | | | | | | / |
| | 14: 00 | 36 | 75 | 20 | 110/ 72 | | | | | | | | | | | |
| | 18 00 | 36. 5 | 67 | 20 | | | | | | | | | | | | |
| 01-26 | 06: 00 | | 72 | 19 | 103/ 56 | | | | | | | | | | | |
| | 10.00 | | 68 | 20 | | | | | | | | | | | | |
| | 14: 00 | 36.8 | 78 | 20 | 100/ 62 | | | | | | | | | | | |
| | 18 00 | 36. 2 | 74 | 18 | | | | | | | | | | | | |
| 01-27 | 06x 000 | 36. 5 | 69 | 19 | 120/ 78 | | | | | | | | | | | |

1 1-12-31 2017-06-A



1942-02-10

79

33 12 9 / 192301 I D 3000000180

| | | Т | P / min | R / min | BP mmHg | SPO2 (%) | | | | | | | | L/ min) | | |
|----------------|--------|-------|------------|------------|------------|-------------|--|------|------|--|--|--|--|------------|--|---|
| | | | | | | | | (ml) | (ml) | | | | | 11 | | |
| 2022-01-2 7 | 10.00 | 36. 7 | 76 | 20 | | | | | | | | | | | | |
| | 14: 00 | 36. 2 | 68 | 18 | 112/ 57 | | | | | | | | | | | |
| | 18 00 | 36. 5 | 70 | 17 | | | | | | | | | | | | |
| 01-28 | 06: 00 | 36. 3 | 70 | 19 | 113/ 67 | | | | | | | | | | | |
| | 10.00 | 36. 4 | 68 | 19 | | | | | | | | | | | | |
| | 14: 00 | | | | 106/ 63 | | | | | | | | | | | |
| 01-29 | 06: 00 | | | | 102/ 60 | | | | | | | | | | | |
| | 10.00 | 36. 4 | 78 | 20 | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | 13: 45 | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | / |
| | 14: 00 | 36. 7 | 74 | 20 | 122/ 68 | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | / |

2 1-12-31 2017-06-A



1942-02-10

192301

79

33 12 9

ID 300000180

| | | Т | P / min | R / min | BP mmHg | SP02 (%) | | | | | | | | L/ min) | | |
|-------|--------|---|------------|------------|------------|-------------|--|------|------|--|--|--|--|------------|--|---|
| | | | | | | | | (ml) | (ml) | | | | | | | |
| 01-29 | 14: 00 | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | / |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |

3 1-12-31 2017-06-A