📝 Salesforce Certified Tableau Data Analyst — Full Practice Exam

Exam simulated: Salesforce Certified Tableau Data Analyst (**Analytics-DA-201**)

Item	Detail
Questions in this paper	**60** (mirrors the real exam's 60 scored questions)
Time allowed	**105 minutes** (same as real exam)
Passing score	**65%** → you need **39 / 60 correct**
Question types	Multiple choice (1 answer), Multiple selection (Select TWO / THREE), Build list (arrange steps in order)
Scoring rule	**No partial credit** on multiple-selection or build-list questions — the whole item is wrong unless every part is correct
Navigation	In the real exam you can flag questions and return to them; there is no penalty for guessing — answer everything

> **Note on focus:** This paper follows the official domain weighting with a deliberate extra push on the areas you struggle with: **LOD calculations, table calculations, pure calculations (date/string/number/aggregate), multiple-selection items, and step-sequence questions.** ~45% of this paper targets Domain 2.

Section map of this paper

Domain	Official weight	Questions	Topic focus
1. Connect to & Transform Data	24%	Q1 – Q15 (15)	connections, joins, Prep, filters, extract
2. Explore & Analyze Data	41%	Q16 – Q42 (27)	**LODs, calculations, table calcs, filters, parameters, maps**
3. Create Content	26%	Q43 – Q55 (13)	charts, dashboards, actions, formatting
4. Publish & Manage on Server/Cloud	9%	Q56 – Q60 (5)	publishing, refresh, alerts, roles

---

Section 1 — Connect to and Transform Data (Q1–Q15)

Question 1. A warehouse operations manager must see stock levels that the database updates every minute. The dashboard must always reflect the database's current state. Which connection type should you use?

- A. An extract refreshed every hour
- B. A live connection to the database
- C. An extract with an incremental refresh
- D. A data source filter applied to an extract

Question 2. An analyst's dashboard queries a remote cloud database that is slow, and every interaction takes minutes. The data only changes once per day at 2:00 AM. What is the best way to improve dashboard performance?

- A. Use a live connection and add more context filters
- B. Rewrite all views with custom SQL
- C. Use data blending instead of a join
- D. Create an extract with a scheduled nightly refresh after the data load

Question 3. Your data governance team has published a certified data source on your company's Tableau Cloud site. How should you connect to it from Tableau Desktop?

- A. Drag it from the Analytics pane
- B. File > Open from Computer
- C. On the Connect pane, choose To a Server > Tableau Server / Tableau Cloud
- D. Data > Paste

Question 4. An existing workbook contains five worksheets built on `Sales_Q3.xlsx`. Finance delivers `Sales_FY.xlsx` with identical field names. You want all five worksheets to use the new file without rebuilding any charts. What should you do?

- A. Save a copy of the workbook and manually re-point each worksheet
- B. Data menu > *Sales_Q3.xlsx* > Replace Data Source…
- C. Right-click each worksheet and select Duplicate
- D. Union the two files with a wildcard union

Question 5. You join a Customers table (left) to an Orders table (right). Your manager needs a list of **all customers**, including customers who have never placed an order. Which join returns this?

- A. Left join
- B. Inner join
- C. Right join
- D. Cross join

Question 6. You are combining an Orders table (millions of rows, daily granularity) with a Sales-Targets table (one row per region per year). You do not want row duplication, and you want matching to remain automatic as tables change. Which approach should you use in Tableau Desktop?

- A. Create a full outer join on every common field
- B. Use a calculation in each table to force the same name, then blend
- C. Append the tables with a union
- D. Create a relationship between the tables

Question 7. Twelve monthly export files (`Jan_Sales.csv`, `Feb_Sales.csv`, …) all have exactly the same columns. You want to stack them into one table for analysis. What should you use?

- A. A relationship
- B. A union
- C. A blend
- D. A pivot

Question 8. A stakeholder sends you an Excel workbook with marketing titles, merged cells, sub-total rows, and footnotes. Tableau fails to interpret the data cleanly. Which feature is designed to remove this kind of noise automatically?

- A. Data Interpreter
- B. Data Interpreter cache
- C. Pivot
- D. Split

Question 9. Your source field has twelve columns named `Jan`, `Feb`, ..., `Dec`, each containing that month's revenue. You need the months as **rows** so you can build a line chart over time. What is the correct operation?

- A. Split the date column
- B. Group the columns
- C. Pivot the columns to rows
- D. Transpose with Data Interpreter

Question 10. In Tableau Prep, a Customer Name column contains: `Smith`, `Smyth`, `Smythe`, `Smithson`. All four should be grouped into one value. They do **not** share many letters, but they sound alike. Which Group Values option should you use?

- A. Spelling
- B. Common Characters
- C. Manual Selection
- D. Pronunciation

Question 11. After cleaning data in Tableau Prep, you must deliver the output to an external vendor who has no Tableau products and will open it in Excel. Which output type should you choose?

- A. A .hyper extract
- B. A .csv file
- C. A .twbx workbook
- D. A published data source on Tableau Cloud

Question 12. A shared data source contains rows flagged `Internally-Test-Only`. No user of ANY workbook built on this data source should ever see those rows, regardless of the filters they apply. Which filter type should you use on the data source?

- A. Data source filter
- B. Worksheet dimension filter
- C. Table calculation filter
- D. Context filter on each worksheet

Question 13. Select TWO statements that are TRUE about Tableau extracts (.hyper).

- A. Extracts are stored in a columnar format optimized for faster analytics
- B. Extracts can be refreshed fully, or incrementally for large append-only tables
- C. Extracts always show real-time changes from the underlying database
- D. Extracts can only be created when connecting to local files such as Excel

Question 14. Build list: Arrange the following steps in the correct order to create an extract from a relational database in Tableau Desktop. *(Write the correct sequence of letters.)*

- A. Right-click the data source in the Data pane and choose Extract Data
- B. Connect to the relational database
- C. Configure extract options such as filters, aggregation, and number of rows
- D. Click Extract to create and save the .hyper file

Question 15. You drag a numeric field `Profit Ratio` to the Rows shelf and it appears as discrete labels (headers) stacked vertically. You want a true numeric axis instead. What should you change?

- A. Convert it to a dimension
- B. Create an alias for it
- C. Convert it to continuous

- D. Convert it to a set

Section 2 — Explore and Analyze Data (Q16–Q42)

Level of Detail (LOD) Calculations

Question 16. A view shows `SUM(Sales)` by City. A regular dimension filter limits Country to Germany only. You add the calculation `{FIXED [Country] : SUM([Sales])}` to the view. What does the calculation display for the Berlin mark?

- A. Sales for Berlin only
- B. Sales for every city in Germany, including cities hidden by the filter
- C. Sales for all countries in the data source
- D. NULL, because the filter removes other cities

Question 17. A view shows `SUM(Sales)` by Region. You want to display the **average sales per customer** within each region. Which calculation should you build and aggregate as AVG?

- A. `{EXCLUDE [Region] : SUM([Sales])}`
- B. `{FIXED [Region] : SUM([Sales])}`
- C. `SUM([Sales]) / COUNTD([Region])`
- D. `{INCLUDE [Customer] : SUM([Sales])}`

Question 18. A view shows Sales by Region **and** Country. `{EXCLUDE [Country] : SUM([Sales])}` is added as a second measure. What does the new measure show on each mark?

- A. The region-level sales total, repeated on every country row
- B. The country-level sales total
- C. The grand total of all regions
- D. An error, because EXCLUDE cannot be aggregated

Question 19. Which calculation returns, for each Region, the sales of that region's single best-performing Customer?

- A. `{FIXED [Region] : MAX({FIXED [Region],[Customer] : SUM([Sales])})}`
- B. `{FIXED [Region] : MAX([Sales])}`
- C. `{FIXED [Customer] : MAX({FIXED [Region] : SUM([Sales])})}`
- D. `{FIXED [Region] : SUM({FIXED [Customer] : SUM([Sales])})}`

Question 20. Finance requires a calculation that shows the **total Profit for the entire data source** on every row of any view, no matter which dimensions are in it. Which formula should you use?

- A. `SUM([Profit])`
- B. `{FIXED : SUM([Profit])}`
- C. `{INCLUDE : SUM([Profit])}`
- D. `{EXCLUDE : SUM([Profit])}`

Question 21. Using this data:

Order ID	Customer	Sales
1001	Anna	50
1002	Anna	30
1003	Ben	80
1004	Cara	20

You create `{FIXED [Customer] : SUM([Sales])}`. What value does the calculation return for the rows where Customer = Cara?

- A. 50
- B. 90
- C. 180
- D. 20

Question 22. Select TWO statements that are TRUE about `{FIXED …}` LOD calculations.

- A. FIXED LODs are not affected by regular dimension filters
- B. The result of a FIXED LOD does not change when dimensions are added to or removed from the view
- C. FIXED LODs ignore context filters
- D. FIXED LODs can only be used with the SUM aggregation

Question 23. Marketing needs each customer's **first purchase date** (the earliest order date for that customer) available on every row, including in views that do not show Customer. Which calculation should you use?

- A. `{FIXED [Customer] : MIN([Order Date])}`
- B. `MIN([Order Date])`
- C. `{FIXED [Customer] : MAX([Order Date])}`
- D. `{INCLUDE [Customer] : MIN([Order Date])}`

Calculated Fields — Date, String, Number, Aggregate

Question 24. What does this calculation return? `DATEDIFF('day', #2024-01-31#, #2024-02-02#)`

- A. 0
- B. 2
- C. 3
- D. -2

Question 25. You need a label showing the **month name** as text, e.g. `March`. Which calculation should you use?

- A. `DATEPART('month', [Order Date])`
- B. `MONTH([Order Date])`
- C. `DATENAME('month', [Order Date])`
- D. `DATETRUNC('month', [Order Date])`

Question 26. What does this calculation return? `DATEADD('day', 90, #2024-01-01#)`

- A. March 31, 2024
- B. February 29, 2024
- C. April 1, 2024
- D. March 30, 2024

Question 27. The string `17/06/2024` must be parsed as **17 June 2024**. Which format string should you use with DATEPARSE?

- A. `MM/dd/yyyy`
- B. `yyyy/MM/dd`
- C. `MM-yyyy`
- D. `dd/MM/yyyy`

Question 28. What does this calculation return? `RIGHT("Tableau", 3)`

- A. "Tab"
- B. "eau"
- C. "ble"
- D. "ab"

Question 29. What does this calculation return? `INT(-9.7)`

- A. -10
- B. -9.7
- C. -9
- D. The calculation returns an error

Question 30. `Sales` is NULL for some rows. Select TWO formulas that return **0** when Sales is NULL, and the Sales value otherwise.

- A. `ISNULL([Sales], 0)`
- B. `ZN([Sales])`
- C. `[Sales] + 0`
- D. `IFNULL([Sales], 0)`
- E. `IF [Sales] = NULL THEN 0 ELSE [Sales] END`

Table Calculations

Question 31. Monthly sales are shown below. `RUNNING_SUM(SUM([Sales]))` computes along the table (down). What value is displayed for **March**?

Month	SUM(Sales)
Jan	100
Feb	50
Mar	200
Apr	50

- A. 200
- B. 150
- C. 350
- D. 400

Question 32. Select TWO functions from this list that are **table calculation** functions.

- A. `ZN()`
- B. `ATTR()`
- C. `LOOKUP()`
- D. `INDEX()`
- E. `SUM()`

Question 33. Using the same monthly sales data as Question 31 (Jan 100, Feb 50, Mar 200, Apr 50), the calculation `LOOKUP(SUM([Sales]), -1)` computes along the table. What does it return on the **Feb** mark?

- A. 50
- B. 200
- C. 100
- D. NULL

Question 34. Four rows sorted A–D have the values 100, 80, 80, 50. Which function returns the ranking **1, 2, 2, 3**?

- A. `RANK()`
- B. `RANK_UNIQUE()`
- C. `RANK_MODIFIED()`
- D. `RANK_DENSE()`

Question 35. Monthly sales are Jan = 10, Feb = 20, Mar = 30, Apr = 40. The calculation `WINDOW_AVG(SUM([Sales]), -2, 0)` computes along the table (down). What value is shown for **April**?

- A. 25
- B. 30
- C. 40
- D. 10

Question 36. Region sales are East = 600, West = 300, South = 100, and a quick table calculation shows **Percent of Total** (60% / 30% / 10%). You then add a **table calculation filter** so that only West remains visible. What percentage does West now display?

- A. 30%
- B. 100%
- C. 50%
- D. 10%

Filters, Parameters, Sets, Maps, Analytics

Question 37. You must show the **Top 10 products by Sales *within* the Furniture category only** (the Top 10 must be recalculated inside the chosen category). Which configuration achieves this?

- A. Add a table calculation filter RANK(SUM([Sales])) <= 10 on top of the plain Top 10 dialog
- B. Enable "Independent axis ranges" for the Sales axis
- C. Convert the Category filter to a context filter, then apply a Top 10 filter on Product by SUM(Sales)
- D. Create a data source filter that limits rows to Furniture

Question 38. Select THREE ways a **parameter** can be used in Tableau.

- A. Inside calculated fields (e.g., what-if analysis, swapping measures)
- B. To store multiple selected values at the same time
- C. With filters (e.g., a Top N control: "Top N by Sales")
- D. With reference lines (e.g., a user-adjustable target line)
- E. Its selected value updates automatically whenever the underlying data changes

Question 39. Select TWO statements that are TRUE about sets.

- A. Once created, a set's membership is permanently fixed
- B. A dynamic set (defined by a condition, e.g. Top 10 by Sales) updates automatically as the data changes
- C. A combined set can be created from the intersection of exactly two existing sets
- D. A set can be created only from measures, never from dimensions

Question 40. You have unprojected Latitude and Longitude numeric fields. Which calculation creates a spatial point mark so the data can be mapped?

- A. `MAKELINE([Latitude], [Longitude])`
- B. `MAKEPOINT([Latitude], [Longitude])`
- C. `MAKEPOINT([Longitude], [Latitude])`

- D. `DISTANCE([Latitude], [Longitude])`

Question 41. Management wants a **fixed monthly sales target of $50,000** drawn across the entire line chart of monthly Sales. Which Analytics pane object should you drop and configure?

- A. A constant Reference Line at 50,000
- B. An Average Line
- C. A Trend Line
- D. A Distribution Band

Question 42. Build list: Arrange the filter types in the order in which Tableau applies them (first applied → last applied). *(Write the correct sequence of letters.)*

- A. Context filters
- B. Table calculation filters
- C. Extract filters
- D. Dimension filters
- E. Measure filters
- F. Data source filters

Section 3 — Create Content (Q43–Q55)

Question 43. Using this data, you want a pie chart where each slice's size reflects Revenue:

Genre	Revenue
Action	40,000
Comedy	25,000
Drama	35,000

How should you configure the marks?

- A. Revenue → Color, Genre → Angle, Revenue → Label
- B. Genre → Color, Genre → Label, Revenue → Angle
- C. Genre → Size, Revenue → Color, Revenue → Detail
- D. Revenue → Size, Revenue → Label, Genre → Detail

Question 44. Build list: Arrange the steps to manually build a **histogram** of Order Quantity. *(Write the correct sequence of letters.)*

- A. Drag the newly created bin field to the Columns shelf
- B. Right-click the measure in the Data pane and choose Create > Bins, then set the bin size
- C. Change the measure's aggregation on Rows to Count (CNT)
- D. Drag the measure to the Rows shelf

Question 45. Build list: Arrange the steps to create a **dual-axis chart** of Sales (bar) and Profit Ratio (line) by month. *(Write the correct sequence of letters.)*

- A. Right-click the right axis and choose Synchronize Axis
- B. Drag the second measure to the Rows shelf, stacking the two charts
- C. Drag the first measure to the Rows shelf
- D. Right-click the second measure pill and choose Dual-Axis
- E. On the Marks card, set the two mark types (e.g., Bar and Line)

Question 46. You need to visualize the distribution of employee salaries, including the **median, quartiles, and outliers** in one view. Which chart type should you use?

- A. Area chart
- B. Gantt chart
- C. Highlight table
- D. Box plot

Question 47. A bar chart of Category is sorted alphabetically. You want bars sorted by `SUM(Sales)` descending instead. What should you do?

- A. Convert Category to a continuous field
- B. Drag the Sales pill above Category on the shelf
- C. Right-click the Category pill → Sort → Sort by Field: Sales (Sum), Descending
- D. Add INDEX() as a hidden filter

Question 48. On a dashboard, the four chart titles drift out of alignment whenever the browser window is resized. What should you use to keep charts aligned and resizing proportionally as one unit?

- A. Horizontal and vertical layout containers

- B. Floating objects with exact pixel sizes
- C. A text object between the charts
- D. Blank objects only

Question 49. On a dashboard, a detail sheet must appear **only** when a parameter equals "Show". Which feature is used to show/hide dashboard items based on a parameter (or calculated field that uses one)?

- A. A URL action
- B. A filter action
- C. A device layout
- D. Dynamic zone visibility

Question 50. Many executives will open your dashboard on **phones**. Which feature should you use before publishing to check and tune the mobile experience?

- A. The Analytics pane
- B. Device Preview, then generate/adjust the phone layout
- C. A custom color palette
- D. Story points

Question 51. Build list: Arrange the steps to add a dashboard **filter action** so that clicking a bar on a map filters a detail chart. *(Write the correct sequence of letters.)*

- A. Open Dashboard menu → Actions → Add Action → Filter (Change Filter Values)
- B. Choose the source sheet and the target sheet(s), and set Run On to Select
- C. Click a mark on the source sheet and confirm the target chart updates
- D. Build the two worksheets and place them on a dashboard

Question 52. Clicking a product bar must open that supplier's website in a browser, passing the specific `Product ID` of the clicked mark into the web address. Which dashboard feature should you use?

- A. An Image object
- B. A Web Page object with a fixed URL
- C. A URL action with the Product ID field inserted into the URL
- D. A Navigation button

Question 53. Clicking a customer's mark must **add that customer to a set**, which drives several other sheets showing that customer's detail. Which dashboard feature should you use?

- A. A set action
- B. A highlight action
- C. A filter action
- D. A parameter action

Question 54. Your brand team wants a company-specific custom **color palette** available in every workbook's color dropdown. How is this implemented?

- A. Edit the workbook's XML after packaging it as .twbx
- B. Save the palette as a .hyper file in the data folder
- C. Duplicate the palette in the Colors dialog each time
- D. Edit the `Preferences.tps` file in the My Tableau Repository folder

Question 55. When a user hovers over a customer's bar, a mini trend line of that customer's sales should appear inside the tooltip. Which feature should you use?

- A. An annotation

- B. Viz in Tooltip (insert a sheet into the tooltip editor)
- C. A dashboard highlight action
- D. A reference band

Section 4 — Publish and Manage Content on Tableau Server and Tableau Cloud (Q56–Q60)

Question 56. Which statement is TRUE about a packaged workbook (`.twbx`)?

- A. It automatically downloads and embeds data from live database connections
- B. It can only be opened in Tableau Reader, never in Tableau Desktop
- C. It bundles the workbook together with local file-based data sources and extracts, but NOT data behind live database connections
- D. It stores only a picture of each worksheet

Question 57. A transaction table holds 400 million rows and appends only yesterday's new rows each night. Refreshing all rows would take hours. What should you schedule so each nightly refresh only adds the new rows?

- A. An incremental extract refresh
- B. A data source filter
- C. A live connection with a context filter
- D. A subscription

Question 58. A manager wants to be **emailed immediately whenever daily sales fall below $10,000** (based on the data in a published view). Which feature should you use?

- A. A subscription
- B. A custom view
- C. An extract refresh
- D. An alert

Question 59. A user opens a published sales workbook on Tableau Cloud, filters it to their own region, and wants to **save this personal filtered version** without changing the workbook for other users. What should they do?

- A. Publish the workbook again under a new name
- B. Save a Custom View (and optionally share or set it as their default)
- C. Create an extract filter
- D. Edit the data source filter

Question 60. Select TWO statements that are TRUE about site roles on Tableau Server / Tableau Cloud.

- A. A Viewer can interact with published dashboards (filter, drill, use custom views) but cannot edit workbooks
- B. A Creator can connect to new data sources, author, and publish new content
- C. An Explorer can publish new flows (Prep Conductor runs) and connect to new data sources
- D. Site roles define which rows of data a user can see

🔢 Answer Sheet (for self-marking)

Q	Answer	Q	Answer	Q	Answer	Q	Answer	Q	Answer
1		13		25		37		49	
2		14		26		38		50	
3		15		27		39		51	
4		16		28		40		52	
5		17		29		41		53	
6		18		30		42		54	
7		19		31		43		55	
8		20		32		44		56	
9		21		33		45		57	
10		22		34		46		58	
11		23		35		47		59	
12		24		36		48		60	

Score: __ / 60 = ___ % — Pass (65%) requires 39 correct.

When finished, check `answer.md` for the answer key with full explanations.