SALESFORCE CERTIFIED TABLEAU DATA ANALYST (ANALYTICS-DA-201)

ADVANCED PRACTICE PAPER 3 - 60 MIXED QUESTIONS

Questions	60 (mirrors the real exam's 60 scored items)
Time allowed	105 minutes - same as the real exam
Passing score	65% = 39 / 60 correct (this set is harder - aim for 45+)
Question types	Single choice, [SELECT TWO / THREE] multi-select, and [BUILD LIST] sequencing
Scoring	No partial credit - a multi-select or build-list item counts only when every part is exact
Navigation	Flag and return, as in the real exam; there is no penalty for guessing - answer everything

How to use this paper: this is the third, hardest tier of advanced practice - 60 completely new questions deliberately mixed like the real exam, with extra weight on the areas you struggle with: Level-of-Detail expressions (FIXED / INCLUDE / EXCLUDE, nested LODs, filter interplay, SUM-vs-ATTR trapping), hand-traced calculations (dates, strings, numbers, NULL behavior, aggregation placement), table-calculation edge cases (offsets, addressing, Relative to Next, WINDOW functions), multi-select items, and step-sequencing (build list) questions. Trace every calculation on paper - do not guess.

Conventions: each question has exactly ONE correct answer unless marked otherwise. Items marked [SELECT TWO] / [SELECT THREE] need EXACTLY that many correct choices. [BUILD LIST] items are correct only when the full letter sequence is right (write it like B-D-C-A). All questions are new - none repeat any question from your earlier papers.

ANSWER EVERYTHING FIRST - THE ANSWER KEY (advanced-answers3.pdf) IS IN THE ANSWERS FOLDER - DO NOT OPEN IT UNTIL YOU FINISH.

Question 1. [SELECT TWO] A workbook on a live relational database uses several worksheets, and one dimension filter will be promoted to context. Which TWO statements about context filters are TRUE?

A. Adding a filter to context always improves query performance

B. Promoting a dimension filter to context can change what a FIXED level of detail expression returns, because context filters are applied before FIXED LODs are computed

C. On a relational data source, adding a context filter can cause Tableau to build a temporary table of the context-filtered rows and run the remaining queries against it

D. Context filters are applied after table calculation filters in the order of operations

Question 2. A monthly operations report arrives as a PDF containing several well-formed data tables. You must load those tables into Tableau Desktop for analysis. Which connection should you use?

A. The PDF File connector, which reads the tables it detects inside the PDF

B. The Text File connector with a custom separator

C. The Excel connector with Use Data Interpreter

D. A Web connector pointed at a local file path

Question 3. A view is at the Region level and contains this data (Region and Category rows). East: Category A sales 100, Category B sales 200 (so East's true region total is 300). West: Category A sales 80. The field M = SUM({FIXED [Region] : SUM([Sales])}) is on the view. What does the East mark display?

A. 300

B. 500

C. 150

D. 600

Question 4. [BUILD LIST] Users must click bars of a customer chart to ADD those customers to a comparison set; the set must keep its members when the selection is cleared, and a companion sheet must react. Arrange the steps in order.

A. Right-click [Customer] in the Data pane and choose Create > Set to define the Focus set

B. Drag the Focus set to Color on a comparison sheet so In/Out membership is visible, then place the selection chart and comparison sheet on one dashboard

C. Choose Dashboard > Actions > Add Action > Change Set Values and set the source to the selection chart

D. Configure the action: Running action = Add values to set, and Clearing the selection will = Keep set values

E. Click customers in the chart and confirm the comparison sheet reflects the growing set

Write the correct sequence of letters, e.g., B-D-C-A.

Question 5. Order lines (one row per line): Order O1 sold 100 and 50; order O2 sold 80. Management asks for the average basket value - total sales divided by the number of ORDERS. Which expression returns 115?

A. AVG([Sales])

B. SUM([Sales]) / COUNT([Order ID])

C. MEDIAN([Sales])

D. SUM([Sales]) / COUNTD([Order ID])

Question 6. Next week a source table's schema will change. The data team must find every published data source and dashboard downstream that consumes that table before the change ships. Which capability surfaces this upstream/downstream usage map?

A. Data quality warnings

B. Tableau Catalog's lineage, which maps how content depends on databases, tables, and fields

C. Tableau Bridge

D. The Workbook Optimizer

Question 7. [SELECT TWO] A table calculation operates on a partition of 5 rows. Which TWO statements are TRUE?

A. SIZE() returns the number of rows in the partition (5)

B. On the last row of the 5-row partition, LAST() returns 4

C. On the first row of the partition, FIRST() returns 0

D. INDEX() returns 0 on the first row

Question 8. Regions have these totals: East 300, South 120, West 50. The calculation {FIXED : MAX({FIXED [Region] : SUM([Sales])})} is placed on any worksheet. What does it return on every row?

A. 300

B. 470

C. The value varies by region shown

D. NULL

Question 9. A dashboard author must capture a timed trace of every query, render, and layout step while reproducing a slow sheet locally in Tableau Desktop, then study the slowest steps. Which built-in tool records this?

A. The Workbook Optimizer

B. Help > Settings and Performance > Start Performance Recording, then Stop and view the summary workbook

C. Tableau Catalog

D. Data Interpreter

Question 10. In a Tableau Prep flow, a numeric Revenue column contains nulls on cancelled lines only. The output must show 0 for just those nulls while every other value stays untouched. Which direct Prep operation does this?

A. Add a Pivot step on Revenue

B. Add a Union step and merge the column with itself

C. In the profile pane, click the null markers and choose Fill Null with the value 0 (a Clean-step edit)

D. Add an Aggregate step and sum Revenue

Question 11. Four marks show SUM([Sales]) of 500, 300, 300, and 200. A table calculation RANK(SUM([Sales]), 'asc') is applied. Which rank do the two 300-sales marks display?

A. 4

B. 1

C. 3

D. 2

Question 12. A scatter plot is colored by Category. Analysts want a SEPARATE trend line for each category, not one global line. How is this configured?

A. Add a forecast instead, which is always per color

B. Move Category from Color to Detail - trend lines always split on Detail

C. Trend lines cannot respect color; build one sheet per category

D. Right-click a trend line and in the Trend Lines options tick 'Allow a trend line per color'

Question 13. Monthly SUM(Sales), Table (down): Jan 10, Feb 30, Mar 20, Apr 25. What does the March mark display for WINDOW_MAX(SUM([Sales]))?

A. 10

B. 20

C. 30

D. 25

Question 14. [BUILD LIST] Configure a data-driven alert so a manager is emailed whenever a published dashboard's daily sales measure falls below 10,000. Arrange the steps in order.

A. Open the published view on Tableau Server/Cloud that plots the measure on a numeric axis

B. Right-click the axis (or click the alert icon) and choose Create Alert

C. Set the operator (less than), the threshold value 10,000, and how often Tableau checks the condition

D. Add the recipient and save the alert

Write the correct sequence of letters, e.g., B-D-C-A.

Question 15. An analyst built a workbook whose connection uses Initial SQL to set up a session context. When the connection is switched to an extract, the Initial SQL option disappears and the code no longer runs. Why?

A. Initial SQL executes only against live database connections, so an extract has nothing to run it on

B. Extracts cannot carry any settings, so every option is lost

C. Initial SQL requires site administrator privileges that the extract lost

D. Initial SQL is not supported for CSV files

Question 16. One sheet must show Sales, Profit, and Quantity as three separate LINES on the same chart, without building three worksheets. Which construction does this?

A. Put all three measures on Rows and tick 'Stack marks'

B. Place Measure Values on Rows, Measure Names on the Columns (or Color), and keep the three measures in the Measure Values shelf

C. Create three dual axes and synchronize them

D. Blend a second data source containing the measures

Question 17. What does DATEADD('year', 1, #2024-02-29#) return?

A. #2025-02-28#

B. #2025-02-29#

C. #2024-03-01#

D. An error, because 2025 has no February 29

Question 18. A Tableau Prep flow ends with a cleaned table. The analytics team needs the FULL table written to the warehouse, while a dashboard needs only the same data filtered to one region - from ONE flow file, without duplicating the cleaning logic. Which Prep feature provides this?

A. Save the flow twice with different filters

B. Add a Branch after the Clean step, then build the two different outputs from the branch

C. Add a Union step that copies the data

D. Add an Aggregate step with a filter

Question 19. Three days ago a colleague published a workbook edit that broke a dashboard. An administrator must roll the content back to the version that existed on Monday WITHOUT re-publishing from a local file. Where is this done?

A. Ask every user to clear their browser cache

B. Use the Workbook Optimizer's rules

C. Open the workbook on Server/Cloud, open its Version History, and restore a previous version

D. Recover the item from the site's Recycle Bin

Question 20. Every sheet must show only customers who have placed more than two order LINES - regardless of which dimensions the sheets display. Which technique implements this rule once and applies everywhere?

A. Add a table-calculation filter RANK(COUNT([Order ID])) that keeps only the top customer

B. Add a Top 10 filter on Customer

C. Add an extract filter on Customer ID

D. Create the row-level boolean {FIXED [Customer] : COUNT([Order ID])} > 2 and place it on the Filters shelf, keeping True

Question 21. A published workbook with dozens of data sources and sheets loads slowly on Tableau Cloud. Administrators want a server-side tool that audits the workbook against performance best practices and offers to apply fixes. Which feature is it?

A. The Workbook Optimizer

B. Tableau Bridge

C. The Data Interpreter

D. The Performance Recorder

Question 22. [SELECT TWO] Which TWO statements about data source filters are TRUE?

A. A data source filter is the only filter type that can alter a FIXED LOD's result

B. Data source filters are applied after extract filters but before context filters in the order of operations

C. Data source filters are evaluated after table calculation filters

D. Every worksheet and every workbook built on the data source applies the filter, for every user

Question 23. [BUILD LIST] Build a Pareto chart of sales by Sub-Category: sorted bars plus a cumulative-percent line whose curve ends near 100 percent at the right edge. Arrange the steps in order.

A. Place Sub-Category on Columns and SUM([Sales]) on Rows

B. Sort Sub-Category descending by SUM(Sales)

C. Drag a second copy of SUM([Sales]) to Rows and add the Running Total quick table calculation to it

D. On that running-total pill, add a Secondary Calculation > Percent of Total, then turn it into a Line via Dual Axis

E. Verify that the line's final point is about 100 percent and format the axes

Write the correct sequence of letters, e.g., B-D-C-A.

Question 24. Order lines: (Sales 100, Quantity 1) and (Sales 200, Quantity 4). A single total mark is shown. Which expression returns 75 on this data?

A. SUM([Sales] * [Quantity])

B. SUM([Sales]) / SUM([Quantity])

C. AVG([Sales] / [Quantity])

D. AVG([Sales]) * AVG([Quantity])

Question 25. Management wants one row per product: a tiny unlabelled sales trend line, no axes, no gridlines - a sparkline column per product. How do you remove the axes from each mini chart?

A. Delete the measure from the view

B. Right-click each axis and clear 'Show Header' so only the line remains

C. Set the view's Fit option to Entire View

D. Add a blank dashboard object over the axis

Question 26. [SELECT TWO] Which TWO statements about extracts are TRUE?

A. A single extract can store multiple tables from one data source, each keeping its own level of detail

B. An extract automatically embeds the live database's username and password

C. Extracts support incremental refreshes keyed on a date column or an incrementing value column

D. Once an extract is created, its extract filters can never be modified

Question 27. Order data (each row is a line): Anna: 70, 50 | Ben: 200, 100 | Cara: 80 | Dan: 100 Finance wants one bar per LIFETIME-VALUE bucket - High when a customer's total sales is 200 or more, Low otherwise - with the number of DISTINCT customers in each bucket. Which build is correct, and what does the High bar show?

A. An {EXCLUDE [Customer]} LOD with COUNTD([Customer])

B. A Top 10 filter by Sales with COUNTD([Customer])

C. A row-level filter SUM([Sales]) >= 200 with COUNT([Customer]) on Rows

D. A dimension built from {FIXED [Customer] : SUM([Sales])} bucketed by a CASE expression, with COUNTD([Customer]) on Rows - High shows 1

Question 28. SUM(Sales) by month, computed Table (across): April 140, May 175. A 'Percent Difference From' table calculation is edited so it is Relative to Next. What does the April mark display?

A. -20%

B. NULL

C. 20%

D. 25%

Question 29. A central team must expose ONE governed connection string to hundreds of analysts, and additionally guarantee that each analyst can only query rows of their own region, without touching any workbook's filters. Which Data Management facility provides both?

A. Tableau Bridge

B. A virtual connection with data policies that apply row-level rules to every workbook using it

C. A certified data source

D. Per-workbook row-level filter calculations

Question 30. [BUILD LIST] A dashboard zone must show a detail sheet ONLY while a Yes/No switch is set to Yes, with no buttons clicked. Arrange the steps in order.

A. Create a string parameter Show Details with the values Yes and No

B. Create a boolean calculated field [Show Details] = 'Yes'

C. Select the detail sheet's zone, open the Layout pane, and set 'Control visibility using value' to that boolean field

D. Show the parameter control (or drive the parameter with a parameter action), then test toggling Yes/No

Write the correct sequence of letters, e.g., B-D-C-A.

Question 31. On an extract, the field [Code] holds 'US-2024-1186'. What does REGEXP_EXTRACT([Code], '[0-9]+') return?

A. '1186'

B. NULL

C. 'US'

D. '2024'

Question 32. [BUILD LIST] Build a cumulative share line: each month's point shows the running percentage of total sales so the line climbs from near 0 to 100 percent. Arrange the steps in order.

A. Place Month on Columns and SUM([Sales]) on Rows
B. Apply the quick table calculation Percent of Total to the SUM([Sales]) pill
C. On the same pill choose Add a Secondary Calculation > Running Total
D. Verify the first month shows its share of the whole year and the final month reaches 100 percent

Write the correct sequence of letters, e.g., B-D-C-A.

Question 33. [SELECT TWO] Which TWO statements about groups are TRUE?

A. Groups automatically recompute their members on every extract refresh
B. A group can combine members from two different dimensions into one field
C. Group membership is defined manually and does not change automatically when new dimension members appear
D. A group folds several members of a single dimension into one combined member, optionally with an 'Other' rollup for the rest

Question 34. A calculation uses IIF([Ship Date] <= TODAY(), 'Shipped', 'Not shipped'). Rows where [Ship Date] is NULL return what, and what is the fix?

A. NULL - a NULL test is unknown, so IIF returns its optional fourth argument, which is absent; supply IIF(..., 'Shipped', 'Not shipped', 'Unknown')
B. 'Shipped' - NULL dates always compare as smallest
C. An error - IIF aborts on NULL
D. 'Not shipped' - wrap the date in ZN()

Question 35. {FIXED [State] : SUM([Sales])} is in a view. State totals: A 100, B 200, C 300, D 400. A user filters States to keep only B and C as a NORMAL dimension filter, then promotes that same filter to context. What do the B and C marks display for the LOD field?

A. Different values once the filter is context: the LOD recomputes
B. 100 and 400 - the LOD keeps the rows the filter removed
C. 200 and 300 - unchanged, in both cases
D. NULL - context filters break FIXED LODs

Question 36. [SELECT THREE] Which THREE statements about the Analytics pane are TRUE?

A. Distribution bands can be defined by percentiles or by standard deviations
B. Forecasting requires at least one date field and at least one measure in the view
C. Trend lines can only be added from the Marks card
D. Box plots are configured from the Marks card's Shape property
E. A reference line can be scoped to the entire table, each pane, or each cell

Question 37. What does REPLACE("Banana", "a", "o") return?

A. 'Bonana'
B. 'Banano'
C. 'Bo'
D. 'Bonono'

Question 38. [SELECT THREE] Which THREE activities can be configured to run unattended on a SCHEDULE on Tableau Cloud or Tableau Server?

A. Automatically saving a custom view daily
B. Running a published Tableau Prep flow
C. Refreshing a published data source's extract
D. Sending a data-driven alert email every Monday regardless of data values
E. Emailing a snapshot of a view via a subscription

Question 39. One mark per Region displays the calculation RANK({FIXED [Region] : SUM([Sales])}, 'desc'). Region totals are East 300, South 120, West 50. What does the South mark display?

A. 3
B. 1
C. 2
D. 120

Question 40. What does DATETRUNC('quarter', #2024-05-20#) return?

A. #2024-04-01#
B. #2024-05-01#
C. #2024-01-01#
D. #2024-07-01#

Question 41. [SELECT THREE] Which THREE statements about discrete and continuous fields are TRUE?

A. Only measures can be continuous - a dimension can never be continuous
B. The same date field can be used discretely (for example YEAR as column headers) or continuously (an exact-date axis)
C. Converting a field from discrete to continuous changes the values stored in the data source
D. Dragging a continuous number to Color can produce a gradient (unbounded) legend
E. Discrete fields draw headers with a finite set of values; continuous fields draw an axis

Question 42. A symbol map plots stores from numeric [Latitude]/[Longitude]. Each store must be surrounded by a filled 5 km zone (its delivery radius). Which calculated field creates the zone to place in the view?

A. DISTANCE([Latitude], [Longitude], 5, 'km')
B. BUFFER('5km', MAKEPOINT([Longitude], [Latitude]))
C. MAKELINE([Latitude], [Longitude], 5)
D. BUFFER(MAKEPOINT([Latitude], [Longitude]), 5, 'km')

Question 43. [BUILD LIST] Users must only ever see rows of their own region on every sheet built on the shared data source. Arrange the steps in order.

A. Create the row-level filter calculation, for example [Region] = USERNAME() (or ISMEMBEROF('East Managers')) returning True/False
B. Drag that boolean field to the Filters shelf and keep True
C. Right-click the filter and choose Apply to Worksheets > All Using This Data Source so every sheet enforces it
D. Sign in as different users (or use the filter's 'View as' simulator) and verify each sees only their region

Write the correct sequence of letters, e.g., B-D-C-A.

Question 44. A view is at the Region level. East contains orders O1 (lines 100 and 50) and O2 (line 80). What does the East mark display for SUM({INCLUDE [Order ID] : SUM([Sales])})?

A. 80
B. 230
C. 150
D. 115

Question 45. A view shows one mark per Region. Underlying rows: East 60 and 40 (East total 100); West 500. A measure filter on SUM([Sales]) set to 'At most 60' is added. What does the East mark display for the field {FIXED [Region] : SUM([Sales])}?

A. 100
B. NULL
C. 60
D. The East mark disappears

Question 46. A bar chart shows SUM(Sales) for three rows: 100, 200, 300. A Percent of Total quick table calculation is applied, and its Compute Using is edited to Cell. What do the three marks display?

A. 30%, 60%, 100%

B. 16.7%, 33.3%, 50%

C. 100%, 100%, 100%

D. NULL on every mark

Question 47. Monthly sales are Jan 100, Feb 200, Mar 300. The calculation {FIXED : SUM([Sales])} is on the view, and a table calculation filter keeps only the LAST month (Mar) visible. What does the March mark display for the FIXED field?

A. 600

B. 300

C. 100

D. NULL

Question 48. A bar chart occupies only a narrow strip of a dashboard column. Which worksheet setting stretches the chart to fill ALL horizontal space available to it while keeping its own height?

A. Fit: Standard - the default canvas

B. Fit: Entire View

C. Fit: Wide

D. Fit: Tall

Question 49. A row-level calculation must multiply [Net Price] from an Orders table by an [FX Rate] from a second Rates table, row by row; analysts then filter and aggregate the results freely. Which combining method should you build for reliable cross-table row mathematics?

A. An {EXCLUDE [Order ID]} LOD written in the Orders table

B. A data blend with Rates as the secondary source

C. A logical relationship - Tableau's multi-table semantics evaluate every row-level calculation perfectly

D. A physical join of Orders and Rates so both fields exist in one merged table at row level

Question 50. [SELECT THREE] Which THREE capabilities require the Data Management add-on license on Tableau Server or Tableau Cloud?

A. Custom views

B. Tableau Prep Conductor (scheduled flow runs)

C. Subscriptions (scheduled emailed snapshots)

D. Virtual Connections with data policies

E. Tableau Catalog (lineage and asset inventory)

Question 51. An Orders table has some rows with NULL [Region]. The calculation {FIXED [Region] : SUM([Sales])} is displayed. How does Tableau treat the NULL-region rows?

A. They form their own partition - NULL acts as its own distinct level, so the LOD returns those rows' total for a NULL level

B. They are excluded from every LOD partition entirely

C. They inherit the grand total of the entire data source

D. The calculation fails on rows whose Region is NULL

Question 52. A CSV imports [Revenue] as a STRING because some rows contain the text 'N/A' among the numbers. In Tableau Prep, which operation converts the field to a true number while moving the unparseable entries out of the way?

A. Pivot the field into rows

B. Rename the field to Revenue_Num

C. In a Clean step, change the field's data type to Number - 'N/A' and similar invalid entries become NULL (and can be filled or removed next)

D. Change the field's aggregation to SUM

Question 53. The string field [Ref] contains exactly the values '99' and '100' (both visible in one view). What does MAX([Ref]) return?

A. NULL

B. '99'

C. '100'

D. An error - MAX cannot compare text

Question 54. A view shows one mark per customer with these order dates: 2024-01-05, 2024-03-22, 2024-02-09. What does MIN([Order Date]) return for that customer?

A. NULL - MIN only works on numbers

B. 2024-01-05

C. 2024-03-22

D. An error - dates require DATEDIFF first

Question 55. A parameter action writes the clicked sales-year into a parameter. When the user later clears their selection, the dashboard should IGNORE the stale year and behave as if nothing was chosen. How is that configured inside the action?

A. Add the parameter to context

B. Convert the parameter action into a filter action

C. In the action, set 'Clearing the selection will' to 'Set value to', and supply the reset value (or the parameter's default)

D. It is impossible - parameter actions always retain the last value

Question 56. On a published dashboard, consumers must MANUALLY add or remove specific customer names from the Customer Focus set by ticking them in a panel - without clicking marks or editing the workbook. Which feature is designed for this?

A. A set action running on Menu

B. A context filter on the set's dimension

C. A group with dynamic membership

D. Show the set as a control: on the set's menu choose 'Show Set', which lists members for users to add or remove at runtime

Question 57. One Excel workbook holds twelve monthly SHEETS (Jan, Feb, ... Dec), each with identical column names. How should they be combined into one table in Tableau Desktop?

A. In the New Union dialog, use the wildcard option to match the worksheet names within that workbook

B. It is impossible without exporting the sheets to separate files

C. Blend the twelve sheets on date

D. Join each sheet to the first sheet on Order ID

Question 58. A filled map is missing dozens of internal branch regions because their names are outside Tableau's standard geocoding database. Which built-in feature lets you supply your own place-name-to-location assignments?

A. Map > Edit Locations

B. Map > Geocoding > Import Custom Geocoding, importing a file of your locations

C. MAKEPOINT applied to every region name

D. Turning on Data Interpreter

Question 59. What does DATENAME('weekday', #2024-10-16#) return? (October 16, 2024 is a Wednesday.)

A. 'Wednesday'

B. NULL

C. 3

D. 'Thu'

Question 60. Which statement about NULL-handling functions is TRUE?

A. ZN() can replace NULL strings with 'None'

B. ZN() and IFNULL() behave identically on every data type

C. IFNULL() works only on numbers

D. ZN() works only on numeric fields, replacing NULL with 0; IFNULL() works on any data type and replaces NULL with any supplied value

ANSWER SHEET (for self-marking)

Record your answers here while taking the exam, then check against advanced-answers3.pdf.

Q1		Q13		Q25		Q37		Q49	
Q2		Q14		Q26		Q38		Q50	
Q3		Q15		Q27		Q39		Q51	
Q4		Q16		Q28		Q40		Q52	
Q5		Q17		Q29		Q41		Q53	
Q6		Q18		Q30		Q42		Q54	
Q7		Q19		Q31		Q43		Q55	
Q8		Q20		Q32		Q44		Q56	
Q9		Q21		Q33		Q45		Q57	
Q10		Q22		Q34		Q46		Q58	
Q11		Q23		Q35		Q47		Q59	
Q12		Q24		Q36		Q48		Q60	

Score: ____ / 60 = ____ % | Passing the REAL exam takes 39/60 (65%). On this harder set, 39+ means you are comfortably on track; 45+ means you are exam-ready. Review every explanation in the answer key - especially for questions you guessed correctly.