SALESFORCE CERTIFIED TABLEAU DATA ANALYST (ANALYTICS-DA-201)

ADVANCED PRACTICE EXAM 2 - 60 MIXED QUESTIONS

Questions	60 (mirrors the real exam's 60 scored items)
Time allowed	105 minutes - same as the real exam
Passing score	65% = 39 / 60 correct (this set is harder - aim for 45+)
Question types	Single choice, [SELECT TWO / THREE] multi-select, and [BUILD LIST] sequencing
Scoring	No partial credit - a multi-select or build-list item counts only when every part is exact
Navigation	Flag and return, as in the real exam; there is no penalty for guessing - answer everything

How to use this paper: this is the SECOND, harder tier of advanced practice - a fresh set of 60 questions deliberately mixed in real-exam order, heavily loaded with the areas you flagged as weak: Level-of-Detail expressions (nested, filter interplay, aggregation placement), hand-traced calculations (dates, strings, rounding, NULL behavior), table-calculation edge cases (offsets, panes, relative-to), multi-select items, and step-sequencing (build list) questions. Trace every calculation on paper - do not guess.

Conventions: each question has exactly ONE correct answer unless marked otherwise. Items marked [SELECT TWO] / [SELECT THREE] need EXACTLY that many correct choices. [BUILD LIST] items are correct only when the full letter sequence is right (write it like B-D-C-A). All questions are new - none repeat any question from your earlier papers.

ANSWER EVERYTHING FIRST - THE ANSWER KEY (advanced-answers2.pdf) IS IN THE ANSWERS FOLDER - DO NOT OPEN IT UNTIL YOU FINISH.

Question 1. A worksheet shows one mark per Region using AVG({FIXED [Region] : SUM([Sales])}). The data is: East = 10 + 20 (two rows), West = 5 + 15, South = 50. A regular (non-context) dimension filter on [Category] keeps only Category X, which removes East's 20 row and West's 15 row from the view; East still displays 30 and West 20. The user then right-clicks that Category filter and chooses Add to Context. What does the East mark display now?

A. 10
B. 60
C. 30
D. 15

Question 2. You must merge, at the row level (inner-join semantics), an Orders table that lives in SQL Server with a small Region-to-Manager mapping sheet maintained in Excel. Which approach produces a single joined table you can filter and aggregate freely?

A. Create a data blend between the SQL Server source and the Excel source
B. Relate the two tables on the logical layer and let Tableau combine the measures
C. Union the two sources together
D. Add the Excel file as a second connection on the same data source and create a cross-database join on Region

Question 3. Leadership wants one compact visual per region comparing an actual performance measure against a target measure, with shaded qualitative ranges (poor / satisfactory / good) behind the bar. Which Show Me chart type is purpose-built for this?

A. Bullet graph
B. Gantt bar chart
C. Stacked bar chart
D. Side-by-side circles

Question 4. A crosstab has Region on Rows (East, West) and Segment on Columns (Consumer, Corporate). SUM(Sales) values are: East|Consumer = 100, West|Consumer = 300, East|Corporate = 200, West|Corporate = 400. A Percent of Total quick table calculation is set to Compute Using Pane (down). What does the East|Consumer cell display?

A. 10%

B. 25%

C. 16.7%

D. 100%

Question 5. A published workbook with an extract data source fails its scheduled refresh every night with a credentials error. The original publish set the database connection to 'Prompt user' for credentials. What must you do so the Server/Cloud refresh succeeds unattended?

A. Ask every viewer to enter their database credentials when opening the workbook

B. Move the workbook to a project with fewer permissions

C. Convert the extract back to a live connection

D. Republish (or edit the connection on the server) embedding the database credentials with the connection

Question 6. A data source is a LIVE wildcard union on the pattern 'Sales_*.csv' in a shared folder. IT drops a file named Sales_Archive.csv into the folder, and its rows now pollute every view. Extracts are not permitted. What is the correct fix?

A. Add an extract filter on the file-name field to exclude the archive rows

B. Turn on Data Interpreter so the archive file is ignored

C. Rename or move Sales_Archive.csv so it no longer matches the wildcard pattern (or tighten the pattern)

D. Convert the union to a relationship

Question 7. A view shows Region and State on Rows, one aggregated row per state: East has S1 = 100, S2 = 200, S3 = 300. A measure M = {EXCLUDE [State] : SUM([Sales])} is added. A dimension filter then hides S3 entirely. What value does M show on the S1 mark, and why?

A. NULL - EXCLUDE breaks when a member is filtered out

B. 300 - EXCLUDE LODs are computed after dimension filters, so S3 is gone from the region total

C. 100 - only the mark's own state counts

D. 600 - EXCLUDE LODs ignore dimension filters

Question 8. [BUILD LIST] Finance wants a waterfall chart of cumulative profit by quarter, where each quarter's bar floats between the running totals on either side of it. Arrange the steps in the correct order.

A. Change the mark type to Gantt Bar

B. Place Quarter (discrete) on Columns and a Running Total table calculation of SUM([Profit]) on Rows, computed across the table

C. Create a field equal to -SUM([Profit]) and drop it on Size so each bar extends in the right direction

D. Verify the bars stair-step correctly and color by SUM([Profit])

Write the correct sequence of letters, e.g., B-D-C-A.

Question 9. [SELECT TWO] A table calculation is edited with Compute Using set to Specific Dimensions. Which TWO statements about the dialog are TRUE?

A. Fields you tick become the addressing fields (the direction the calc walks); unticked fields partition (restart) the calculation

B. Specific Dimensions is unavailable whenever the view has dimensions on both Rows and Columns

C. Choosing Specific Dimensions rewrites the underlying data source rows

D. Ticking every dimension in the dialog produces a single partition spanning the whole table

Question 10. A Tableau Prep input contains a block of rows that are duplicated EXACTLY - every field value is identical - due to a double-loaded export. Which step and configuration collapses each set of identical duplicates into one row?

A. A Clean step using Trim Spaces on the key field

B. A Pivot step with 'Use wildcard search to pivot'

C. An Aggregate step that groups by every field in the row

D. A Join step joining the table to itself on any field

Question 11. Finance requires negative profit values to appear in parentheses - (1,234) - and positive values normally, in every view, without creating any calculated field. Where do you configure this?

A. Create a string calculated field that wraps negatives in parentheses

B. Change the field's data type to Currency (parenthesized)

C. Edit the axis and choose 'Accounting' style

D. Right-click the field -> Default Properties -> Number Format -> Custom, using a format such as #,##0;(#,##0)

Question 12. A view has one mark per City. East has two cities (sales 100 and 200 -> region total 300); West has four cities (150 each -> region total 600). You add the field AVG({FIXED [Region] : SUM([Sales])}) to the view. What single value would a grand total of this measure show? (Hint: it averages the measure across all six city marks.)

A. 450

B. 500

C. 300

D. 600

Question 13. Your Desktop is version 2024.2, but the company Tableau Server is still on 2023.3, and publishing fails with a version-compatibility error. No Server upgrade is possible this quarter. Which Desktop option produces a copy of the workbook that CAN be published to that older Server?

A. File -> Export As Version, selecting the Server's version, then publish the exported workbook

B. File -> Save As, choosing 'Older Server format'

C. Save as a .twb instead of a .twbx

D. Publish via Tableau Cloud, which ignores versions

Question 14. Primary source: one row per City, with State. Secondary source: State plus SalesRep, and EVERY state has several different reps. You blend on State and drag the secondary source's SalesRep field onto Rows. What does the view show for SalesRep on each mark?

A. An asterisk (*), because each State has more than one matching SalesRep value at the blend level

B. An error message - blends forbid secondary dimensions

C. The full rep name, because the blend matched on State

D. NULL, because secondary fields cannot be displayed

Question 15. [BUILD LIST] Arrange Tableau's order of operations from FIRST applied to LAST applied.

A. Dimension filters are applied

B. Table calculation filters are applied

C. FIXED level of detail expressions are computed

D. Extract filters are applied

E. Measure filters are applied

F. INCLUDE / EXCLUDE level of detail expressions are computed at the viz level

Write the correct sequence of letters, e.g., B-D-C-A.

Question 16. A risk dashboard must show every state as exactly one of three flat color blocks - green (healthy), amber (watch), red (risk) - classified by a continuous profit-ratio measure, with NO gradient between blocks. How do you configure the color?

A. Sort the states so same-risk states sit together

B. Edit Colors -> enable Stepped Color with 3 steps

C. Edit Colors -> Diverging palette and set the center to zero

D. Edit Colors -> Sequential palette with 'Use Full Color Range'

Question 17. SUM(Sales) by Region shows North = 500, South = 300, East = 200, with a Percent of Total quick table calculation (50% / 30% / 20%). You then add a quick filter on SUM(Sales) with 'At least 500', so only the North mark remains. What does North now display?

A. NULL - percent of total needs at least two marks

B. 100% - the measure filter removes the other marks before the table calculation computes

C. 50% - table calculations keep the original denominators

D. 20% - filters never change table calculation results

Question 18. The company's fiscal year begins in April. Executives want FY quarters and FY year labels (e.g., FY2025 Q1 = Apr-Jun 2024) to appear automatically whenever [Order Date] is used. Where do you set this once so it applies workbook-wide?

A. Format the axis to display quarters starting in April

B. Re-import the data with pre-computed fiscal columns

C. Create a calculated field shifting every date back three months

D. Right-click [Order Date] -> Default Properties -> Fiscal Year Start -> April

Question 19. Monthly SUM(Sales) is: Jan 5, Feb 15, Mar 25, Apr 35, May 45, computed Table (down). You add WINDOW_AVG(SUM([Sales]), 1, 2). What does the February mark display?

A. 15

B. 30

C. NULL

D. 20

Question 20. [SELECT TWO] Which TWO statements about the Pages shelf are TRUE?

A. Pages permanently filter the underlying data for all users of the workbook

B. Dropping a date or dimension on Pages creates a playback control that animates the view through each value

C. The page history control can keep previous pages' marks visible as trails

D. The Pages shelf works only on map views

Question 21. Codes look like AB-CD-EF. What does FIND("AB-CD-EF", "-", 4) return?

A. 6

B. 7

C. 3

D. 0

Question 22. A user belongs to Group A (allowed 'Save' on Project X) and also to Group B (explicitly DENIED 'Save' on Project X). There is no user-specific rule. What is her effective 'Save' permission on Project X, assuming her site role allows saving?

A. Allowed - one Allow is enough

B. Denied - among group rules, an explicit Deny overrides an Allow

C. Undetermined - Tableau prompts her each time

D. Allowed, because Group A was created first

Question 23. [SELECT TWO] Which TWO statements about date calculations are TRUE?

A. DATEADD('day', -1, #2024-03-01#) returns #2024-02-28#

B. ISDATE("02/30/2024") returns FALSE

C. DATENAME('month', #2024-10-16#) returns the integer 10

D. MAKEDATE(2024, 2, 29) returns #2024-02-29#

Question 24. A scatter plot of 2,000 customers is far too dense to label everything, but analysts want the name of any customer to appear the moment it is clicked. Which Marks card configuration achieves this without any calculated field?

A. Add the customer name to Tooltip and disable mark labels

B. Marks card -> Label -> show labels for Selected marks only

C. Marks card -> Label -> show labels for Min/Max only

D. Marks card -> Label -> Show mark labels -> All

Question 25. A filled map of your sales by State renders fine except for 14 marks that appear as 'unknown' - the State values exist in the data but Tableau cannot match them (ambiguous or misspelled names). Which built-in feature resolves these unmatched locations WITHOUT editing the source data?

A. Turn on Data Interpreter

B. Change the field's geographic role from State to City

C. Create a group containing the 14 marks

D. Map menu -> Edit Locations, then match the unknown values to known locations or fix the country context

Question 26. What does ROUND(-2.5, 0) return in Tableau?

A. -3

B. An error - negative numbers cannot be rounded

C. -2.5

D. -2

Question 27. [SELECT TWO] You connect to a certified published data source on Tableau Cloud from Tableau Desktop, and the data source page greys out several familiar tools. Which TWO operations are available on file/relational connections but NOT on a published data source?

A. Pivoting columns to rows

B. Enabling Data Interpreter, which is available for every connection type

C. Editing the relationship model between the published logical tables

D. Creating a union

Question 28. [Ship Date] is NULL for orders still in transit; [Order Date] is always present. 'Days to Ship' must compute the elapsed days, and for in-transit orders it must count the days up to TODAY(). Which calculation is correct?

A. [Ship Date] - [Order Date]

B. ZN([Ship Date]) - [Order Date]

C. IF [Ship Date] = NULL THEN DATEDIFF('day', [Order Date], TODAY()) END

D. DATEDIFF('day', [Order Date], IFNULL([Ship Date], TODAY()))

Question 29. A scatter plot (not a map) of 500,000 orders is an unreadable wall of overlapping circles. You want color intensity to reveal where the mass of marks concentrates, while keeping Sales on Columns and Profit on Rows. What should you change?

A. Convert to a filled map

B. Change the mark type to Density and choose a color scheme

C. Increase mark opacity to 100%

D. Add a trend line to separate the clusters

Question 30. [SELECT THREE] Which THREE statements about level of detail expressions are TRUE?

A. An EXCLUDE expression ignores context filters

B. An INCLUDE expression is always saved as a dimension

C. In a nested LOD, the inner expression is evaluated first and the outer one aggregates its results

D. A FIXED expression can be used as a dimension, for example {FIXED [Customer] : MIN([Order Date])}

E. On a view at the City level, MAX({FIXED [Region] : SUM([Sales])}) returns the largest single region's total

Question 31. Executives must interact with a published dashboard - filter it, drill, play with parameters - but must NOT be able to edit it in web authoring, save copies, or export the underlying workbook file. Which permission change achieves this while still allowing them to view it?

A. Deny 'View' on the project

B. Deny 'Web Edit' and 'Download Workbook/Save a Copy' for their group on the workbook (or its project)

C. Convert the workbook into a story

D. Unpublish and republish the workbook every morning

Question 32. Monthly sales are Jan = 80, Feb = 100, Mar = 120. A Percent Difference From quick table calculation computes Table (down) with 'Relative to: First'. What does the March mark display?

A. 50%

B. 20%

C. 25%

D. NULL

Question 33. Sales leadership wants to track each product's RANK position month by month - lines rising and falling as products swap places - rather than raw sales values. Which build produces this bump chart?

A. Month on Columns, a Rank quick table calculation of SUM(Sales) on Rows computed using Product (restarting each month), Product on Color/Detail

B. Month on Columns, INDEX() on Rows with no other fields

C. Month on Columns, SUM(Sales) on Rows, Product on Color - change the axis to logarithmic

D. Product on Columns, Month on Rows, Running Total on the axis

Question 34. On a live SQL Server connection you created a conventional INNER JOIN between Orders and Customers. Most views use fields only from Orders, yet the DBA sees Customers scanned in every query. Which data source setting lets Tableau stop querying the Customers table in those views (join culling)?

A. Convert the join to a union

B. Add the Customers table as a second connection instead

C. Enable 'Assume Referential Integrity' for the join in the data source's performance options

D. Hide the Customers fields in the Data pane

Question 35. Management wants a single bar chart: for each calendar year, the number of NEW customers - customers whose first-ever order fell in that year. Which combination builds it correctly?

A. YEAR([Order Date]) on Columns with COUNT([Customer]) on Rows

B. MIN([Order Date]) on Columns with COUNTD([Customer]) on Rows

C. RUNNING_SUM(COUNTD([Customer])) computed Table (down)

D. A dimension Cohort = YEAR({FIXED [Customer] : MIN([Order Date])}) on Columns with COUNTD([Customer]) on Rows

Question 36. A dashboard will live on several portals of different widths. It must NEVER render smaller than 1000 x 700 px, and on large screens it may grow up to 1440 x 900 px. Which Size setting fits?

A. Automatic, so the browser decides everything

B. Fit to Width with no limits

C. Range, with minimum 1000 x 700 and maximum 1440 x 900

D. Fixed size at 1000 x 700

Question 37. [BUILD LIST] Build a line chart where a parameter switches the time axis between Day, Week, and Month. Arrange the steps in the correct order.

A. Put the new calculated date field on Columns as a continuous field and show the parameter control

B. Create a string parameter named Granularity with the list: Day, Week, Month

C. Test each parameter value and confirm the axis re-truncates correctly

D. Create a calculated field such as: CASE [Granularity] WHEN 'Day' THEN [Order Date] WHEN 'Week' THEN DATETRUNC('week', [Order Date]) WHEN 'Month' THEN DATETRUNC('month', [Order Date]) END

Write the correct sequence of letters, e.g., B-D-C-A.

Question 38. You connect Tableau Desktop directly to Salesforce and build a model of Cases joined to Accounts. You look for the New Custom SQL option to pre-filter rows with a WHERE clause - but it is greyed out. Why?

A. Custom SQL requires an Enterprise edition of Salesforce

B. The option exists only on the Mac version of Desktop

C. Custom SQL is disabled until you create an extract

D. Salesforce connections in Tableau do not support Custom SQL; subset rows with data source filters, the standard join canvas, or in Prep

Question 39. [SELECT TWO] Which TWO statements about sets are TRUE?

A. A set can be referenced inside a calculated field as a boolean membership test, e.g. IF [High Value Set] THEN ... END

B. Set actions let a user's click on marks change the set's membership and drive other sheets

C. A single set can combine members from two different dimensions (e.g., some Products and some Regions)

D. Constant (fixed) sets recompute their member list automatically on every extract refresh

Question 40. A tiled dashboard's charts butt directly against each other, and the design spec calls for a clean, uniform 8-pixel gutter around EVERY item. What is the cleanest way to apply this consistently?

A. Select each item and set Outer Padding to 8 px in the Layout pane (applied to all items)

B. Insert a Blank object between every pair of items

C. Shrink each worksheet's chart area inside Desktop first

D. Export the dashboard to PowerPoint and adjust spacing there

Question 41. [SELECT TWO] Which TWO statements about bins are TRUE?

A. Changing a bin's size edits the underlying data source values

B. Tableau's suggested bin size is derived from the field's data range and distribution

C. Create > Bins... is available on string fields

D. A created bin field appears as a discrete dimension and can be treated like other dimensions in the view

Question 42. Earlier you used 'Hide All Unused Fields' on a 120-field data source. An analysis now needs a field that was hidden. How do you get it back in the Data pane?

A. Refresh the data source - hidden fields return on refresh

B. Enable 'Show Hidden Fields' at the top of the Data pane, right-click the greyed field, and choose Unhide

C. It is permanently removed; the column must be re-added in the database

D. Reconnect to the source from scratch

Question 43. A Region-level view has one mark for East. East's rows belong to customers A (orders 100 and 50) and B (order 200) only. You add COUNT({INCLUDE [Customer] : SUM([Sales])}) to the view. What does the East mark display?

A. 2

B. 3

C. 150

D. 350

Question 44. A dashboard contains a Web Page object showing a generic landing page. Clicking a store mark on a map must load THAT store's page INSIDE this dashboard object (not in a separate browser window). How do you configure the URL action?

A. Place a Navigation button on top of the Web Page object

B. URL actions always open an external browser; this cannot be done

C. Create a URL action on the map sheet, insert the Store ID field into the URL, and set the URL Target to the Web Page object on the dashboard

D. Use a filter action pointing at the web page - URLs follow filters automatically

Question 45. A view shows COUNTD([Customer]) by Region: East 40, West 35, South 30. The row grand total shows 70 - noticeably LESS than 40 + 35 + 30 = 105. Which explanation is correct?

A. Some customers purchased in multiple regions; the grand total recomputes COUNTD across ALL rows, removing the duplicate customers

B. Context filters are subtracting hidden customers from the total only

C. Grand totals always display the MEDIAN of the region values

D. The grand total is broken and should be recalculated

Question 46. A 200-million-row extract refreshes incrementally each night using [Order Date] as the column that identifies NEW rows. Accounting discovers several hundred historical orders were CORRECTED last week (values changed, dates unchanged), but the extract still shows the old values even though the refresh runs green. Why - and what fixes it?

A. Extracts are read-only archives and can never reflect corrections

B. An incremental refresh only APPENDS rows newer than the stored maximum for that column; corrections to existing rows are never re-read - run a FULL refresh to backfill the changes

C. The [Order Date] column must be replaced with a string key

D. The incremental refresh is silently failing every night; check the network

Question 47. A workbook has 12 worksheets that must share identical fonts, shading, borders, and tooltip formatting already perfected on one sheet. What is the fastest way to replicate the formatting to the other sheets?

A. Export the workbook and hand-edit the XML

B. On the formatted sheet choose Worksheet -> Copy -> Formatting, then select each target sheet and choose Worksheet -> Paste > Formatting

C. Duplicate the formatted sheet 12 times and rebuild the chart content on each copy

D. Rebuild each sheet manually with the same format options

Question 48. [BUILD LIST] Give dashboard users a control that shows the Top N products by sales, where N is chosen by the user. Arrange the steps in the correct order.

A. Place the calculated field on the Filters shelf, keep True, and edit its table calculation so it computes across Product correctly

B. Create an integer parameter named Top N (range 5-20, current value 10) and show its parameter control

C. Create the calculated field RANK(SUM([Sales]), 'desc') <= [Top N]

D. Confirm that changing the parameter re-slices the chart to the chosen number of products

Write the correct sequence of letters, e.g., B-D-C-A.

Question 49. A published extract was originally created in Desktop as a FULL-refresh-only extract (no incremental column was ever defined). The data has grown, and the team now wants nightly INCREMENTAL refreshes on Tableau Cloud. What is required?

A. Nothing - all extracts are incremental by default

B. Switch the schedule from hourly to daily - frequency makes it incremental

C. Simply check 'Incremental' on the existing Cloud schedule

D. In Desktop, edit the extract to define the incremental refresh and the column that identifies new rows, then republish; the schedule can then run incrementally

Question 50. Users must be able to set a Sales-Quota parameter to ANY value from 0 to 1,000,000 in steps of 10,000, either by typing or with a slider. Which Allowable Values configuration is required?

A. List - with every multiple of 10,000 entered manually

B. List populated from a field, refreshed when the workbook opens

C. All - because it accepts any typed value

D. Range - minimum 0, maximum 1,000,000, step size 10,000

Question 51. A Tableau Prep flow pivots a marketing spreadsheet's month columns (Jan-2024, Feb-2024, ...) into rows. Next month a NEW column, Mar-2025, will appear in the file, and the pivot must automatically include it WITHOUT editing the flow. How should the Pivot step be configured?

A. Convert the file to a union of monthly sheets

B. Manually drag every month field into the pivot each time the file changes

C. Use 'Wildcard Search to Pivot' with a pattern matching the month columns, so future matching columns pivot automatically

D. Build the pivot as a join instead

Question 52. The view contains [Region] on Rows, and you write: IF [Region] = 'East' THEN SUM([Sales]) END. Tableau rejects it with 'Cannot mix aggregate and non-aggregate arguments'. What is the minimal correct fix that keeps the intended behavior?

A. {FIXED [Region] : IF [Region] = 'East' THEN SUM([Sales]) END}

B. IF [Region] = 'East' THEN [Sales] END

C. Wrap the whole test in ISNULL()

D. IF ATTR([Region]) = 'East' THEN SUM([Sales]) END

Question 53. Three charts sit in a vertical layout container on a dashboard, but their heights drift - one always looks taller. You want the three to be perfectly equal in height AND to stay equal on every screen. What should you do?

A. Resize each chart manually until the heights match, then publish

B. Select the container and choose 'Distribute Contents Evenly'

C. Switch the charts to floating so pixel heights can be locked

D. Add Blank objects of fixed height between the charts

Question 54. A workbook has 14 helper worksheets that feed two polished dashboards. When publishing with 'Show Sheets as Tabs', viewers see all 14 raw sheets among the tabs. You want only the dashboards visible, WITHOUT breaking the dashboards that use those sheets. What should you do before publishing?

A. Move the helper sheets to a different workbook

B. Hide the sheets using a data source filter

C. Right-click each helper sheet's tab and choose Hide Sheet - hidden sheets keep feeding dashboards but never appear to viewers

D. Delete the helper sheets after building the dashboards

Question 55. You blend a primary Orders source ([Region]) with a secondary Targets source whose matching field is named [Territory] - same values, different name. Dragging any secondary measure returns * (no relationship) on every mark. How do you make the blend match Region to Territory?

A. Rename the file that holds the secondary source

B. Data menu -> Edit Blend Relationships, and add a custom relationship pairing [Region] with [Territory]

C. Union the two sources on the odd field names

D. Drag Territory next to Region on the Rows shelf

Question 56. What does DATEDIFF('day', #2024-03-10#, #2024-03-01#) return?

A. 9

B. NULL - start date after end date is an error

C. 10

D. -9

Question 57. A quick filter lists 9,000 customer names. Analysts must type-search names AND avoid a long freeze: the dashboard should not re-query on every single tick. Which quick-filter settings give them both?

A. Move the filter into context so it queries faster

B. Show the Search Box and enable the Apply button on the filter card (customize options)

C. Make the filter single-value (dropdown)

D. Switch the filter to wildcard-match only, with no list at all

Question 58. You create a union of 12 identically structured monthly CSV files, then discover each file's REGION is encoded only in its file name (e.g., Sales_East_Jan.csv), not in any column. How do you get a usable Region field for the views?

A. It is impossible - edit all 12 files by hand first

B. Convert the union into a cross-database join

C. Use the union's generated 'Table Name' (or 'File Path') field in a calculated field that parses out the region token, e.g. with SPLIT

D. Re-run the union with 'Merge mismatched fields' ticked

Question 59. On a scatter of products, every mark must color green when its total profit exceeds a user-set [Profit Target] parameter and red otherwise. Which calculated field is VALID for this color-encoding?

A. IF {SUM([Profit])} > [Profit Target] THEN 'Above target' ELSE 'Below target' END

B. IF [Profit Target] > SUM([Profit]) THEN 'Above target' END

C. COLOR(SUM([Profit]), [Profit Target])

D. IF SUM([Profit]) > [Profit Target] THEN 'Above target' ELSE 'Below target' END

Question 60. You must replicate the 'Percent Difference From, relative to Previous' quick table calculation as a hand-written calculation (to reuse inside a KPI string). MONTH is on the axis, computing Table (across). Which expression matches it EXACTLY?

A. (SUM([Sales]) - LOOKUP(SUM([Sales]), 1)) / ABS(LOOKUP(SUM([Sales]), 1))

B. (SUM([Sales]) - LOOKUP(SUM([Sales]), -1)) / ABS(LOOKUP(SUM([Sales]), -1))

C. (SUM([Sales]) - LOOKUP(SUM([Sales]), -1)) / SUM([Sales])

D. RUNNING_SUM(SUM([Sales])) / SUM([Sales])

ANSWER SHEET (for self-marking)

Record your answers here while taking the exam, then check against advanced-answers2.pdf.

Q1		Q13		Q25		Q37		Q49	
Q2		Q14		Q26		Q38		Q50	
Q3		Q15		Q27		Q39		Q51	
Q4		Q16		Q28		Q40		Q52	
Q5		Q17		Q29		Q41		Q53	
Q6		Q18		Q30		Q42		Q54	
Q7		Q19		Q31		Q43		Q55	
Q8		Q20		Q32		Q44		Q56	
Q9		Q21		Q33		Q45		Q57	
Q10		Q22		Q34		Q46		Q58	
Q11		Q23		Q35		Q47		Q59	
Q12		Q24		Q36		Q48		Q60	

Score: ____ / 60 = ____ % | Passing the REAL exam takes 39/60 (65%). On this harder set, 39+ means you are comfortably on track; 45+ means you are exam-ready. Review every explanation in the answer key - especially for questions you guessed correctly.