SALESFORCE CERTIFIED TABLEAU DATA ANALYST

(ANALYTICS-DA-201 - current MCQ-only format, tested on 2024.2)

PRACTICE EXAM - KIMI4 - 60 REALISTIC QUESTIONS

Questions	60 scored (the real exam adds 5 unscored pilot questions)
Time limit	105 minutes (~90 seconds per question)
Passing score	65% = 39 / 60 correct
Formats	Multiple choice (one answer) and [SELECT TWO/THREE] multi-select
Multi-select scoring	No partial credit - every required option must be exact
Rules	No notes, no Tableau, no internet. Flag and revisit - the real exam allows it.

About this paper: unlike your advanced LOD-heavy tiers, kimi4 mirrors the REAL exam's shape and official weightings - Domain 1: 14 questions (24%), Domain 2: 25 (41%), Domain 3: 16 (26%), Domain 4: 5 (9%). Questions are business-scenario styled like the live exam, with a handful of calculation traces seeded through Domain 2. All questions are new - none repeat your earlier papers (advanced 1-4, kimi 1-3, glm, deepseek, cheat-sheet, calculations drill).

Answer every question - unanswered scores zero. The answer key (kimi4-answers.pdf) is in the Answers folder; do not open it until you finish.

DOMAIN 1 - CONNECT TO AND TRANSFORM DATA (Q1-Q14, 24%)

Exam objectives 1.1-1.4: connections, live vs extract, data prep, Tableau Prep, field customization.

Q1. You are handed a .json file of nested order records (orders containing arrays of line items). What happens when you connect to this file in Tableau Desktop, and what must you decide?

A. Tableau shows the Select Schema Levels dialog, where you choose which levels of the JSON hierarchy to flatten into a tabular structure
B. JSON is unsupported - it must be converted to CSV first
C. JSON can only be opened in Tableau Prep, never in Desktop
D. Tableau requires Custom SQL to read the nested arrays

Q2. A workbook built on a live company database must be emailed to an external consultant who has no access to your network. Which file should you send so it opens with data intact?

A. The .twb workbook file - it already contains everything
B. Ask them to connect live to your database over the internet
C. A packaged workbook (.twbx), after switching the connection to an extract so the data travels inside the package
D. A published workbook link they cannot reach, plus the password

Q3. Dashboards query a warehouse that performs nightly maintenance from 01:00-05:00, and queries are also slow during business hours. Stakeholders open the dashboards at all hours and only need data as of the previous night. Which connection strategy fits best?

A. Live connection with connection retry enabled
B. An extract that refreshes once nightly just before the maintenance window
C. Custom SQL with a faster WHERE clause on the live warehouse
D. A data blend against a spreadsheet copy of the same data

Q4. A Promotions table has one row per product per promotion window ([Start Date], [End Date]). Each order must pick up the promotion that was active ON its order date - a range match, not an equality match. Which physical-join capability makes this possible?

A. Relationships, which are the only structures that support range conditions
B. A union on the two tables
C. Data blending on product
D. Join clauses support comparison operators such as less-than-or-equal and greater-than-or-equal (plus not-equal), so you can join on Order Date between the window bounds

Q5. You blend Orders (primary) with a Forecasts data source (secondary) that also contains [Region], but the forecast values refuse to relate by region - each region's mark shows one repeated grand forecast. Nothing is wrong with the field names. What is the most likely fix?

A. Rename the field in the secondary source
B. Click the chain-link icon next to [Region] in the secondary source so the blend relationship on that field is activated for this view
C. Union the two sources
D. Pivot the secondary source

Q6. [SELECT TWO] Before blending a new customer file you open the data profile / data grid to assess its quality. Which TWO profile-pane signals directly reveal data-quality problems?

A. The percentage of NULL values shown for each field
B. The distribution / count of distinct values per field (e.g., the same country spelled four ways appearing as separate bars)
C. The average query response time of each field
D. The list of projects the field is published in

Q7. In Tableau Prep, a customer Email column must be validated so rows with malformed addresses (no @, invalid domain) can be caught and filtered. Which built-in feature flags these invalid email formats automatically?

A. Data Interpreter
B. A wildcard union
C. Assign the Email data role to the field; invalid values are flagged (and can then be filtered or corrected)
D. An Aggregate step grouped by Email

Q8. A legacy SKU column arrives in Tableau Prep as values like "AB-123#" and "CD_456!". Marketing codes require the symbols stripped out, keeping letters and digits only. Which quick-clean operation does this in one click?

A. Clean step: Remove Punctuation
B. Pivot the column into rows
C. Group Values using Spelling
D. Aggregate step with COUNTD

Q9. A governed data source exposes 200 fields and analysts keep losing the measures. You want the Data pane to display fields grouped into named folders you design (e.g., Sales KPIs, Dates, Geography). What should you do?

A. Create hierarchies for every pair of fields
B. Convert all fields to sets
C. Create a combined field of everything
D. Switch the Data pane's grouping off the default 'group by data source table', then use Create Folder and drag fields into named folders

Q10. A regional report must always list the regions in the business order East, West, Central, South in EVERY new view, without re-sorting each time. What is the right configuration?

A. Create an alias for each region

B. Right-click Region > Default Properties > Sort, and set a Manual sort order

C. Add a quick filter fixed to that order

D. Add Region to context

Q11. After adding a Join step in Tableau Prep, you quickly need to confirm how many rows matched, how many were excluded from the left side, and adjust the clauses. Where in the Prep interface is this summary visible?

A. The Join clause / join-type pane of the Join step, which summarizes matched and unmatched row counts per join clause

B. Only in the final output file after running

C. The Changes pane

D. The Flow Navigator

Q12. [SELECT TWO] Two tables currently modeled with a RELATIONSHIP in the logical layer are converted into a physical INNER JOIN instead. Which TWO consequences should you warn the team about?

A. Aggregations automatically become more accurate

B. The join materializes one merged row-level table, regardless of which fields any given viz uses

C. Mark layers stop working on maps

D. A one-to-many match can duplicate rows and inflate measures such as SUM([Shipping Cost]) on the 'one' side

Q13. A colleague emails you a single .hyper extract file (no workbook). What is the way to analyze its contents in Tableau Desktop?

A. Re-run the Tableau Prep flow that made it

B. Open Tableau Server and search for it

C. Connect pane > To a File > More..., and select the .hyper file as the data source

D. Import it into Excel first

Q14. You connect to a CSV exported by a European system: fields use semicolons as separators and numbers use comma decimals. Tableau mis-reads the columns. Where do you fix this?

A. Enable Data Interpreter

B. Pivot the columns to rows

C. Reconnect with Custom SQL

D. Open the file's Text File Properties (on the data source page) and set the field separator / character set / locale so the values parse correctly

DOMAIN 2 - EXPLORE AND ANALYZE DATA (Q15-Q39, 41%)

Exam objectives 2.1-2.8: calculations, LODs, table calcs, filters, parameters, sets/bins/groups, maps, Analytics pane. Trace numbers with your pen before reading the options.

Q15. Monthly SUM(Sales) for 2024: Jan 5, Feb 10, Mar 15. You apply the Year to Date Total quick table calculation, computing Table (across). What value does the March mark show, and what would January of the NEXT year show once 2025 data appears?

A. 15; it restarts from January 2025's own value because YTD restarts each year
B. 40; it keeps accumulating forever
C. 30; it restarts from January 2025's own value because YTD restarts each year
D. 10; YTD always shows the largest month

Q16. Monthly sales: January 50, February 30. A Difference From quick table calculation is computed Table (across), Relative to Previous. What does February display?

A. +20
B. -20
C. 60%
D. -40%

Q17. Monthly SUM(Sales), Table (across): Jan 10, Feb 20, Mar 30, Apr 40. You compute WINDOW_SUM(SUM([Sales]), -2, 0). What does March display?

A. 60
B. 20
C. 90
D. 30

Q18. In the same monthly view (Jan 10, Feb 20, Mar 30), you add LOOKUP(SUM([Sales]), 1), computed Table (across). What does the LAST month (March) display?

A. 30
B. 20
C. NULL - the offset points one mark forward and no mark exists after March
D. It returns an error

Q19. Four marks show SUM(Sales): 30, 10, 50, 20 (Table across). What does RUNNING_MAX(SUM([Sales])) display on the fourth mark?

A. 20
B. 50
C. 40
D. 30

Q20. A crosstab shows Region on Rows and MONTH(Order Date) on Columns with a Percent of Total quick table calculation on SUM(Sales). Leadership needs each MONTH COLUMN to total 100% across the regions. Which addressing achieves this?

A. Compute Using Table (across)
B. Compute Using Pane (across)
C. Compute Using Cell
D. Compute Using Table (down) - i.e., address along Region

Q21. A view shows one mark per State; [Region] is NOT in the view. Each state belongs to exactly one region. You add {INCLUDE [Region] : SUM([Sales])} to a mark. What does it display on the Texas mark?

A. The total for Texas's entire region

B. Texas's own total - INCLUDE can only add a FINER grain than the view, and each state already maps to one region, so the computation happens at State grain

C. The grand total of all regions

D. An error - the dimension is not in the view

Q22. Region East has two cities: Boston (sales 100) and Austin (sales 200). A view at Region-and-City grain shows {EXCLUDE [City] : SUM([Sales])} = 300 for each East city row. A filter keeping only City = Boston is added to CONTEXT. What do the Boston rows now show?

A. 300 - EXCLUDE ignores context filters

B. 0 - excluding a hidden city empties the result

C. 100 - all LOD types are computed AFTER context filters, so only the Boston rows remain inside the region-level computation

D. NULL

Q23. Retention reporting must label every order "New" (placed in the customer's first purchase year) or "Repeat". Which calculated field is correct?

A. IF YEAR([Order Date]) = YEAR({FIXED [Customer ID] : MIN([Order Date])}) THEN "New" ELSE "Repeat" END

B. IF YEAR([Order Date]) = YEAR({FIXED [Customer ID] : MAX([Order Date])}) THEN "New" ELSE "Repeat" END

C. IF YEAR([Order Date]) = YEAR(MIN([Order Date])) THEN "New" ELSE "Repeat" END

D. IF [Order Date] = FIRST() THEN "New" END

Q24. [SELECT TWO] Which TWO calculations are FIXED LODs that can legitimately be converted to DIMENSIONS (usable as headers / grouping fields)?

A. {FIXED [Customer ID] : MIN([Order Date])} - each customer's first order date

B. YEAR({FIXED [Customer ID] : MIN([Order Date])}) - each customer's cohort year

C. {SUM([Sales])} - company grand total

D. RANK(SUM([Sales])) - each product's sales rank

Q25. SLA reporting needs the 95th-percentile page load time across all rows of the data set. Which expression returns it?

A. MEDIAN([Load Time]) + 0.95

B. MAX([Load Time]) * 0.95

C. QUANTILE([Load Time]) * 95

D. PERCENTILE([Load Time], 0.95)

Q26. An analyst wants to calculate, inside a table calculation, where each month's actual sales sit within the distribution predicted from the data (e.g., 'what percentile of the predicted distribution is this month's value?'). Which function pair supports predictive modeling calculations like this?

A. WINDOW_SUM and RUNNING_SUM

B. MODEL_QUANTILE and MODEL_PERCENTILE

C. SCRIPT_REAL and SCRIPT_STR only

D. The trend-line and forecast drag-and-drop from the Analytics pane are the only prediction tools

Q27. A sales dashboard must always show just the most recent 90 days, and the window must slide forward every day without anyone editing the filter. Which filter configuration does this?

A. A Condition filter by formula on [Order Date]
B. A Wildcard filter on [Order Date]
C. A relative-date filter: 'Last 90 days', anchored to today
D. A Top N filter on [Order Date]

Q28. A product chart must show only products whose TOTAL sales fall between 100,000 and 500,000 inclusive. How do you configure this?

A. Two context filters, one for each boundary
B. Create bins on Sales
C. Two separate quick filters intersected manually
D. Drag SUM(Sales) to Filters and set the measure filter's Range of values from 100,000 to 500,000

Q29. One Segment quick filter currently drives only the sheet it was created on. It needs to drive every other worksheet in the same workbook that uses the same data source. What is the menu choice?

A. Right-click the filter > Apply to Worksheets > All Using This Data Source
B. Right-click the filter > Apply to Worksheets > Only This Worksheet
C. Add the filter to context
D. Rebuild the filter from scratch on each sheet

Q30. Finance wants a chart of the five LEAST profitable customers by average profit. Where is 'Bottom 5' configured?

A. Sort ascending and manually hide all rows after the fifth
B. The Customer dimension filter's Top tab: choose Bottom, 5, By field: Profit with Average
C. An INDEX() filter
D. A set built from the bottom members by selection

Q31. A category filter dialog must keep only categories whose company-wide sales exceed 100,000 - membership must be rule-based, not hand-picked. Which tab and setting?

A. General tab, ticking the big categories
B. Wildcard tab, Contains '100000'
C. A measure filter on COUNT of rows
D. Condition tab, By field: Sales with Sum Greater than 100,000

Q32. Ages range from 22 to 76. You create a bin field on [Age] with size 10. How many bin labels does the view produce?

A. 5
B. 6
C. 7
D. 55

Q33. A return-code field starts with "RET-" on every returned item (e.g., RET-9931). Which expression is the purpose-built test for rows whose code BEGINS with that prefix?

A. CONTAINS([Code], "RET-")
B. STARTSWITH([Code], "RET-")
C. MID([Code], 1, 4) = "RET-"
D. LEN([Code]) > 4

Q34. What does DATEADD('week', 3, #2024-12-20#) return?

A. An error - year rollover is not supported
B. #2024-12-23#
C. #2025-01-03#
D. #2025-01-10#

Q35. Which Show Me chart type shows intensity across the intersection of TWO categorical dimensions as a grid of colored squares - and is NOT a geographic map?

A. Heat map
B. Density map
C. Filled map (choropleth)
D. Tree map

Q36. Order data has one row per order line. Customers: Amy (3 orders), Bo (1 order), Cy (2 orders). On a single overall mark, what does COUNTD(IF {FIXED [Customer ID] : COUNTD([Order ID])} > 1 THEN [Customer ID] END) return?

A. 1
B. 3
C. 2
D. 6

Q37. A text table lists Category, then Sub-Category on Rows, showing SUM(Sales). Stakeholders want a per-category subtotal line beneath each category's items (in addition to no grand total). Which menu does this?

A. Analytics pane > Reference Line per cell
B. Analysis > Totals > Add All Subtotals
C. Create a group on Category
D. Build a second sheet and stack them on a dashboard

Q38. A steady monthly series has one problem: the CURRENT month is only 12 days old, and the forecast engine treats that partial month as real history, skewing the projection. Which Forecast Options setting handles this cleanly?

A. Set 'Ignore last' to 1 time period, so the stub month is excluded from the model input
B. Convert the date to discrete
C. Remove the date filter entirely
D. Aggregate the date to years

Q39. A [Top Customers Set] exists on Customer ID. Management asks for the total sales contributed by set membership only, as a single KPI number. Which calculation is valid?

A. SUM(IF [Top Customers Set] THEN [Sales] END)
B. SUM([Top Customers Set])
C. IF [Sales] > [Top Customers Set] THEN [Sales] END
D. TOTAL([Top Customers Set])

DOMAIN 3 - CREATE CONTENT (Q40-Q55, 26%)

Exam objectives 3.1-3.4: charts, dashboards, stories, actions and interactivity, formatting, device layouts.

Q40. Every region's bar must stretch to the same full height, showing each segment's PROPORTION of that region (a 100% stacked bar). Which construction does this?

A. A LOD dividing by region totals, with bars colored by Segment
B. A pie chart per region
C. A stacked bar (Segment on Color) with SUM(Sales) converted to a Percent of Total quick table calculation computed down each bar (Table (down))
D. A dual-axis chart with synchronized axes

Q41. On a published executive dashboard, viewers must be able to download the dashboard as an image, PDF, or PowerPoint with one click. Which dashboard object provides those buttons?

A. An Extension object
B. The Download object
C. A Web Page object
D. An Image object

Q42. A filter action from a KPI sheet filters a detail sheet. Requirement: when the user clears their selection, the detail sheet must show NOTHING until something is selected again. Which 'Clearing the selection will' option is correct?

A. Show all values
B. Leave the filtered view
C. Exclude all values
D. There is no such setting

Q43. Selecting the West region in a summary chart should bold-outline ONLY the West bars in the detail chart - not every bar belonging to the same year or category. How is the highlight action scoped?

A. Run it as a URL action
B. Set Target Highlighting to All Fields
C. Convert it to a filter action
D. Set Target Highlighting to Selected Fields and pick Region

Q44. A floating filter panel takes up precious canvas on a mobile dashboard. You want a small corner button that toggles the panel's visibility with a single click, without any parameters. Which feature is built for this?

A. The Show/Hide button on a dashboard item
B. Dynamic zone visibility (requires a boolean field)
C. A navigation object
D. A blank object

Q45. [SELECT TWO] A dashboard is published to Tableau Cloud. Which TWO mechanisms let VIEWERS change a parameter's value on that dashboard?

A. A quick filter placed over the same field
B. Showing the parameter control on the dashboard
C. Editing the data source XML
D. A parameter action triggered by clicking marks

Q46. Across every sheet in the workbook, East must always render navy and West grey, even on sheets built next month. Where is that fixed once?

A. Create a workbook theme
B. Right-click Region > Default Properties > Color, and assign the member colors
C. Re-pick the colors on each sheet's Marks card
D. Lock the color legend on each sheet

Q47. Sales and Profit are both in dollars and SHOULD share one scale. You want two colored lines over one axis, not two separate axes. How do you build it?

A. Create a dual axis and synchronize
B. Build a scatter plot of the two measures
C. Wrap both in FIXED LODs
D. Drag the second measure onto the first measure's axis (combine the axes) - Measure Names then drives one line per measure on the shared scale

Q48. [SELECT TWO] Which TWO are legitimate tooltip capabilities in Tableau?

A. Inserting a whole worksheet so it renders inside the tooltip (Viz in Tooltip)
B. Triggering a live extract refresh when a user hovers
C. Inserting fields (including ATTR/aggregate fields) and fully styling the tooltip text
D. Running a dashboard filter action from inside a tooltip

Q49. A pie of category sales shows raw dollar labels; leadership wants each slice label to read as its percent of the whole instead. Quickest route?

A. Add an annotation with typed percentages
B. Write a FIXED LOD share calculation
C. Show mark labels
D. Place a second copy of SUM(Sales) with a Percent of Total quick table calculation onto Label

Q50. A dashboard text object must always read "Showing results for: [current Region parameter]" and update as users pick regions. How do you make the text dynamic?

A. Edit the Text object and use Insert > Parameters > Region parameter to embed the live value
B. Place the parameter on a Blank object
C. Annotations cannot help, so give up on text and build a sheet
D. Insert a legend object

Q51. While arranging objects precisely on a dashboard, you keep nudging items a few pixels off. How can you see and snap to a visual grid on the canvas?

A. Convert the dashboard to a story
B. Insert extra layout containers
C. Turn on the dashboard Grid option (Dashboard tab / View > Show Grid) and snap items to it
D. Device Preview

Q52. A Category quick filter feeding a Sub-Category quick filter displays sub-categories that yield empty views for the chosen category. How do you make the second filter list only valid members?

A. Show all values from the database
B. Set the Sub-Category quick filter to 'Only Relevant Values'
C. Put both filters into context
D. Convert both to wildcard filters

Q53. On a dense scatter where hovering any mark throws a big tooltip that obscures neighbors, you must disable tooltips on this one sheet entirely. Where?

A. Marks card > Tooltip, and uncheck Show Tooltips
B. Delete every field from the Tooltip card
C. Set the tooltip background to transparent
D. Turn off highlighting; tooltips follow it

Q54. A labeled scatter plot hides several labels because they collide. You accept overlaps here and want every label forced visible. What setting enables that?

A. Labels: Min/Max mode
B. Labels: Highlighted mode
C. Increase the font size
D. Mark Label options: check 'Allow labels to overlap other marks'

Q55. Stakeholders keep not realizing the overview bars are clickable filters. What is the built-in, exam-friendly way to add the instruction 'Click a bar to filter the detail charts' right on the dashboard?

A. A mark annotation
B. A Text object (or the sheet's caption/title) carrying the guiding sentence
C. A data-driven alert
D. A data quality warning

DOMAIN 4 - PUBLISH AND MANAGE CONTENT (Q56-Q60, 9%)

Exam objectives 4.1-4.3: publishing, scheduling, alerts, subscriptions, custom views, roles and permissions. Easy points - bank them.

Q56. On a project, the Edit capability for a workbook shows 'Unspecified' for Priya's role, and no group rule says Allow or Deny. What does Unspecified mean in effect?

A. It acts as Allow until an admin intervenes
B. It inherits Allow from the Guest user
C. It functions as Denied - a capability that is never explicitly allowed grants nothing
D. Tableau prompts Priya at every save attempt

Q57. [SELECT THREE] Which THREE formats can you directly export or print a dashboard/view to from Tableau Desktop or Server/Cloud?

A. Image (e.g., PNG)
B. PDF
C. PowerPoint
D. Tableau Prep flow (.tfl)
E. Hyper extract (.hyper)

Q58. You create a data-driven alert on a published view: email when daily revenue falls under 10,000. HOW OFTEN does Tableau evaluate the condition?

A. In real time, with a sub-second guarantee
B. Only when someone opens the view
C. Only monthly, hard-coded
D. On a frequency you choose when configuring the alert (for example whenever the data refreshes, or at most hourly/daily/weekly)

Q59. Priya saves a personalized set of filters as a custom view called 'Northeast Q4 focus', and wants the whole regional team to discover and reuse it on the same published dashboard. What determines whether others can see it?

A. Visibility setting when saving the custom view - it can be saved so it is visible to everyone or kept only for herself
B. Custom views are always shared automatically with the project
C. She must convert it into a subscription
D. She must republish the workbook with the view baked in

Q60. On Tableau Server, a published Prep flow must rebuild the sales table FIRST, and only if that succeeds should the dependent workbook extract refresh right after - same night, guaranteed order. What feature schedules this sequence?

A. A Linked Task chaining the flow task to the extract refresh task
B. Two unrelated schedules set to similar clock times
C. A subscription chain
D. An alert triggered on the flow

ANSWER SHEET (for self-marking)

Q1	_____	**Q13**	_____	**Q25**	_____	**Q37**	_____	**Q49**	_____
Q2	_____	**Q14**	_____	**Q26**	_____	**Q38**	_____	**Q50**	_____
Q3	_____	**Q15**	_____	**Q27**	_____	**Q39**	_____	**Q51**	_____
Q4	_____	**Q16**	_____	**Q28**	_____	**Q40**	_____	**Q52**	_____
Q5	_____	**Q17**	_____	**Q29**	_____	**Q41**	_____	**Q53**	_____
Q6	_____	**Q18**	_____	**Q30**	_____	**Q42**	_____	**Q54**	_____
Q7	_____	**Q19**	_____	**Q31**	_____	**Q43**	_____	**Q55**	_____
Q8	_____	**Q20**	_____	**Q32**	_____	**Q44**	_____	**Q56**	_____
Q9	_____	**Q21**	_____	**Q33**	_____	**Q45**	_____	**Q57**	_____
Q10	_____	**Q22**	_____	**Q34**	_____	**Q46**	_____	**Q58**	_____
Q11	_____	**Q23**	_____	**Q35**	_____	**Q47**	_____	**Q59**	_____
Q12	_____	**Q24**	_____	**Q36**	_____	**Q48**	_____	**Q60**	_____

Score: ____ ***/ 60*** | Real exam pass line: 39 (65%). Band yourself: 45+ very likely pass ready; 39-44 borderline - review every explanation, especially the Domain 2 traces; below 39 - revisit the study guide sections for your two weakest domains.