SALESFORCE CERTIFIED | ANALYTICS-DA-201

Tableau Data Analyst Practice Examination

DeepSeek 2 | Challenging scenario paper

Exam code	Analytics-DA-201 (formerly TDA-C01)
Format	65 multiple-choice and multiple-select questions
Time limit	105 minutes (about 1.6 minutes per question)
Passing score	65% (published passing threshold)
Product version	Tableau 2024.2
Question mix	58 single-answer + 7 multiple-select
Blueprint	14 / 30 / 16 / 5 questions across the four domains
Delivery	Closed book | no notes | no internet

Domain blueprint used for this paper

Domain	Official weight	Questions here	Share of paper
Connect to and Transform Data	24%	14	22%
Explore and Analyze Data	41%	30	46%
Create Content	26%	16	25%
Publish and Manage Content on Tableau Server and Cloud	9%	5	8%
Total	**100%**	**65**	**100%**

Deliberate emphasis: Domain 2 has 30 questions (46%) instead of the official 41%, for extra practice on LODs, calculations, table calculations, filters, and parameters. The other domains are 14 (22%), 16 (25%), and 5 (8%).

Before you start

- **Closed book.** Give yourself 105 uninterrupted minutes and do not use Tableau, notes, or the internet.
- **Answer every item.** There is no penalty for guessing. Flag uncertain items and return to them.
- **Read the select count.** Questions marked *Select two* or *Select three* have no partial credit; extra letters score as wrong.
- **Watch the wording.** 'Best', 'minimum', 'primarily', and 'regardless of filters' change the correct answer.
- **Use the answer sheet** on the next page so you can score yourself quickly against the separate answer key.

Independent study material aligned to the published Analytics-DA-201 objectives. Not an official Salesforce or Tableau exam; questions are not from a live exam. Behavior reflects Tableau 2024.2.

Answer Sheet

Write the letter of your answer. For multiple-select questions, write all required letters (for example, **A D**).

Q	Q	Q	Q	Q
1 _____	14 _____	27 _____	40 _____	53 _____
2 _____	15 _____	28 _____	41 _____	54 _____
3 _____	16 _____	29 _____	42 _____	55 _____
4 _____	17 _____	30 _____	43 _____	56 _____
5 _____	18 _____	31 _____	44 _____	57 _____
6 _____	19 _____	32 _____	45 _____	58 _____
7 _____	20 _____	33 _____	46 _____	59 _____
8 _____	21 _____	34 _____	47 _____	60 _____
9 _____	22 _____	35 _____	48 _____	61 _____
10 _____	23 _____	36 _____	49 _____	62 _____
11 _____	24 _____	37 _____	50 _____	63 _____
12 _____	25 _____	38 _____	51 _____	64 _____
13 _____	26 _____	39 _____	52 _____	65 _____

Scoring

One point per question. Multi-select items are all-or-nothing. Divide your score by 65. A score of 43/65 (66%) is just above the published passing threshold; aim for 52+ before booking the real exam. Record the domain of every missed question so you can target revision.

Domain 1 | Connect to and Transform Data

Official weight 24% | 14 questions in this paper (22%) | Questions 1-14

Data sources, live vs. extract, relationships, joins, unions, Tableau Prep, data quality, and field customization.

QUESTION 1 **SINGLE ANSWER**

A workbook uses one data source containing two logical tables: **Orders** (one row per order) and **Returns** (one or more rows per order). An analyst creates a physical join between the two tables and notices that `SUM([Sales])` is now higher than the value shown in the Orders table alone.

Which approach is the best fix while still allowing returns to be analyzed?

A. Change the join type from left to inner so unmatched rows are removed.

B. Remove the Returns table and blend it to Orders on Order ID.

C. Create an extract, because extracts automatically remove duplicate rows.

D. Keep the tables related in the logical layer and let Tableau aggregate at the level of detail required by each sheet.

QUESTION 2 **MULTIPLE SELECT | CHOOSE 2**

An analytics team is designing two dashboards.

- **Dashboard A** monitors live payment transactions and must reflect new events within seconds. The Snowflake source is sized for concurrent queries.
- **Dashboard B** analyzes five years of historical orders and must open quickly for field staff who sometimes work offline on planes.

Which two connection choices are appropriate? (Select two.)

A. Use an extract for Dashboard A.

B. Use a live connection for Dashboard A.

C. Use a live connection for Dashboard B.

D. Publish Dashboard B only as a CSV file.

E. Use an extract for Dashboard B.

QUESTION 3 **SINGLE ANSWER**

An Excel workbook contains a report title in rows 1-3, merged header cells, and a blank row before the actual data table. The analyst needs to use the data in Tableau as quickly as possible without editing the Excel file.

What should the analyst use?

A. Pivot

B. Data Interpreter

C. Split

D. Union

QUESTION 4 **SINGLE ANSWER**

Monthly sales are stored as 12 separate columns named `Jan_2024` through `Dec_2024`. The analyst needs one **Month** dimension and one **Sales** measure so the data can be charted as a time series.

Which transformation is required?

A. Split

B. Union

C. Join

D. Pivot

QUESTION 5 **SINGLE ANSWER**

Twelve CSV files, one for each month, share exactly the same column structure. The analyst needs a single table containing all months so a year-to-date trend can be built.

Which operation should be used?

A. Union the files.

B. Join the files on Month.

C. Create a relationship between the files.

D. Pivot the files.

QUESTION 6 **SINGLE ANSWER**

A published live data source is used by 30 workbooks. The governance team wants to exclude the **Internal Test** region for every workbook and every user, without editing each workbook.

Which filter should be applied?

A. A dimension filter on each worksheet.

B. A data source filter.

C. A context filter on each worksheet.

D. A table calculation filter.

QUESTION 7 **SINGLE ANSWER**

A Tableau Prep column contains the customer names `Catherine Jones`, `Katherine Jones`, and `Katharine Jones`. The analyst wants to group these as one customer using fuzzy matching based on how the names **sound**.

Which grouping method should be used?

A. Spelling

B. Pronunciation

C. Common Characters

D. Manual Selection

QUESTION 8 **MULTIPLE SELECT | CHOOSE 2**

A Tableau Prep flow cleans 4 million order rows. The output must serve two different consumers:

1. Forty analysts in Tableau Cloud need a governed, reusable connection with a scheduled refresh.
2. The finance team needs a plain text file for a Python model.

Which two output types should the flow produce? (Select two.)

A. .twbx packaged workbook

B. .tds file without data

C. Published data source

D. PDF

E. .csv file

QUESTION 9 **SINGLE ANSWER**

Region values are stored as `E`, `W`, `S`, and `N`. Users must see **East**, **West**, **South**, and **North**, but existing calculations must continue to use the original stored values.

What should the analyst create?

A. A group

B. A set

C. A calculated field that replaces the values

D. An alias

QUESTION 10 **SINGLE ANSWER**

A continuous Date field is converted to discrete by right-clicking the pill and choosing **Discrete**.

What is the primary effect?

A. The field's data type changes to string.

B. The date hierarchy is deleted.

C. The field is automatically aggregated with COUNT.

D. Values are displayed as separate headers or buckets rather than along a continuous axis.

QUESTION 11 **SINGLE ANSWER**

A workbook's worksheets use a development SQL Server database. The production database has an identical schema. The analyst must switch every sheet to production without rebuilding the worksheets.

What is the correct approach?

A. Edit the connection in every individual worksheet.

B. Create a new workbook and copy each sheet manually.

C. Use Data > Replace Data Source and map the old source to the new source.

D. Change the data type of every field.

QUESTION 12 **SINGLE ANSWER**

The **Customers** table has 500 rows and the **Orders** table has 2,000 rows. Every order has a valid CustomerID, and 50 customers have never placed an order. An analyst performs a **left join** with Customers as the left table and Orders as the right table, joining on CustomerID.

How many rows does the result contain?

A. 1,950

B. 2,050

C. 2,000

D. 2,500

QUESTION 13 **MULTIPLE SELECT | CHOOSE 2**

A customer file has 8% blank Email values and stores country as `USA`, `U.S.A.`, and `United States`.

Which two data-quality dimensions are primarily involved? (Select two.)

A. Completeness

B. Granularity

C. Consistency

D. Lineage

E. Latency

QUESTION 14 **SINGLE ANSWER**

A company maintains a certified published data source on Tableau Cloud with standard definitions, permissions, and row-level security. An analyst is building a new workbook in Tableau Desktop.

What should the analyst do to follow governance best practice?

A. Connect to the published data source.

B. Download the source's extract and connect to the local copy.

C. Recreate the calculations directly from the underlying table.

D. Publish the workbook to Tableau Public first.

Domain 2 | Explore and Analyze Data

Official weight 41% | 30 questions in this paper (46%) | Questions 15-44

Calculated fields, table calculations, LOD expressions, filters, parameters, sets, maps, and the Analytics pane. This paper deliberately emphasizes the calculation-heavy parts of this domain.

QUESTION 15 **SINGLE ANSWER**

Which calculation returns the **first day of the previous month** relative to today?

A. `DATEADD('day', -1, DATETRUNC('month', TODAY()))`

B. `DATEDIFF('month', -1, TODAY())`

C. `DATEPART('month', DATEADD('month', -1, TODAY()))`

D. `DATETRUNC('month', DATEADD('month', -1, TODAY()))`

QUESTION 16 **SINGLE ANSWER**

Order IDs have the format `ORD-2024-00457`. Which calculation returns only the final five characters, `00457`?

A. `LEFT([Order ID], 5)`

B. `MID([Order ID], 1, 5)`

C. `RIGHT([Order ID], 5)`

D. `FIND([Order ID], '-')`

QUESTION 17 **SINGLE ANSWER**

`Discount` is NULL for some rows. What does the following calculation return for those rows?

```
IF [Discount] > 0 THEN 'Discounted' ELSE 'Full Price' END
```

A. NULL

B. Discounted

C. Full Price

D. A syntax error

QUESTION 18 **SINGLE ANSWER**

What is the result of `INT(-9.7)`?

A. -10

B. 9

C. -9

D. -9.7

QUESTION 19 **SINGLE ANSWER**

Which calculation returns the number of **distinct customers** who placed at least one order?

A. `COUNT([Customer ID])`

B. `SUM([Customer ID])`

C. `COUNTD([Customer ID])`

D. `ATTR([Customer ID])`

QUESTION 20 **SINGLE ANSWER**

Each row contains latitude and longitude for a warehouse and for a store. Which calculation draws a line between the two locations?

A. `MAKELINE(MAKEPOINT([Warehouse Lat], [Warehouse Lon]), MAKEPOINT([Store Lat], [Store Lon]))`

B. `MAKEPOINT([Warehouse Lat], [Warehouse Lon])`

C. `DISTANCE(MAKEPOINT([Warehouse Lat], [Warehouse Lon]), MAKEPOINT([Store Lat], [Store Lon]))`

D. `BUFFER(MAKEPOINT([Warehouse Lat], [Warehouse Lon]), 10)`

QUESTION 21 **SINGLE ANSWER**

How many months does the following calculation return?

```
DATEDIFF('month', MAKEDATE(2024, 1, 31), MAKEDATE(2024, 3, 1))
```

A. 1

B. 2

C. 3

D. 0

QUESTION 22 **SINGLE ANSWER**

A view shows Category and `SUM(Sales)` and is filtered to `Region = West`. The analyst needs each category as a percentage of **total company sales across all regions**.

Which calculation is correct?

A. `SUM([Sales]) / TOTAL(SUM([Sales]))`

B. `SUM([Sales]) / SUM({FIXED [Region] : SUM([Sales])})`

C. `SUM([Sales]) / SUM({FIXED [Category] : SUM([Sales])})`

D. `SUM([Sales]) / SUM({FIXED : SUM([Sales])})`

QUESTION 23 **SINGLE ANSWER**

A view shows Region and `SUM(Sales)`. The analyst needs the **average total sales per customer** for each region.

Which calculation is correct?

A. `AVG({INCLUDE [Customer ID] : SUM([Sales])})`

B. `{EXCLUDE [Customer ID] : AVG([Sales])}`

C. `SUM([Sales]) / COUNT([Customer ID])`

D. `AVG([Sales])`

QUESTION 24 **SINGLE ANSWER**

What does the following nested LOD return?

```
{FIXED [Region] : MAX({FIXED [Region], [State] : SUM([Sales])})}
```

A. Total sales for each region, repeated on every row.

B. The highest state-level sales within each region, repeated for rows in that region.

C. The average state-level sales across all regions.

D. The sum of the maximum sales value in each state.

QUESTION 25 **SINGLE ANSWER**

Which expression returns **total company profit on every row**, regardless of the dimensions in the view?

A. `{SUM([Profit])}`

B. `SUM([Profit])`

C. `{FIXED [Region] : SUM([Profit])}`

D. `TOTAL(SUM([Profit]))`

QUESTION 26 **MULTIPLE SELECT | CHOOSE 2**

Which two filters reduce the data that a **FIXED** LOD expression sees? (Select two.)

A. Context filter

B. Data source filter

C. A quick dimension filter on the worksheet

D. A table calculation filter

E. A filter action from another sheet

QUESTION 27 **SINGLE ANSWER**

A view shows Region, Category, and `SUM(Sales)`. The analyst wants each category's share of **its own region's total**.

Which calculation is correct?

A. `SUM([Sales]) / SUM({INCLUDE [Category] : SUM([Sales])})`

B. `SUM([Sales]) / SUM({FIXED [Category] : SUM([Sales])})`

C. `SUM([Sales]) / SUM({EXCLUDE [Category] : SUM([Sales])})`

D. `SUM([Sales]) / TOTAL(SUM([Sales]))`

QUESTION 28 **SINGLE ANSWER**

Which calculated field is valid in Tableau?

A. `[Sales] / {FIXED [Region] : SUM([Sales])}`

B. `SUM([Sales]) / {FIXED [Region] : SUM([Sales])}`

C. `SUM([Sales]) / [Sales]`

D. `{FIXED [Region] : [Sales]} / SUM([Sales])`

QUESTION 29 **SINGLE ANSWER**

A FIXED LOD `{FIXED [Customer ID] : SUM([Sales])}` is used in a view. The analyst then filters `Customer ID` to the top 100 customers by sales.

Which statement is true?

A. The LOD values are recalculated using only the top 100 customers.

B. The filter is ignored because LODs override all filters.

C. The LOD returns NULL for customers outside the top 100.

D. The LOD values are computed before the dimension filter, so each customer keeps lifetime sales; the filter only limits which customers are displayed.

QUESTION 30 **SINGLE ANSWER**

An analyst wants a running total of sales by month that **restarts each year**. The view has Year and Month on Columns and `SUM(Sales)` on Rows.

Which table calculation configuration is correct?

A. Compute Using = Table (across), with no partition.

B. Address the calculation by Month and partition by Year.

C. Address the calculation by Year and partition by Month.

D. Replace the running total with `SUM([Sales])` and add a Year quick filter.

QUESTION 31 **SINGLE ANSWER**

A bar chart shows product sales with a **Percent of Total** table calculation. When the analyst filters out two products, the remaining bars' percentages increase. The business wants the percentages to remain based on **all products**, even when some are hidden.

What is the best fix?

A. Replace the table calculation with `SUM([Sales]) / SUM({FIXED : SUM([Sales])})`.

B. Add the product filter to context.

C. Change the table calculation to Running Total.

D. Convert the filter to a table calculation filter.

QUESTION 32 **SINGLE ANSWER**

Sales values are 500, 400, 400, and 300. Which function returns the ranks **1, 2, 2, 3**?

A. `RANK`

B. `RANK_UNIQUE`

C. `INDEX`

D. `RANK_DENSE`

QUESTION 33 **SINGLE ANSWER**

Which calculation gives a **3-month moving average** that includes the current month and the two prior months?

A. `WINDOW_AVG(SUM([Sales]), -1, 1)`

B. `WINDOW_AVG(SUM([Sales]), -2, 0)`

C. `WINDOW_AVG(SUM([Sales]), 0, 2)`

D. `RUNNING_SUM(SUM([Sales])) / 3`

QUESTION 34 **SINGLE ANSWER**

Which calculation returns **month-over-month percent change** in sales?

A. `SUM([Sales]) - LOOKUP(SUM([Sales]), 1)`

B. `RUNNING_SUM(SUM([Sales])) / TOTAL(SUM([Sales]))`

C. `(SUM([Sales]) - LOOKUP(SUM([Sales]), -1)) / SUM([Sales])`

D. `(SUM([Sales]) - LOOKUP(SUM([Sales]), -1)) / LOOKUP(SUM([Sales]), -1)`

QUESTION 35 **SINGLE ANSWER**

An analyst needs the **top 10 products by sales within each category**. The view contains Category and Product, with a Top 10 filter on Product. Currently the view returns the overall top 10 products rather than 10 per category.

What should the analyst do?

A. Change the Top 10 filter to Top 10 by Category.

B. Add Category to context before the Top 10 filter.

C. Convert Product to a measure.

D. Replace the Top 10 filter with a table calculation filter.

QUESTION 36 **SINGLE ANSWER**

Users must be able to move a **target profit line** on a chart by typing a value into a control.

What is the correct approach?

A. Create a filter and let users select the target value.

B. Create a parameter, show the parameter control, and add a reference line whose value is the parameter.

C. Create a set action from the chart.

D. Hard-code the target in a calculated field.

QUESTION 37 **SINGLE ANSWER**

A parameter `[Top N]` lets users choose 5, 10, or 20. What is required to filter the view to the top N products?

A. Drag the parameter directly to Filters and choose Top N.

B. Place the parameter on the Rows shelf.

C. Create a calculated field such as `RANK(SUM([Sales])) <= [Top N]` and filter it to True.

D. Create bins from the parameter.

QUESTION 38 **SINGLE ANSWER**

An analyst wants users to change the **bin size** of a histogram with a parameter. Which approach works?

A. Drag the parameter onto the Rows shelf.

B. Create a numeric parameter and a calculated field `INT([Sales] / [Bin Size]) * [Bin Size]`, then use the calculated field as a dimension.

C. Create a set from the parameter.

D. Tableau automatically links parameters to the bin size in the Create Bins dialog.

QUESTION 39 **MULTIPLE SELECT | CHOOSE 2**

Which two statements about groups and sets are true? (Select two.)

A. A set permanently changes the underlying data source.

B. A group combines dimension members into a new member within the same field and can be created by selecting marks.

C. A group can contain only numeric measures.

D. A set defines a subset of members and can be dynamic, such as the top N customers by a measure.

E. A set and a group are the same object with different names.

QUESTION 40 **SINGLE ANSWER**

Which combination is required before Tableau can add a forecast to a view?

A. At least one date field and at least one measure.

B. Two dimensions and one measure.

C. A table calculation and a parameter.

D. A geographic field and a measure.

QUESTION 41 **SINGLE ANSWER**

A scatter plot is split by Region. The analyst wants a **separate trend line for each region** rather than one line for all data.

What should the analyst do?

A. Convert Region to a measure.

B. Add a reference band.

C. Add the trend line, then edit it and set the model to per pane.

D. Create a dual axis.

QUESTION 42 **SINGLE ANSWER**

An analyst wants to shade the acceptable range of **80% to 120% of target** behind a line chart. Which Analytics pane object should be used?

A. Reference line

B. Distribution band

C. Reference band

D. Box plot

QUESTION 43 **SINGLE ANSWER**

Which map type shades each **state polygon** according to `SUM(Sales)`?

A. Symbol map

B. Density map

C. Filled (choropleth) map

D. Heat map

QUESTION 44 **SINGLE ANSWER**

An analyst has a filled state map and wants to overlay **city-level circles sized by sales** without replacing the state shading.

What should the analyst use?

A. Change the mark type to Pie.

B. Create a dual axis with a second map.

C. Add a reference line.

D. Add a Marks Layer and place the city and sales fields on the new layer.

Domain 3 | Create Content

Official weight 26% | 16 questions in this paper (25%) | Questions 45-60

Chart construction, sorting, dashboards, stories, interactivity, formatting, and responsive device layouts.

QUESTION 45 **SINGLE ANSWER**

Which chart type best shows the **distribution of order values across ranges**?

A. Histogram

B. Line chart

C. Pie chart

D. Gantt chart

QUESTION 46 **SINGLE ANSWER**

An analyst needs monthly **Sales as bars** and **Profit Margin % as a line** on the same chart, with two independent y-axes.

What should the analyst create?

A. Place both measures on the same axis; Tableau automatically creates a secondary axis.

B. Use Measure Names and Measure Values, which always creates dual axes.

C. Use a combined axis chart and then right-click Synchronize.

D. Place both measures on Rows, use Dual Axis, and leave the axes independent.

QUESTION 47 **SINGLE ANSWER**

To build a pie chart showing each category's share of sales, where should the fields be placed?

A. Category on Angle, `SUM(Sales)` on Text.

B. Category on Rows, `SUM(Sales)` on Columns.

C. `SUM(Sales)` on Detail, Category on Tooltip.

D. Category on Color, `SUM(Sales)` on Angle.

QUESTION 48 **SINGLE ANSWER**

An analyst wants products sorted by a **Target** field that is not currently in the view. What should the analyst do?

A. Right-click Product > Sort > By Field, then choose Target and its aggregation.

B. Drag Target to Rows so it becomes visible.

C. Use a table calculation filter on Target.

D. Create a group from Target.

QUESTION 49 **MULTIPLE SELECT | CHOOSE 2**

A dashboard has a map of regions and a bar chart of products. Select the two actions needed so that:

1. Clicking a region **filters** the bar chart.
2. Hovering a region **highlights** related marks without removing the others.

(Select two.)

A. A parameter action from the map to the bar chart.

B. A URL action from the map to the bar chart.

C. A filter action from the map to the bar chart.

D. A highlight action from the map to the bar chart.

E. A set action that removes non-selected regions.

QUESTION 50 **SINGLE ANSWER**

A designer wants a **Details** container to appear only when a parameter `[Show Details]` is set to `Yes`.

Which feature should be used?

A. A filter action.

B. Dynamic zone visibility controlled by a boolean calculation or parameter.

C. A story point.

D. A dashboard subscription.

QUESTION 51 **SINGLE ANSWER**

Clicking a KPI mark should update a parameter that controls which measure the dashboard displays.

Which action type should be used?

A. Set action

B. Filter action

C. Parameter action

D. URL action

QUESTION 52 **SINGLE ANSWER**

Users should click customers in a scatter plot to add them to an **In** set, and another sheet should compare In versus Out.

Which action type should be used?

A. Set action

B. Parameter action

C. Highlight action

D. Navigation action

QUESTION 53 **SINGLE ANSWER**

A designer needs a logo and a KPI callout to **overlap the top-right corner** of a chart at exact coordinates.

Which layout approach should be used?

A. Tiled containers only.

B. Device preview.

C. Floating objects positioned manually.

D. Story points.

QUESTION 54 **SINGLE ANSWER**

A dashboard must be usable on phones with a different arrangement than on desktop. What should the designer configure?

A. A separate workbook for every phone model.

B. Automatic sizing only, with no device layout.

C. Device-specific layouts in the Device Designer for phone and tablet.

D. A filter action on the phone.

QUESTION 55 **SINGLE ANSWER**

An analyst wants a small trend chart to appear when a user hovers over a state on a map.

Which feature should be used?

A. Viz in Tooltip

B. Reference band

C. Annotation

D. Dynamic zone visibility

QUESTION 56 **SINGLE ANSWER**

An analyst wants to attach a text note and a line to a **specific spike mark** to explain a one-time promotion.

Which annotation type should be used?

A. Point annotation

B. Area annotation

C. Tooltip

D. Mark annotation

QUESTION 57 **SINGLE ANSWER**

To build a Gantt chart showing project tasks with a **start date** and a **duration**, which shelf placement is correct?

A. Task on Rows, Start Date on Columns, Duration on Size.

B. Task on Columns, Duration on Rows.

C. Start Date on Color, Duration on Label.

D. Task on Rows, Duration on Columns, Start Date on Detail.

QUESTION 58 **SINGLE ANSWER**

Which content type is designed to present a **sequence of captioned snapshots** that guide an audience through findings?

A. Story

B. Dashboard

C. Worksheet

D. Set

QUESTION 59 **SINGLE ANSWER**

To add a reusable **custom color palette** to Tableau Desktop, which file is edited?

A. The .twbx packaged workbook.

B. `Preferences.tps` in My Tableau Repository.

C. Tableau Server site settings.

D. A .tds data source file.

QUESTION 60 **SINGLE ANSWER**

An analyst wants a button on Dashboard A that opens Dashboard B. Which dashboard object should be used?

A. Text object

B. Navigation object

C. Image object

D. Web page object

Domain 4 | Publish and Manage Content on Tableau Server and Cloud

Official weight 9% | 5 questions in this paper (8%) | Questions 61-65

Publishing, extract refreshes, alerts, subscriptions, custom views, site roles, and scheduled flows.

QUESTION 61 **MULTIPLE SELECT | CHOOSE 2**

Which two statements about alerts and subscriptions on Tableau Cloud are true? (Select two.)

A. An alert sends an email when a condition on a view is met.

B. An alert is a scheduled snapshot sent every Monday.

C. A subscription triggers only when a threshold is crossed.

D. Both features require the recipient to hold a Creator license.

E. A subscription sends a scheduled snapshot, such as an image or PDF, of a view or workbook.

QUESTION 62 **SINGLE ANSWER**

A 200-million-row extract adds new orders daily, while historical rows rarely change. Which refresh strategy is most efficient?

A. A full refresh every hour.

B. Delete and recreate the extract each day.

C. Replace the extract with a live connection.

D. An incremental refresh using a date/time column.

QUESTION 63 **SINGLE ANSWER**

A user must connect to a new database, build a workbook in Tableau Cloud, and publish it to a project.

Which site role is the **minimum** that meets the requirement?

A. Creator

B. Viewer

C. Explorer

D. Server Administrator

QUESTION 64 **SINGLE ANSWER**

After applying filters and sorting to a published view, a user wants to save that personalized state **without changing the view for others**.

What should the user use?

A. A custom view

B. A subscription

C. An alert

D. An extract

QUESTION 65 **SINGLE ANSWER**

An analyst wants a Tableau Prep flow to run on a schedule in Tableau Cloud. What is required?

A. Save the flow as a .twbx workbook.

B. Publish the output as a PDF.

C. Publish the flow and use Tableau Prep Conductor.

D. Create a subscription to the flow.