```
\begin{split} \nu \ll 0.1c & \quad t' = t \qquad u = \nu_{S'} - \nu_S \qquad x' = x - ut \quad \nu_x' = \nu_x - u \quad a_x' = a_x \\ y' = y \qquad \nu_y' = \nu_y \qquad a_y' = a_y \qquad \qquad \text{K.E} = \frac{1}{2} m \nu^2 \qquad \rho = m \nu \qquad \text{E} = \text{Fd} \end{split}
 v \geqslant 0.1c  \gamma = \frac{1}{\sqrt{1 - (u/c)^2}} > 1  t' = \gamma(t - \frac{ux}{c^2})  x' = \gamma(x - ut)
v_{x}' = \frac{v_{x} - u}{1 - \frac{v_{x}u}{c^{2}}} \qquad \qquad y' = y \qquad v_{y}' = \frac{v_{y}\sqrt{1 - (u/c)^{2}}}{1 - \frac{v_{x}u}{c^{2}}} \qquad \theta' = tan^{-1}\frac{V_{y}'}{V_{x}'}
 t_o = \gamma t_p \quad \text{rate} = \frac{1}{t} \quad L = \frac{L_p}{\gamma} \quad \theta = \tan^{\text{-}1} \frac{L_y}{L_x} \quad \bigg| \quad \beta = \frac{\nu}{c} \quad \lambda_o = \lambda_s \sqrt{\frac{1 \pm \beta}{1 \mp \beta}} \quad f_o = f_s \sqrt{\frac{1 \mp \beta}{1 + \beta}}
 m = m_0 \gamma E_t = \gamma m_0 c^2 = m_0 c^2 + K.E = \sqrt{\rho^2 c^2 + E_0^2} E_0 = m_0 c^2 K.E = (\gamma - 1)E_0
 \rho = \gamma m_0 \nu = \frac{1}{c} \sqrt{E_t^2 - E_0^2} \qquad \rho^2 c^2 = E_t^2 - E_0^2 \qquad F = \gamma^3 m_0 \alpha \qquad \nu = \frac{pc^2}{E_t} = c \sqrt{1 - (1/\gamma^2)}   c = \lambda f \qquad E = hf = \frac{hc}{\lambda} = W + K.E = W + eV \qquad W = hf_c = \frac{hc}{\lambda_c} \qquad K.E_{max} = \frac{1}{2} m \nu_{max}^2 = eV_S 
 \frac{n}{t} = \frac{IA}{hf} = \frac{P}{E} \qquad i = \frac{n}{t} \cdot e = \frac{Q}{t} \qquad I = \frac{P}{A} \qquad E_n = nhf \qquad E_i > W \qquad f_i > f_c \qquad \lambda_i < \lambda_c \\ P = \sigma A T^4 \qquad \sigma = 5.6 \times 10^{-8} \qquad \lambda_{max} T = 2.898 \times 10^{-3} mK \qquad ^{\circ}K = 273 + ^{\circ}C
 \lambda_{min} = \frac{hc}{eV} = \frac{1.26 \times 10^{\text{-}6}}{V} [V \cdot m] \qquad E_{\text{x-ray}} = eV = \frac{hc}{\lambda_{min}} \qquad E_{ph} = 2m_ec^2 + \text{K.E}_- + \text{K.E}_+
 E = \rho c = eV   \rho_{ph} = \frac{E_{ph}}{c} = \frac{h}{\lambda}   \rho_e = mv   K.E_e = \frac{1}{2}mv^2 = E_{ph} - E'_{ph}   E_{ph} + m_e c^2 = E'_{ph} + E_e
 \lambda_{c} = \frac{h}{mc} = 2.426 \times 10^{-12} \lambda' - \lambda = \lambda_{c}(1 - \cos \theta)
x: \rho_{i} = \rho_{s} \cos \theta + \rho_{e} \cos \phi \qquad y: \rho_{s} \sin \theta = \rho_{e} \sin \phi \qquad \tan \phi = \frac{\sin \theta}{\lambda_{f}/\lambda_{i} - \cos \theta} = \frac{\rho' \sin \theta}{\rho - \rho' \cos \theta}
\lambda_{brog} = \frac{h}{\rho_{ph}} = \frac{h}{m\nu} = \frac{h}{\sqrt{2mK.E}} \quad hf = 2\gamma mc^{2} \quad \Delta x \Delta P \geqslant \frac{\hbar}{2} \quad \Delta E \Delta t \geqslant \frac{\hbar}{2} \quad \Delta \rho = m\Delta \nu \quad \Delta E = h\Delta f
F_{c} = \frac{m\nu^{2}}{r} = F_{e} = \frac{1}{4\pi\epsilon_{0}} \frac{e}{r^{2}} \quad \nu = \frac{e}{\sqrt{4\pi\epsilon_{0}mr}} \quad K.E = \frac{1}{2}m\nu^{2} \quad K.E_{n} = \frac{e^{2}}{8\pi\epsilon_{0}r_{n}} \quad P.E = \frac{-e^{2}}{4\pi\epsilon_{0}r_{n}}
E = \frac{-e^{2}}{8\pi\epsilon_{0}r_{n}} \quad r_{n} = a_{0}n^{2} = \frac{n^{2}h^{2}\epsilon_{0}}{\pi me^{2}} \quad L = n\hbar = \rho r \quad f_{n} = \frac{\nu}{2\pi r} = \frac{e}{2\pi\sqrt{4\pi\epsilon_{0}mr^{3}}} = \frac{-E_{1}}{h}(\frac{2}{n^{3}})
\begin{split} E_n &= \frac{-13.6}{n^2} [eV] \quad \frac{1}{\lambda} = R_\infty (\frac{1}{n_f^2} - \frac{1}{n_i^2}) \quad E_{ph} = hf = E_i - E_f \quad N = f\Delta t \quad f = \frac{-E_1}{h} (\frac{1}{n_f^2} - \frac{1}{n_i^2}) \quad f_L = \frac{-E_1}{h} (\frac{2\rho}{n^3}) \\ K.E &= \frac{\rho^2}{2m} \quad \hbar = \frac{h}{2\pi} \quad \mu = -(\frac{e}{2m})L \quad P.E_m = -\mu B \cos\theta \quad \Delta \lambda = \frac{eB\lambda^2}{4\pi mc} \quad \Delta \nu = \frac{eB}{4\pi m} \end{split}
 L_z = m_l \hbar = L \cos \theta \quad \cos \theta = \frac{m_l}{\sqrt{l(l+1)}} \quad S_z = \pm \frac{1}{2} \hbar \quad \mu_s = \frac{-e}{m} S \quad \mu_{sz} = \pm \frac{e \hbar}{2m} = \pm \mu_B l = n-1
 n = 1, 2, 3, 4... l = 0, 1, ..., n - 1 -l \le m_l \le l m_s = \pm \frac{1}{2} L = \sqrt{l(l+1)}\hbar S = \frac{\sqrt{3}}{2}\hbar J = L + S
 c = 3 \times 10^8 \text{ m/s} Mach = 343 m/s 1.6 \times 10^{-19} \text{ J} = 1 \text{ eV} e = 1.6 \times 10^{-19} \text{ C}
 m_e = 9.11 \times 10^{\text{-}31} \; kg \quad m_p = 1.67 \times 10^{\text{-}27} \; kg \qquad MeV/c^2 = 1.79 \times 10^{\text{-}30} \; kg \qquad MeV/c = 5.36 \times 10^{\text{-}22} \; kg \cdot m/s
 m_e c^2 = 0.511 \text{ MeV} m_p c^2 = 938 \text{ MeV} m_n c^2 = 939 \text{ MeV}
 \mu_B = 9.274 \times 10^{\text{-24}} \text{J/T} = 5.788 \times 10^{\text{-5}} \text{eV/T} \qquad \frac{h}{m_e c} = 0.024 \times 10^{\text{-10}} \text{ m}
 \begin{array}{lll} h = 6.626 \times 10^{\text{-34}} \, \text{J} \cdot \text{s} & \quad h = 1.054 \times 10^{\text{-34}} \, \text{J} \cdot \text{s} & \quad \alpha_0 = 0.529 \times 10^{\text{-10}} \, \text{m} & \quad R = 1.097 \times 10^7 \, \text{m}^{\text{-1}} \\ 1 \, \text{L.Y} \approx 9.46 \times 10^{15} \, \text{m} & \quad \mu \text{m} : 10^{\text{-6}} & \quad \text{nm} : 10^{\text{-9}} & \quad \text{pm} : 10^{\text{-12}} & \quad \text{fm} : 10^{\text{-15}} & \quad \mathring{A} = 10^{\text{-10}} \, \text{m} \end{array}
```