

The Messaging API Protocol

All queries to the system are served over HTTP and need to be presented in this form:

http://<domain_of_workspace>:441/api/sendMessage. For example:

<https://my1.fmcc.io:441/api/sendMessage>

<https://192.168.1.60:441/api/sendMessage>

We support the POST HTTPS method. We support one way of passing parameters in the API requests.

- Application/octet-stream

Format for the octet stream

JSON length	4 octets
JSON string	N octets as specified by the JSON length

Payload for the API requests

Field	Type	Description
tokenId	String	The unique token identifier which was generated via the module "Messaging API"
sender	String	The type of sender to send the message with. We are supporting four types of senders: • Email (available in both FMC cloud and controller) • SmsModem (FMC controller only) • SmsGateway (FMC cloud only) • WhatsApp (FMC cloud only)
message	Message	Text of the message to be sent. API clients are responsible for formatting the message.
recipients	Array of String	The recipients of the message. The format of the recipient varies according to the type of sender: • E-mail (for the sender type "Email") • Phone number (for the sender type "SmsGateway", "SmsModem" and "WhatsApp")

Responses for the API requests

Field	Type	Description
status	String	Status code for the request: • 200: Successful request. • 500: Failed request.
error	Error	Optional. This property is presented to the API client only when the request is failed.

Available types

Message

Field	Type	Description
title	String	Title of the message. Only include this property if the sender is "Email".
heading	String	Header of the message. Only include this property if the sender is "Email".
content	String	Text of the message to be sent.

Error

Field	Type	Description
errorCode	String	Unique identifier of the error. The error is not handled by the system if this property is not presented to the user. Refer to this
message	String	The error message explains the reason for failure.

Error codes

Error code	Description
97	The length of the octet stream is too short.
98	The length of the JSON string is too short by comparison with the JSON length specified.
99	The JSON string received is not a valid JSON.
100	Unknown internal error while decoding the JSON string.
module11NotEnabled	The module “Messaging” is not enabled.
module11E1002	The sender provided is not found. Possible reasons: • The sender is not enabled. • The sender is invalid.
module11E1003	The sender provided is not enabled.
module11E1004	Internal error when interpreting the message.
module11E1201	The properties in the “message” property are invalid.
module11E2001	The SMTP client for the sender type “Email” is not available
module11E3001	Invalid username or password used for authenticating the SMS gateway.
module11E3002	Request to the SMS gateway is timed out.
module11WhatsappNotSupported	The sender type “WhatsApp” is not supported in FMC controllers.
module11Whatsapp<error>	An error responded by the WhatsApp API. Refer https://developers.facebook.com/docs/whatsapp/on-premises/errors for the error codes.
module13NotEnabled	The module “Messaging API” is not enabled.
requestTimeout	The message request to the sender has timed out.
smtpClient1001	The property “recipients” must be an array of emails.
smtpClient1004	The property “recipients” is an empty array.
smtpClient1005	The property “recipients” contains invalid email format.

smtpClient1008	The property "message
smtpClientEx smtpClientEx<error>	The error that was returned by the SMTP server. Refer to the SMTP service provider of your own for the error. If the API client is opting for using the default SMTP service, refer to the following website for error codes: https://my.godaddy.com/help/fix-rejected-email-with-a-bounce-error-40685 *** Note that if the errorCode is not recognized by FMC, the error code will be remained as SmtClient_Ex
tokenNotExist	The tokenId provided in the API request is not found in the system.
tokenInvalid	The tokenId provided is invalid. Possible reasons: • The token is expired. • The token is inactive.
unknownReqError	Unknown error while sending message to the sender.