Cucumber Report

| Start : Oct 08, 4:14:52.847 PM	End : Oct 08, 4:15:05.244 PM	Duration : 12.397 s
Features	Scenarios	Steps
PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 0 FAILED - 1 SKIPPED - 0

Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
valid_invalid_inputs	12.397 s	1	0	1	0	1	0	1	0

#	Feature Name	Scenario Name
1	*valid_invalid_inputs*	*valid inputs*

TAG	Scenario				Feature			
Name	**T**	**P**	**F**	**S**	**T**	**P**	**F**	**S**
@validInvalid	1	0	1	0	1	0	1	0

#	Feature Name	T	P	F	S	Duration
1	valid_invalid_inputs	1	0	1	0	12.397 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
1	*valid_invalid_inputs*	*valid inputs*	*1*	*0*	*1*	*0*	*12.393 s*

valid_invalid_inputs

FAILED	DURATION - 12.397 s	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0	Steps Total - 1 Pass - 0 Fail - 1 Skip - 0
/ 4:14:52.847 PM // 4:15:05.244 PM /			

valid inputs

FAILED	DURATION - 12.393 s		Steps Total - 1 Pass - 0 Fail - 1 Skip - 0
/ 4:14:52.851 PM // 4:15:05.244 PM /			
valid_invalid_inputs			
@validInvalid			

#	Step / Hook Details	Status	Duration
1	Given user enters valid inputs	FAILED	12.350 s
	yaser11		
	1234567		
	YYYYYYY		
	aaaaaaa		
	Xxxxxxx		
	org.openqa.selenium.NoSuchSessionException: invalid session id: session deleted as the browser has closed the connection from disconnected: unable to send message to renderer (Session info: chrome=141.0.7390.55) Build info: version: '4.36.0', revision: '6d115cfd87' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.7' Driver info: org.openqa.selenium.chrome. ChromeDriver Command: [92a14604a9a874ac8a1c02e72c777ac7, findElement {value=characters, using=name}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 141.0.7390.55, chrome: {chromedriverVersion: 141.0.7390.65 (b2ec783d2b51..., userDataDir: C:\Users\y4ser\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:59269}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:59269/devtoo..., se:cdpVersion: 141.0.7390.55, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 92a14604a9a874ac8a1c02e72c777ac7 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62)		

#	Step / Hook Details	Status	Duration
	at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502)		
	at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486)		
	at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50)		
	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:215)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:557)		
	at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165)		
	at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:66)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:380)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:374)		
	at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)		
	at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)		
	at jdk.proxy2/jdk.proxy2.$Proxy24.sendKeys(Unknown Source)		
	at pages.CharValidationPage.enterInput(CharValidationPage.java:28)		
	at stepdefinitions.CharValidationStepDefinitions.user_enters_valid_inputs(CharValidationStepDefinitions.java:17)		
	at ?.user enters valid inputs(file:///C:/Users/y4ser/IdeaProjects/Mentroing-Cucumber/src/test/resources/features/09_valid_invalid_inputs.feature:5) * Not displayable characters are replaced by '?'.		