

netflix使用说明

下载netflix app需要美区app store账号，可以从以下链接获取

<https://idshare001.me/goso.html>

一般印度代理服务器质量堪忧，建议以下操作全程保持香港/美国 代理状态，登陆后切换回印度区播放视频

如果没有印度节点可以联系售后提供代理，便宜稳定！

为了使用稳定每个账号允许两台设备，使用工具获得验证码后请立即登录，避免过后验证码过期但还没完成登录

管理员会不定期注销设备，同时将数据库中你的验证码次数清零，如果发现自己设备被注销了，可以重新尝试登录两台设备

1. 选择通过邮箱验证码登录

使用邮件中以下邮箱触发netflix发送验证码，

如果是apple tv用户，登陆<https://www.netflix.com/atv>，后输入电视上8位id后，选择验证码登录

serv_nf_email:


ceshizhanghao28900@outlook.com

serv_nf_pin:

7655 位置1


2. 从dropbox中下载工具，并根据自己系统运行

<https://www.dropbox.com/scl/fo/m4qq9pm6x67yg3flrdjmx/AAbg2oeX3xWUO9RfW-uLetQ?rlkey=m1hmjptpo44hgg0acahfhudov&st=ig9314o8&dl=0>




The screenshot shows the Dropbox interface for a folder named "tool_check_code". At the top, there are buttons for "Join folder", "Copy to Dropbox", "Download" (highlighted with a red box), and "Copy link". Below these buttons, the folder name "tool_check_code" is displayed. A table lists the contents of the folder:

Name ↑	Modified	Size
 code_trigger	39 minutes ago	8.19 MB
 code_trigger.exe	39 minutes ago	8.73 MB
 run.bat	39 minutes ago	22 bytes




3. 具体操作

对于Windows系统，操作如下



从此处获取代理地址和port



对于macos系统，操作如下

```
yyqq — code_trigger — 80x24
Last login: Sun Jan 12 01:38:37 on ttys019
/Users/yyqq/Documents/liyang/scripts/start_2/start2/dist/code_trigger ; exit;
yyqq@YYQQs-Mac-mini ~ % /Users/yyqq/Documents/liyang/scripts/start_2/start2/dist
/code_trigger ; exit;
Please input the your registration email: liyang.tjtj@gmail.com
Please input the check type (vpn_account nf_account ): nf_account
Please input proxy address: 代理地址和port
Please input proxy port: 不填
check code is 5671
Saving session...
...copying shared history...
...saving history...truncating history files...
...completed.

[Process completed]
```

如果工具报错，先检查是否是下面两种问题，

```
yyqq — code_trigger — 80x24
Last login: Sat Jan 11 23:42:38 on ttys012
/Users/yyqq/Documents/liyang/scripts/start_2/start2/dist/code_trigger ; exit;
yyqq@YYQQs-Mac-mini ~ % /Users/yyqq/Documents/liyang/scripts/start_2/start2/dist
/code_trigger ; exit;
Please input the your registration email: liyang.tjtj@gmail.com
Please input the check type (vpn_account nf_account ): nf_account
The check times has reached the maximum (each client email can check 2 times)
Traceback (most recent call last):
  File "code_trigger.py", line 126, in <module>
  File "code_trigger.py", line 21, in get_client_code_info
NameError: name 'exit' is not defined
[PYI-96744:ERROR] Failed to execute script 'code_trigger' due to unhandled excep
tion!

Saving session...
...copying shared history...
...saving history...truncating history files...
...completed.

[Process completed]
```

```
yyqq — code_trigger — 80x24
Last login: Sat Jan 11 23:59:30 on ttys012
/Users/yyqq/Documents/liyang/scripts/start_2/start2/dist/code_trigger ; exit;
yyqq@YYQQs-Mac-mini ~ % /Users/yyqq/Documents/liyang/scripts/start_2/start2/dist
/code_trigger ; exit;
Please input the your registration email: liyang.tjtj@gmail.com
Please input the check type (vpn_account nf_account ): nf_account
No check code found, please trigger the check code email again
Traceback (most recent call last):
  File "code_trigger.py", line 132, in <module>
  File "code_trigger.py", line 115, in parse_check_code
NameError: name 'exit' is not defined
[PYI-98583:ERROR] Failed to execute script 'code_trigger' due to unhandled excep
tion!

Saving session...
...copying shared history...
...saving history...truncating history files...
...completed.

[Process completed]
```

说明没有查到验证码，
1. 试等两分钟重新运行
2. 尝试重新触发平台发送验证码