## **Module-trait relationships**

						_
ME14	-0.046	0.099	-0.087	-0.014	-0.23	
IVIL 14	(0.7)	(0.4)	(0.5)	(0.9)	(0.06)	
ME0	0.22	-0.17	0.13	0.053	-0.46	
IVILO	(80.0)	(0.2)	(0.3)	(0.7)	(8e-05)	
ME13	0.24	-0.095	0.00084	0.11	-0.066	
IVILIO	(0.05)	(0.4)	(1)	(0.4)	(0.6)	
ME3	-0.3	0.14	-0.3	0.19	0.27	
IVILO	(0.01)	(0.3)	(0.01)	(0.1)	(0.02)	
ME6	-0.25	0.19	-0.25	0.067	0.2	
IVILO	(0.03)	(0.1)	(0.04)	(0.6)	(0.1)	
ME15	-0.26	0.12	-0.14	0.023	0.18	0.5
IVILIO	(0.03)	(0.3)	(0.2)	(0.8)	(0.1)	
ME9	-0.011	0.12	0.18	-0.34	-0.27	
IVILO	(0.9)	(0.3)	(0.1)	(0.004)	(0.03)	
ME4	0.1	0.046	0.27	-0.37	-0.22	
	(0.4)	(0.7)	(0.02)	(0.002)	(0.07)	-0
ME1	-0.21 (0.00)	0.2	0.036	-0.28 (0.00)	0.065	
	(0.08)	(0.09)	(0.8)	(0.02)	(0.6)	
ME12	-0.074	0.22	0.056	-0.31 (0.000)	-0.025	
	(0.5)	(0.08)	(0.6)	(0.009)	(0.8)	10
ME5	-0.18 (0.1)	0.076 (0.5)	0.049 (0.7)	-0.14 (0.2)	0.29	-0.5
	-0.13	0.19	0.067	(0.2) -0.3	(0.02) -0.0012	'
ME7	(0.3)	(0.1)	(0.6)	(0.01)	-0.0012 (1)	
	0.11	-0.08	0.32	-0.28	-0.14	
ME8	(0.4)	(0.5)	(0.007)	(0.02)	(0.3)	
	-0.056	0.063	0.13	-0.23	-0.19	7
ME11	(0.6)	(0.6)	(0.3)	(0.06)	(0.1)	
1450	0.18	-0.12	0.18	-0.06	0.04	
ME2	(0.1)	(0.3)	(0.1)	(0.6)	(0.7)	
NAE 40	-0.013	0.065	0.099	-0.19	-0.036	
ME10	(0.9)	(0.6)	(0.4)	(0.1)	(0.8)	
'	20° (8:3)		<b>C</b> .	C.	•	ı
	X	~°C	80	30°C	umption	
	.01	<b>N</b> 3	٠,	ფ>	W6.	
	20)					

o cen consumption