


Q1 Please indicate whether or not you consent to participate.


Answered: 16 Skipped: 0



ANSWER CHOICES	RESPONSES	
I consent to participate in the study.	100.00%	16
I do not consent and hence prefer not to participate.	0.00%	0
TOTAL		16

Q2 Do you consent to the potential use of your responses in future research? (The response will only be used in an aggregated format in future research papers, and we will not contact you in the future.)


Answered: 16 Skipped: 0



ANSWER CHOICES	RESPONSES	
Yes	100.00%	16
No	0.00%	0
TOTAL		16

Q3 What is your gender?


Answered: 16 Skipped: 0



ANSWER CHOICES	RESPONSES	
Man	68.75%	11
Woman	31.25%	5
Non-binary	0.00%	0
Prefer not to say	0.00%	0
TOTAL		16

Q4 What is your current role?


Answered: 16 Skipped: 0



ANSWER CHOICES	RESPONSES	
Software developer	56.25%	9
Documentation engineer	6.25%	1
Researcher	25.00%	4
Student	37.50%	6
Other (please specify)	0.00%	0
Total Respondents: 16		

Q5 How many years of professional experience do you have in software engineering?


Answered: 16 Skipped: 0



ANSWER CHOICES	RESPONSES	
0-1	12.50%	2
2-4	56.25%	9
5-9	31.25%	5
10+	0.00%	0
TOTAL		16

Q6 How experienced are you in structuring or maintaining multi-module Python projects?


Answered: 15 Skipped: 1



ANSWER CHOICES	RESPONSES	
Beginner	6.67%	1
Intermediate	33.33%	5
Advanced	20.00%	3
Expert	40.00%	6
TOTAL		15

Q7 How experienced are you with producing API documentation?


Answered: 16 Skipped: 0



ANSWER CHOICES	RESPONSES	
None	25.00%	4
Some	37.50%	6
Regular	25.00%	4
Expert	12.50%	2
TOTAL		16

Q8 How familiar are you with Sphinx documentation generator tool?


Answered: 16 Skipped: 0



ANSWER CHOICES	RESPONSES	
Not familiar	43.75%	7
Slightly familiar	18.75%	3
Moderately familiar	18.75%	3
Very familiar	12.50%	2
Expert	6.25%	1
TOTAL		16

Q9 Would you like to see an outline of Sphinx's essential components: what autodoc, autoapi, and viewcode do, and relevant config knobs (imported-members, noindex, autoapi_ignore, autoapi-skip-member)?


Answered: 16 Skipped: 0



ANSWER CHOICES		RESPONSES	
Yes		75.00%	12
No		25.00%	4
TOTAL			16

Q10 Do you have a reasonable understanding of the package structure?


Answered: 16 Skipped: 0



ANSWER CHOICES	RESPONSES	
I have a very good understanding	75.00%	12
I have a fair understanding	25.00%	4
I am confused	0.00%	0
TOTAL		16

Q11 How well do you understand the Sphinx configuration process and the RST files that facilitate API name tracing and linking the code body to its docstring?


Answered: 16 Skipped: 0



ANSWER CHOICES	RESPONSES	
I have a very good understanding	62.50%	10
I have a fair understanding	31.25%	5
I am confused	6.25%	1
TOTAL		16

Q12 Sphinx is easy to learn to use in your Python projects.


Answered: 16 Skipped: 0



ANSWER CHOICES	RESPONSES	
Strongly disagree	25.00%	4
Disagree	50.00%	8
Neutral	18.75%	3
Agree	0.00%	0
Strongly agree	6.25%	1
TOTAL		16

Q13 Sphinx's learning curve negatively impacts software engineers' motivation to create and maintain documentation.


Answered: 16 Skipped: 0



ANSWER CHOICES	RESPONSES	
Strongly disagree	0.00%	0
Disagree	0.00%	0
Neutral	6.25%	1
Agree	75.00%	12
Strongly agree	18.75%	3
TOTAL		16

Q14 The framework-specific Sphinx configuration (managing extensions, creating .rst files, and adding wrappers to skip objects) is an error-prone process.


Answered: 16 Skipped: 0



ANSWER CHOICES	RESPONSES	
Strongly disagree	0.00%	0
Disagree	0.00%	0
Neutral	0.00%	0
Agree	100.00%	16
Strongly agree	0.00%	0
TOTAL		16

Q15 The framework-specific Sphinx configurations are easy to maintain in a rapidly evolving software development lifecycle.


Answered: 16 Skipped: 0



ANSWER CHOICES	RESPONSES	
Strongly disagree	12.50%	2
Disagree	62.50%	10
Neutral	25.00%	4
Agree	0.00%	0
Strongly Agree	0.00%	0
TOTAL		16

Q16 To what extent would you be inclined to change your implementation design to adapt to Sphinx's behavior?


Answered: 16 Skipped: 0



ANSWER CHOICES	RESPONSES	
I will produce the necessary configurations to produce the expected result	12.50%	2
I will slightly modify my implementation design to fit the needs of Sphinx	50.00%	8
I would make significant changes to my package structure so I can apply the bare minimum Sphinx configurations	37.50%	6
TOTAL		16

Q17 Do you agree that documentation practices would improve if Sphinx supported trace-link retrieval from source code to external documentation (web and/or file documentation) during initial build?


Answered: 16 Skipped: 0



ANSWER CHOICES		RESPONSES	
Yes		93.75%	15
No		0.00%	0
Not sure		6.25%	1
TOTAL			16

Q18 Select all that apply regarding the side effects docstring-dependent trace-link retrieval has on documentation practices.


Answered: 16 Skipped: 0



ANSWER CHOICES	RESPONSES	
Cluttered code files due to the practice of writing API reference documentation as docstrings.	93.75%	15
Potentially introduces code and documentation smells as developers and documentation maintainers make changes to the same artifact.	75.00%	12
Reduced discoverability and navigability across code and documentation	68.75%	11
None of the above	6.25%	1
Other (please specify)	0.00%	0
Total Respondents: 16		

Q19 Would you like to see a brief description of MapCoDoc's input requirement from its user, and the code and documentation analysis workflow it employs to link artifacts?


Answered: 16 Skipped: 0



ANSWER CHOICES	RESPONSES	
Yes	100.00%	16
No	0.00%	0
TOTAL		16

Q20 How well do you understand MapCoDoc's traceability workflow and its analysis result?


Answered: 16 Skipped: 0



ANSWER CHOICES	RESPONSES	
I have a very good understanding	68.75%	11
I have a fair understanding	31.25%	5
I am confused	0.00%	0
TOTAL		16

Q21 MapCoDoc is easy to learn to use for your Python project.


Answered: 16 Skipped: 0



ANSWER CHOICES	RESPONSES	
Strongly disagree	0.00%	0
Disagree	0.00%	0
Neutral	0.00%	0
Agree	56.25%	9
Strongly agree	43.75%	7
TOTAL		16

Q22 Managing MapCoDoc input configuration to produce reliable trace-links is an error-prone process.


Answered: 16 Skipped: 0



ANSWER CHOICES	RESPONSES	
Strongly disagree	37.50%	6
Disagree	62.50%	10
Neutral	0.00%	0
Agree	0.00%	0
Strongly Agree	0.00%	0
TOTAL		16

Q23 The hybrid keyword-semantic link retrieval makes MapCoDoc adaptable to potential misalignment of signatures and API names in the documentation.


Answered: 16 Skipped: 0



ANSWER CHOICES		RESPONSES	
Strongly disagree		0.00%	0
Disagree		0.00%	0
Neutral		12.50%	2
Agree		62.50%	10
Strongly agree		25.00%	4
TOTAL			16

Q24 To what extent would you be inclined to change your implementation design to make MapCoDoc produce the desired canonical API names?


Answered: 16 Skipped: 0



ANSWER CHOICES	RESPONSES	
I expect little or no source rework.	87.50%	14
I will make minor code adjustments (small aliases or wrappers) to improve the clarity of export chains.	6.25%	1
I would make significant structural changes to my package to force a particular canonical API shape.	6.25%	1
Other (please specify)	0.00%	0
TOTAL		16

Q25 MapCoDoc supports linking external documentation sources (published HTML pages or PDF documents) to code artifacts; would this capability improve documentation practices in your team?


Answered: 16 Skipped: 0



ANSWER CHOICES	RESPONSES	
Yes	100.00%	16
No	0.00%	0
Not sure	0.00%	0
TOTAL		16

Q26 Select all that apply: Which of the following are advantages of having a traceability pipeline that supports heterogeneous documentation formats?


Answered: 16 Skipped: 0



ANSWER CHOICES	RESPONSES	
Reduction of bulky content directly in source code (less docstring bloat).	100.00%	16
Reducing documentation/code conflicts where developers and documentation maintainers work on different artifacts.	100.00%	16
Improved discoverability and navigation across code and documentations (single place to find both definitions and API pages).	100.00%	16
None of the above.	0.00%	0
Other (please specify)	0.00%	0
Total Respondents: 16		

Q27 MapCoDoc would significantly speed up API evolution analysis and deprecation planning.


Answered: 16 Skipped: 0



ANSWER CHOICES	RESPONSES	
Strongly disagree	0.00%	0
Disagree	6.25%	1
Neutral	6.25%	1
Agree	43.75%	7
Strongly agree	43.75%	7
TOTAL		16

Q28 MapCoDoc's export-chain records would meaningfully reduce the time it takes to identify which public APIs and aliases are affected by a code refactor.


Answered: 16 Skipped: 0



ANSWER CHOICES		RESPONSES	
Strongly disagree		0.00%	0
Disagree		0.00%	0
Neutral		6.25%	1
Agree		37.50%	6
Strongly agree		56.25%	9
TOTAL			16

Q29 MapCoDoc would speed up mapping a bug reported against a public API to the exact implementation and other aliases that must be fixed.


Answered: 16 Skipped: 0



ANSWER CHOICES	RESPONSES	
Strongly disagree	0.00%	0
Disagree	0.00%	0
Neutral	0.00%	0
Agree	68.75%	11
Strongly agree	31.25%	5
TOTAL		16

Q30 MapCoDoc's import and export tracing of internal and external code components in the code repository is useful for identifying unused components and facilitating the adoption of explicit export (via `__all__`).


Answered: 16 Skipped: 0



ANSWER CHOICES		RESPONSES	
Strongly disagree		0.00%	0
Disagree		0.00%	0
Neutral		0.00%	0
Agree		18.75%	3
Strongly agree		81.25%	13
TOTAL			16

Q31 Recovering trace links from heterogeneous document formats makes MapCoDoc valuable for consolidating documentation and ensuring consistency.


Answered: 16 Skipped: 0



ANSWER CHOICES		RESPONSES	
Strongly disagree		0.00%	0
Disagree		0.00%	0
Neutral		0.00%	0
Agree		25.00%	4
Strongly agree		75.00%	12
TOTAL			16

Q32 MapCoDoc-generated programmatically parseable documentation enables its automated fine-grained quality assessment.


Answered: 16 Skipped: 0



ANSWER CHOICES	RESPONSES	
Strongly disagree	0.00%	0
Disagree	0.00%	0
Neutral	0.00%	0
Agree	25.00%	4
Strongly agree	75.00%	12
TOTAL		16

Q33 MapCoDoc's fine-grained representation of documentation facilitates automated tooling for targeted documentation maintenance/generation.


Answered: 16 Skipped: 0



ANSWER CHOICES	RESPONSES	
Strongly disagree	0.00%	0
Disagree	0.00%	0
Neutral	0.00%	0
Agree	25.00%	4
Strongly agree	75.00%	12
TOTAL		16

Q34 Powering IDE hover/popups with MapCoDoc's fine-grained representation of artifacts and provenance information reduces the required effort to learn about a codebase.


Answered: 16 Skipped: 0



ANSWER CHOICES		RESPONSES	
Strongly disagree		0.00%	0
Disagree		0.00%	0
Neutral		43.75%	7
Agree		31.25%	5
Strongly agree		25.00%	4
TOTAL			16

Q35 An AI assistant (agent) that answers developers' questions by querying MapCoDoc's analysis results would generate more accurate responses and consume fewer resources than one searching a raw code repository and documentation.


Answered: 16 Skipped: 0



ANSWER CHOICES	RESPONSES	
Strongly disagree	0.00%	0
Disagree	0.00%	0
Neutral	0.00%	0
Agree	6.25%	1
Strongly agree	93.75%	15
TOTAL		16

Q36 Relational representation of code, documentation, and import dependencies is critical for component architecture-informed cross-language translation (around public-facing APIs).


Answered: 16 Skipped: 0



ANSWER CHOICES		RESPONSES	
Strongly disagree		0.00%	0
Disagree		0.00%	0
Neutral		6.25%	1
Agree		43.75%	7
Strongly agree		50.00%	8
TOTAL			16

Q37 Compared to the manual discovery-translation workflow, using MapCoDoc's output to produce translation specifications and scaffolding would reduce the total time required to port a module/package.


Answered: 16 Skipped: 0



ANSWER CHOICES		RESPONSES	
Strongly disagree		0.00%	0
Disagree		0.00%	0
Neutral		0.00%	0
Agree		56.25%	9
Strongly agree		43.75%	7
TOTAL			16

Q38 MapCoDoc's output would be a high-quality input to an automated translator or LLM to generate a translation specification.


Answered: 16 Skipped: 0



ANSWER CHOICES	RESPONSES	
Strongly disagree	0.00%	0
Disagree	0.00%	0
Neutral	0.00%	0
Agree	31.25%	5
Strongly agree	68.75%	11
TOTAL		16

Q39 MapCoDoc's relational representation of trace artifacts serves as a foundation for building a benchmark dataset for code-to-documentation.


Answered: 16 Skipped: 0



ANSWER CHOICES	RESPONSES	
Strongly disagree	0.00%	0
Disagree	0.00%	0
Neutral	0.00%	0
Agree	12.50%	2
Strongly agree	87.50%	14
TOTAL		16

Q40 Select all that apply: Which use-cases do you consider relevant about MapCoDoc's output as a dataset?

Answered: 16 Skipped: 0



ANSWER CHOICES	RESPONSES	
To train or fine-tune models to generate high quality API reference documentations.	100.00%	16
To detect stale or mismatched documentations.	93.75%	15
To train models to generate accurate API usage examples.	100.00%	16
To train models to accurately retrieve trace-links between code and documentation.	93.75%	15
To perform provenance / governance research (identify third-party re-exports and licensing exposure)	87.50%	14
To estimate maintenance effort by analyzing imports dependencies and export records.	100.00%	16
None of the above.	0.00%	0
Other (please specify)	0.00%	0
Total Respondents: 16		