Craftcamp

Free 3´x 10´ Garden Bed Plan

Free vs. Premium Plan: What's the Difference?

We offer both free and premium versions of our detailed shed plans, designed to fit your needs and budget. Check out the table below to see the key differences and choose the plan that's right for you:

Features	Free Plan	Premium Plan
Metric measurements	X	✓
Illustrations per Step	Limited	Every Step
Print Ready Format	X	✓
Step-by-Step Instructions	Basic	Comprehensive
Full Materials & Cutting List	X	✓
Additional Illustrations	X	✓
Additional Blueprints	X	✓
Tools List	X	✓
Fastening Elements List	X	✓
Technical Support	X	✓

Try Premium Risk-Free

30-day refund policy with no questions asked.

3´ x 10´ garden bed shopping list				
	Unit	***Qty***	***Size***	***Note***
Pressure-treated lumber (1″x 4″)	pcs	7	6´	Studs, Top plates
Pressure-treated lumber (2″x 6″)	pcs	11	12´	Joists
Pressure-treated lumber (2″x 8″)	pcs	7	8´	Seat elements
Pressure-treated lumber (3″x 3″)	pcs	5	8´	Studs, Joists
Landscape fabric	sq.ft.	35		

Size & Dimensions

front



side



3D



STEP 1

Assemble Main Frame

1.1. Assemble the main frame using 2 1/2″ x 2 1/2″ pressure-treated lumber.
You will need four boards cut to 1´-10″ that will be the studs.

1.2. Using a speed square or carpenter's square, check the corners to make sure they are 90°.



STEP 2

Assemble the Walls

2.1. Assemble the walls using 1 1/2″ x 5 1/2″ and 3/4″ x 3 1/2″ pressure-treated lumber. You will need eight boards cut to 10′ and eight boards cut to 3′-3″ that will be the joists and six boards cut to 1′-10″ that will be studs.

2.2. Secure the beams with 2″ wood screws.

2.3. Using a speed square or carpenter's square, check the corners to make sure they are 90°.



STEP 3

Install Landscape Fabric

3.1. Cover the bottom of garden bed with landscape fabric. You will need 35 square ft.

3.2. Fasten landscape fabric for bottom with galvanized nails 1/2˝.



STEP 4

Assemble the Top Plates

4.1. Assemble the top plates using 3/4″x 3 1/2″ pressure-treated lumber. You will need four boards cut to 3′-8″ and two boards cut to 3′-4″.

4.2. Connect the beams with 2″ wood screws.

4.3. Using a speed square or carpenter's square, check the corners to make sure they are 90°.



STEP 5

Assemble the Bench

5.1. Assemble the bench using 2 1/2″x 2 1/2″ and 1 1/2″ x 7 1/4″ pressure-treated lumber. You will need ten boards cut to 2′-2″ and five boards cut to 3′-11″ that will be the seat elements, seven boards cut to 2′-7″ and two boards cut to 3′-3″ that will be the joists and four boards cut to 2′-1/2″ that will be studs.

5.2. Connect the beams with 3″ wood screws.

5.3. Using a speed square or carpenter's square, check the corners to make sure they are 90°.



STEP 6

Final Touches

Now that your garden bed is all done, you are ready to decorate it any way you want using your favorite paint, stain, or preservative.

Free vs. Premium Plan: What's the Difference?

We offer both free and premium versions of our detailed shed plans, designed to fit your needs and budget. Check out the table below to see the key differences and choose the plan that's right for you:

Features	Free Plan	Premium Plan
Metric measurements	X	✓
Illustrations per Step	Limited	Every Step
Print Ready Format	X	✓
Step-by-Step Instructions	Basic	Comprehensive
Full Materials & Cutting List	X	✓
Additional Illustrations	X	✓
Additional Blueprints	X	✓
Tools List	X	✓
Fastening Elements List	X	✓
Technical Support	X	✓

Try Premium Risk-Free

30-day refund policy with no questions asked.

For more great **HOW-TO** plans please visit: **https://craft.camp**

Copyright

The text and illustrations that appear here are the exclusive property of craft.camp and are protected by federal copyright laws. The duplication, sale or distribution of any portion of these plans without prior written consent from the original designer will be subject to the appropriate penalties for copyright infringement. Sharing this plan on the web is only permitted with an indicated original source: https://craft.camp