Tool Storage Cabinet



The Tool Storage Cabinet features five rows, two of which are just wide enough to house Festool Systainers. Each row features an adjustable shelf for the ultimate in versatility. The top consists of a split lid that covers additional storage compartments.

Design and plans:
Marc Spagnuolo and Aaron Marshall
Copyright © 2014, The Wood Whisperer
Revision Date: April 2, 2014

Tool Storage Cabinet

	Part ID	Part Description	Material	Qty	Width	Length	Thick	Total Rough	Units
Plywood Case	A	Side	3/4 Plywood	2	15 1/4"	32"	3/4"	7.1	Sq Ft
	B	Partition	3/4 Plywood	4	14 1/2"	32"	3/4"	13.5	Sq Ft
	C	Wide Shelf	3/4 Plywood	6	14 1/2"	16"	3/4"	10.3	Sq Ft
	D	Narrow Shelf	3/4 Plywood	9	14 1/2"	12"	3/4"	11.7	Sq Ft
	E	Back Panel	3/4 Plywood	1	32"	71"	3/4"	16.1	Sq Ft
	F	Short Lid (Note 1)	3/4 Plywood	1	16 1/2"	29 1/8"	3/4"	3.5	Sq Ft
	G	Long Lid (Note 1)	3/4 Plywood	1	9 1/2"	12 1/2"	3/4"	0.9	Sq Ft
Face Frame and Trim	H	Upper Face Frame	Solid 4/4 Stock	1	5 1/4"	71"	3/4"	2.9	BF
	I	Lower Face Frame	Solid 4/4 Stock	1	2"	71"	3/4"	1.2	BF
	J	Side Face Frame	Solid 4/4 Stock	2	3/4"	32"	3/4"	0.6	BF
	K	Divider Trim	Solid 4/4 Stock	4	3/4"	24 3/4"	3/4"	0.9	BF
	L	Wide Shelf Trim	Solid 4/4 Stock	2	3/4"	16"	3/4"	0.3	BF
	M	Narrow Shelf Trim	Solid 4/4 Stock	3	3/4"	14 1/2"	3/4"	0.4	BF
	N	Lid Side Trim (Note 2)	Solid 4/4 Stock	4	3/4"	16 3/4"	3/4"	0.6	BF
	O	Short Lid Trim (Note 2)	Solid 4/4 Stock	1	3/4"	30 5/8"	3/4"	0.3	BF
	P	Long Lid Trim (Note 2)	Solid 4/4 Stock	1	3/4"	43 3/8"	3/4"	0.4	BF

TOTALS	Plywood (3 sheets)	3/4 Plywood	Minimum Raw Stock Needed is	63.2	Sq Ft
	Face Frame and Trim	Solid 4/4 Stock	Minimum Raw Stock Needed is	7	BF

Notes:

(1) For best fit, measure your assembled case to determine the size of the lids. Dimensions given are based on ideal sizing.

(2) Length shown is for long edge of mitered trim. Add a little extra for rough length.



The Wood Whisperer .com



The Wood Whisperer .com