


D-ATIS 127.6	Apt Elev 3	Alt Set: By ATC Trans level: By ATC 1. RADAR required. 2. This arrival to be used only if unable to use the KUNAV or POPPY arrival. 3. CAUTION terrain west of airport.	4. SKP VOR is terminal NAVAID and is only present in the STAR, do not file as enroute. 5. Procedure not authorized for Rwy 7R.	GORDO 1 ARRIVAL (GORDO.GORDO1) (RWYS 7L/C)
-----------------	---------------	--	---	---

ROUTING

From MOSSY via SKP R229 to GORDO via TRN R067 to TRN VOR. EXPECT VOR or GPS Rwy 7L/C approach.

SAINT BARTHELEMY
Saint Barthelemy
IBTH




IRFD/RFD

NEW ROCKFORD INTL

AERONAV 7 MAR 25 10-2B

CHICAGO/ROCKFORD, ILL

RNAV STAR



**IRFD/RFD
NEW ROCKFORD INTL**

10-2C
7 MAR 25

AERONAV

CHICAGO/ROCKFORD, ILL
RNAV STAR

KUNAV 2 RNAV ARRIVAL (KENED.KUNAV1)

D-ATIS 127.6 Apt Elev 3 Alt Set: By ATC Trans level: By ATC
1. RADAR required.
2. RNAV 1.
3. CAUTION terrain west of airport.

KUNAV 2 RNAV ARRIVAL (KENED.KUNAV1)


RWY	ROUTING
7L/C/R	From KUNAV on track 230° to BRIDGE, then on track 190° to ALISO, then on track 115° EXPECT RADAR vectors to final approach course.
25L/C/R	From KUNAV on track 120° to HAWFA, then on track 130° to SWEET, then on track 070°. EXPECT RADAR vectors to final approach course.




CHANGES: Procedure revised, renumbered.

The design of this chart is inspired by Jeppesen.

by sweet_kid




DALESFIELD GR
Rockford Training Center
ITRC





D-ATIS 127.6	Apt Elev 3	Alt Set: By ATC Trans Level: By ATC 1. RADAR required. 2. RNAV1. 3. CAUTION terrain west of airport. 4. Arrival to be used only if unable to use the BEANS or SUNST arrival.
-----------------	---------------	---

MELLOR 1 ARRIVAL (MLR.MLR1)



RWY	ROUTING
7L/C/R	From MLR VOR via MLR R188 to LOGAN, then on track 110°. EXPECT RADAR vectors to final approach course.
25 L/C/R	From MLR VOR via MLR R071 to ICTAM, then on track 067°. EXPECT RADAR vectors to final approach course.



D-ATIS
127.6Apt Elev
3Alt Set: By ATC Trans Level: By ATC
1. RADAR required.
2. RNAV1.
3. CAUTION terrain west of airport.SUNST 3 RNAV ARRIVAL
(SUNST.SUNST3)

RWY

ROUTING

7L/C/R	From SUNST on track 160° to LAAMP, then on track 160° to LOGAN. EXPECT RNAV (RNP) Rwy 7L/C/R approach.
25 L/C/R	From SUNST on track 120° to cross BUCFA at 2000, then on track 103° to HAWFA, then on track 103° to cross SWEET at or below 1500. EXPECT RADAR vectors to final approach course.

IRFD/RFD
NEW ROCKFORD INTL

AERONAV
3 AUG 24 10-2H CHICAGO/ROCKFORD, ILL
STAR

D-ATIS
127.6
Apt Elev
3

Alt set: By ATC Trans level: By ATC
1. RADAR required.
2. CAUTION terrain west of airport.
3. Procedure not authorized for runway 7R.

WILEK 1 ARRIVAL
(LCK.WILEK1)

RWY	
07L/C	From WILEK on track 360°. EXPECT RADAR vectors to final approach course.
25L/C/R	From over LCK VOR via LCK R270 to WILEK. Depart WILEK heading 360° for vectors to final approach course.

