

Sample Presentation

Youri Ackx

August 2019

A first slide

This is a slide.

Slide with list

- ▶ Item 1
- ▶ Item 2
- ▶ Item 3

Slide with equation

You can use the usual LaTeX format.

$$\forall x \in X, \quad \exists y \leq \epsilon$$

Slide with text formatting

- ▶ *This is italic*
- ▶ **This is bold**
- ▶ ~~strikethrough~~

Slide with image



Figure 1: This is a free image of a ladybug

Multiple levels

Level 1

- ▶ Some things
- ▶ Take place here

Level 2

- ▶ Stranger things

Code

Some code:

```
public static void main(String [] args) {  
    System.out.println("Hello, World!");  
}
```


Slide with table

Standard markdown syntax.

A	B	C
1	YES	NO
2	YES	YES

Slide with table

Table 2: **Column 2 is narrow.** For column 1: 54 dashes in Markdown source for separator line; for column 2: 12 dashes in separator line (22% of column 1).

Column 1	Column 2
I want the contents of this cell to fit into one line	Word1 Word2

Tables

<https://pandoc.org/MANUAL.html#tables>

Slide with table

Table 3: Here's the caption. It, too, may span multiple lines.

Centered Header	Default		Right Aligned	Left Aligned
	Aligned			
First	row		12.0	Example of a row that spans multiple lines.
Second	row		5.0	Here's another one. Note the blank line between rows.

These work like simple tables, but with the following differences:

- ▶ They must begin with a row of dashes, before the header text (unless the headers are omitted).
- ▶ They must end with a row of dashes, then a blank line.
- ▶ The rows must be separated by blank lines.

Table with alignment

Table 4: Demonstration of simple table syntax.

Right	Left	Center	Default
12	12	12	12
123	123	123	123
1	1	1	1

Table with pipe alignment

Alignments can be specified as with pipe tables, by putting colons at the boundaries of the separator line after the header.

Right	Left	Centered
Bananas	\$1.34	built-in wrapper

Table without header

12	12	12	12
123	123	123	123
1	1	1	1

Grid table

Table 7: Sample grid table.

Fruit	Price	Advantages
Bananas	\$1.34	<ul style="list-style-type: none">▶ built-in wrapper▶ bright color
Oranges	\$2.10	<ul style="list-style-type: none">▶ cures scurvy▶ tasty

The row of =s separates the header from the table body, and can be omitted for a headerless table. The cells of grid tables may contain arbitrary block elements (multiple paragraphs, code blocks, lists, etc.). Cells that span multiple columns or rows are not supported.

Columns

Apple

Orange

Banana

Cherry

Brussels sprout

Eggplant

Cucumber