

Sample Presentation

Youri Ackx

August 2019

A first slide

This is a slide.

Slide with list

- ▶ Item 1
- ▶ Item 2
- ▶ Item 3

Slide with equation

You can use the usual LaTeX format.

$$\forall x \in X, \quad \exists y \leq \epsilon$$

Slide with text formatting

- ▶ *This is italic*
- ▶ **This is bold**
- ▶ ~~strikethrough~~

Slide with image



Figure 1: This is a free image of a ladybug

Multiple levels

Level 1

- ▶ Some things
- ▶ Take place here

Level 2

- ▶ Stranger things

Slide with table

Standard markdown syntax.

| A | B | C |
|---|-----|-----|
| 1 | YES | NO |
| 2 | YES | YES |

Slide with table

Table 2: **Column 2 is narrow.** For column 1: 54 dashes in Markdown source for separator line; for column 2: 12 dashes in separator line (22% of column 1).

| Column 1 | Column 2 |
|-------------------------------------------------------|----------------|
| I want the contents of this cell to fit into one line | Word1 Word2 |

Tables

<https://pandoc.org/MANUAL.html#tables>

Slide with table

Table 3: Here's the caption. It, too, may span multiple lines.

| Centered Header | Default | | Right Aligned | Left Aligned |
|--------------------|---------|--|---------------|-------------------------------------------------------------|
| | Aligned | | | |
| First | row | | 12.0 | Example of a row that spans multiple lines. |
| Second | row | | 5.0 | Here's another one. Note the blank line between rows. |

These work like simple tables, but with the following differences:

- ▶ They must begin with a row of dashes, before the header text (unless the headers are omitted).
- ▶ They must end with a row of dashes, then a blank line.
- ▶ The rows must be separated by blank lines.

Table with alignment

Table 4: Demonstration of simple table syntax.

| Right | Left | Center | Default |
|-------|------|--------|---------|
| 12 | 12 | 12 | 12 |
| 123 | 123 | 123 | 123 |
| 1 | 1 | 1 | 1 |

Table with pipe alignment

Alignments can be specified as with pipe tables, by putting colons at the boundaries of the separator line after the header.

| Right | Left | Centered |
|---------|--------|------------------|
| Bananas | \$1.34 | built-in wrapper |

Table without header

| | | | |
|-----|-----|-----|-----|
| 12 | 12 | 12 | 12 |
| 123 | 123 | 123 | 123 |
| 1 | 1 | 1 | 1 |

Grid table

Table 7: Sample grid table.

| Fruit | Price | Advantages |
|---------|--------|-------------------------------------------------------------------------------------------|
| Bananas | \$1.34 | <ul style="list-style-type: none">▶ built-in wrapper▶ bright color |
| Oranges | \$2.10 | <ul style="list-style-type: none">▶ cures scurvy▶ tasty |

The row of =s separates the header from the table body, and can be omitted for a headerless table. The cells of grid tables may contain arbitrary block elements (multiple paragraphs, code blocks, lists, etc.). Cells that span multiple columns or rows are not supported.

Columns

Apple

Orange

Banana

Cherry

Brussels sprout

Eggplant

Cucumber