

# Sample Presentation

Youri Ackx

August 2019

# A first slide

This is a slide.

## Slide with list

- ▶ Item 1
- ▶ Item 2
- ▶ Item 3

## Slide with equation

You can use the usual LaTeX format.

$$\forall x \in X, \quad \exists y \leq \epsilon$$

## Slide with text formatting

- ▶ *This is italic*
- ▶ **This is bold**
- ▶ ~~strikethrough~~

## Slide with image



Figure 1: This is a free image of a ladybug

## Slide with table

Standard markdown syntax.

A	B	C
1	YES	NO
2	YES	YES

## Slide with table

Table 2: **Column 2 is narrow.** For column 1: 54 dashes in Markdown source for separator line; for column 2: 12 dashes in separator line (22% of column 1).

Column 1	Column 2
I want the contents of this cell to fit into one line	Word1 Word2



# Tables

<https://pandoc.org/MANUAL.html#tables>

## Slide with table

Table 3: Here's the caption. It, too, may span multiple lines.

Centered Header	Default		Right Aligned	Left Aligned
	Aligned			
First	row		12.0	Example of a row that spans multiple lines.
Second	row		5.0	Here's another one. Note the blank line between rows.

These work like simple tables, but with the following differences:

- ▶ They must begin with a row of dashes, before the header text (unless the headers are omitted).
- ▶ They must end with a row of dashes, then a blank line.
- ▶ The rows must be separated by blank lines.

## Table with alignment

Table 4: Demonstration of simple table syntax.

Right	Left	Center	Default
12	12	12	12
123	123	123	123
1	1	1	1

## Table with pipe alignment

Alignments can be specified as with pipe tables, by putting colons at the boundaries of the separator line after the header.

Right	Left	Centered
Bananas	\$1.34	built-in wrapper

## Table without header

12	12	12	12
123	123	123	123
1	1	1	1

## Grid table

Table 7: Sample grid table.

Fruit	Price	Advantages
Bananas	\$1.34	<ul style="list-style-type: none"><li>▶ built-in wrapper</li><li>▶ bright color</li></ul>
Oranges	\$2.10	<ul style="list-style-type: none"><li>▶ cures scurvy</li><li>▶ tasty</li></ul>

The row of =s separates the header from the table body, and can be omitted for a headerless table. The cells of grid tables may contain arbitrary block elements (multiple paragraphs, code blocks, lists, etc.). Cells that span multiple columns or rows are not supported.

# Columns

Apple

Orange

Banana

Cherry

Brussels sprout

Eggplant

Cucumber

End

END