¶ case file 04 / 07 · applied — filed 2026-02 · last verified 2026-07
status: in progress — native core working, web beta a scaffold
you opened this file · jul 25, 2026

Applied

A native macOS tracker that reads the job search out of the inbox. Email syncs in, a local classifier names each message, and the noise becomes an application pipeline you can act on.

---

role	designer and sole engineer
timeframe	2026-02 to present
stack	next.js 16 · typescript · postgresql · python · setfit · onnx runtime
repo	yadava5/jobtracker @ 3225eb4 · integration/web-migration (https://github.com/yadava5/jobtracker/tree/3225eb4)
live demo	getapplied.vercel.app ↗ (https://getapplied.vercel.app)

private-safe proof: no email content — the source repository documents that old screenshots were removed as outdated. this case file uses architecture, source, build, test, and benchmark evidence instead of inbox screenshots or private application data.

[problem] · § as found

The status of a job search scatters across Gmail, iCloud Mail, employer systems, and one-off messages. A spreadsheet can't keep up: updates get missed, rows get retyped, and the record drifts from the truth.

constraints —

keep job-search email classification local and privacy-first.
support both gmail oauth2 and icloud imap sources.
classify noisy inbox messages into useful application states.
fit the workflow into a native macos dashboard instead of another web tab.



fig. 1 — the sorting line — the 96-message eval set through rules → e5 similarity → gated setfit.

description: A drawn figure that runs — not a screenshot. Geometry from the repository's real 3-layer classifier path (rules → e5 similarity → gated SetFit); the four lanes and their counts are the committed eval set's own mix (96 messages, 12 per label × 8 labels); macro-F1 0.9791 from the committed baseline.

[architecture] · § fig. 2, inked

Email sources feed an async sync layer, then a three-layer classifier, then local SQLite storage and a SwiftUI dashboard.

gmail
oauth2 sync

icloud mail
imap sync

↓ messages

classifier
rules, embeddings, gated setfit

↓ classified events

sqlite
local application state

↓ pipeline state

swiftui
native macos dashboard

off the spine —

smappservice → sqlite background updates

↗ the gate is real: setfit stays off until its training gates are met

fig. 2 — the pipeline, inked. clay marks the gate: where a check can stop the run.

[decisions] · § as filed

d1 — use on-device classification · accepted

The project handles personal job-search email. [t1]

> t1. tradeoff — local ml reduces hosted-service convenience but keeps sensitive messages private.

d2 — use a three-layer classifier · accepted

Rules, embeddings, and SetFit cover different levels of signal quality. [t2]

> t2. tradeoff — more moving parts than a single model, but easier to debug and tune.

d3 — use sqlite for local state · accepted

The product is a native personal workflow tool. [t3]

> t3. tradeoff — local persistence is simpler than multi-user cloud sync, but intentionally device-scoped.

[validation] · § the receipts

> method slip — eval protocol
>
> sample: 96 messages — classifier_eval_v3.jsonl, 12 per label × 8 labels, balanced by design
>
> mix: 65 core-positive · 17 edge-noise · 8 historical-miss · 6 core-negative scenarios
>
> judge: predicted vs expected label ⟶ macro-F1; the ci gate fails below the configured floor
>
> run: 2026-03-03 — deterministic hybrid profile, committed as baseline_hybrid_v3.json
>
> repro: python -m jobtracker.scripts.evaluate_classifier --mode hybrid --dataset data/evaluation/classifier_eval_v3.jsonl --hybrid-profile deterministic

validation

walk the 9 claims ⟶

---

01 claim: Gmail OAuth2 and iCloud IMAP both feed the pipeline as first-class sources.

method: traced the provider routers and sync docs in the public repo

date: 2026-06

artifact: jobtracker @ 3225eb4 · docs/ARCHITECTURE.md (https://github.com/yadava5/jobtracker/blob/3225eb4/docs/ARCHITECTURE.md)

[public]

---

02 claim: The classifier is three layers — rules, e5 embeddings, SetFit — and SetFit stays off until its training gates are met.

method: ml strategy doc, read against the backend source

date: 2026-06

artifact: jobtracker @ 3225eb4 · docs/ML_STRATEGY.md (https://github.com/yadava5/jobtracker/blob/3225eb4/docs/ML_STRATEGY.md)

[public]

---

03 claim: Classification runs on-device; message content is not sent to hosted inference.

method: architecture audit of the classify path

date: 2026-06

artifact: jobtracker @ 3225eb4 · README.md (https://github.com/yadava5/jobtracker/blob/3225eb4/README.md)

[public]

---

04 claim: I ran the backend suite locally: 182 tests passed under the test/null-keyring environment.

method: local run against the public test tree

date: 2026-06

artifact: jobtracker @ 3225eb4 · backend/tests (https://github.com/yadava5/jobtracker/tree/3225eb4/backend/tests)

[public]

05 claim: Rules and deterministic hybrid v3 gates both passed on 96 samples with macro-F1 0.9791.

method: committed baseline, deterministic profile — protocol in the method slip

date: 2026-03-03

artifact: jobtracker @ 3225eb4 · baseline_hybrid_v3.json (https://github.com/yadava5/jobtracker/blob/3225eb4/backend/data/evaluation/baseline_hybrid_v3.json)

backend-ci run ↗ (https://github.com/yadava5/jobtracker/actions/runs/24665061332)

[public]

06 claim: The macOS Debug target built locally with xcodebuild against the JobTracker scheme.

method: local build; no build artifact is published

date: date not recorded

artifact: no linkable artifact — described only

[local — verified on request]

07 claim: The web beta passes typecheck, lint, build, and a Playwright login smoke — but the dashboard remains a scaffold, not a finished product.

method: local gate run over the public web workspace

date: 2026-06

artifact: jobtracker @ 3225eb4 · apps/web (https://github.com/yadava5/jobtracker/tree/3225eb4/apps/web)

[public]

outcomes

08 claim: Job updates land in a trackable pipeline instead of a spreadsheet.

method: the product's own workflow, described — not a usage metric

date: date not recorded

artifact: no linkable artifact — described only

[public]

09 claim: The classifier also runs fully in-browser via quantized ONNX — a public demo space.

method: ported the local classifier; the space is inspectable

date: 2026-07

artifact: huggingface.co/spaces/yadava5/jobtracker-classifier ↗ (https://huggingface.co/spaces/yadava5/jobtracker-classifier)

[public]

rows marked [local — verified on request] were run by me on personal or demo data · ci rows link the public run · repo pins are the exact commits verified 2026-07.

what i'm not claiming —

i'm not claiming the web dashboard is finished — it builds and passes its smoke test, but it remains a scaffold and is not shown as a product screenshot.

no production email-volume numbers are claimed. architecture and source links are shown publicly; private email and application records are not shown.

[corrections] · § the register

no corrections on file. when a number changes, it is amended here in public — never deleted.



fig. 3 — local classification architecture.

description: rendered from the public repository structure · 2026-06 · open to inspect ⟶

artifact index —

source-truth readme ↗ (https://github.com/yadava5/jobtracker/blob/3225eb4/readme.md)

[repo] · yadava5/jobtracker @ 3225eb4

architecture docs ↗ (https://github.com/yadava5/jobtracker/blob/3225eb4/docs/architecture.md)

[repo] · yadava5/jobtracker @ 3225eb4

ml strategy and evaluation gates ↗ (https://github.com/yadava5/jobtracker/blob/3225eb4/docs/ml_strategy.md)

[benchmark] · yadava5/jobtracker @ 3225eb4 backend test suite ↗ (https://github.com/yadava5/jobtracker/tree/3225eb4/backend/tests)

[repo] · yadava5/jobtracker @ 3225eb4

web beta scaffold ↗ (https://github.com/yadava5/jobtracker/tree/3225eb4/apps/web)

[repo] · yadava5/jobtracker @ 3225eb4

case file 04 / 07

back to the work ⟵ the evidence index ⟶

next file — ¶ 05 / 07 · cadence — filed 2023-09 ⟶

set in fraunces, newsreader & fragment mono

two inks. one line. seven chapters.