1 "C:\Users\win 10\.jdks\ms-21.0.7\bin\java.exe" "-javaagent:C:\ Program Files\JetBrains\IntelliJ IDEA Community Edition 2025.1. 3\lib\idea_rt.jar=49825" -Dfile.encoding=UTF-8 -Dsun.stdout. encoding=UTF-8 -Dsun.stderr.encoding=UTF-8 -classpath "F:\ Cognizant Digital Nurture\MySolutions\Cognizant Digital Nurture 4.0 Weekly Submissions\week 4\New folder\hands on 4\springlearn\target\classes;C:\Users\win 10\.m2\repository\org\ springframework\boot\spring-boot-starter-web\3.5.3\spring-bootstarter-web-3.5.3.jar;C:\Users\win 10\.m2\repository\org\ springframework\boot\spring-boot-starter\3.5.3\spring-bootstarter-3.5.3.jar;C:\Users\win 10\.m2\repository\org\ springframework\boot\spring-boot-starter-logging\3.5.3\springboot-starter-logging-3.5.3.jar;C:\Users\win 10\.m2\repository\ ch\qos\logback\logback-classic\1.5.18\logback-classic-1.5.18. jar;C:\Users\win 10\.m2\repository\ch\qos\logback\logback-core\ 1.5.18\logback-core-1.5.18.jar;C:\Users\win 10\.m2\repository\ org\apache\logging\log4j\log4j-to-slf4j\2.24.3\log4j-to-slf4j-2 .24.3.jar;C:\Users\win 10\.m2\repository\org\apache\logging\ $\log 4j \log 4j - api \leq 2.24.3 \log 4j - api - 2.24.3.jar; C: \Users \le 10 \ldots = 10$ \repository\org\slf4j\jul-to-slf4j\2.0.17\jul-to-slf4j-2.0.17. jar;C:\Users\win 10\.m2\repository\jakarta\annotation\jakarta. annotation-api\2.1.1\jakarta.annotation-api-2.1.1.jar;C:\Users\ win 10\.m2\repository\org\yaml\snakeyaml\2.4\snakeyaml-2.4.jar; C:\Users\win 10\.m2\repository\org\springframework\boot\springboot-starter-json\3.5.3\spring-boot-starter-json-3.5.3.jar;C:\ Users\win 10\.m2\repository\com\fasterxml\jackson\core\jacksondatabind\2.19.1\jackson-databind-2.19.1.jar;C:\Users\win 10\.m2 \repository\com\fasterxml\jackson\core\jackson-annotations\2.19 .1\jackson-annotations-2.19.1.jar;C:\Users\win 10\.m2\ repository\com\fasterxml\jackson\core\jackson-core\2.19.1\ jackson-core-2.19.1.jar;C:\Users\win 10\.m2\repository\com\ fasterxml\jackson\datatype\jackson-datatype-jdk8\2.19.1\jackson -datatype-jdk8-2.19.1.jar;C:\Users\win 10\.m2\repository\com\ fasterxml\jackson\datatype\jackson-datatype-jsr310\2.19.1\ jackson-datatype-jsr310-2.19.1.jar;C:\Users\win 10\.m2\ repository\com\fasterxml\jackson\module\jackson-moduleparameter-names\2.19.1\jackson-module-parameter-names-2.19.1. jar;C:\Users\win 10\.m2\repository\org\springframework\boot\ spring-boot-starter-tomcat\3.5.3\spring-boot-starter-tomcat-3.5 .3.jar;C:\Users\win 10\.m2\repository\org\apache\tomcat\embed\ tomcat-embed-core\10.1.42\tomcat-embed-core-10.1.42.jar;C:\ Users\win 10\.m2\repository\org\apache\tomcat\embed\tomcatembed-el\10.1.42\tomcat-embed-el-10.1.42.jar; $C:\Users\win 10\$. m2\repository\org\apache\tomcat\embed\tomcat-embed-websocket\10 .1.42\tomcat-embed-websocket-10.1.42.jar;C:\Users\win 10\.m2\ repository\org\springframework\spring-web\6.2.8\spring-web-6.2. 8.jar;C:\Users\win 10\.m2\repository\org\springframework\spring -beans\6.2.8\spring-beans-6.2.8.jar;C:\Users\win 10\.m2\

```
1 repository\io\micrometer\micrometer-observation\1.15.1\
  micrometer-observation-1.15.1.jar;C:\Users\win 10\.m2\
   repository\io\micrometer\micrometer-commons\1.15.1\micrometer-
   commons-1.15.1.jar;C:\Users\win 10\.m2\repository\org\
   springframework\spring-webmvc\6.2.8\spring-webmvc-6.2.8.jar;C:\
   Users\win 10\.m2\repository\org\springframework\spring-aop\6.2.
   8\spring-aop-6.2.8.jar;C:\Users\win 10\.m2\repository\org\
   springframework\spring-context\6.2.8\spring-context-6.2.8.jar;C
   :\Users\win 10\.m2\repository\org\springframework\spring-
   expression\6.2.8\spring-expression-6.2.8.jar;C:\Users\win 10\.
  m2\repository\org\springframework\boot\spring-boot-devtools\3.5
   .3\spring-boot-devtools-3.5.3.jar;C:\Users\win 10\.m2\
   repository\org\springframework\boot\spring-boot\3.5.3\spring-
   boot-3.5.3.jar;C:\Users\win 10\.m2\repository\org\
   springframework\boot\spring-boot-autoconfigure\3.5.3\spring-
   boot-autoconfigure-3.5.3.jar;C:\Users\win 10\.m2\repository\org
   \slf4j\slf4j-api\2.0.17\slf4j-api-2.0.17.jar;C:\Users\win 10\.
  m2\repository\org\springframework\spring-core\6.2.8\spring-core
   -6.2.8.jar;C:\Users\win 10\.m2\repository\org\springframework\
   spring-jcl\6.2.8\spring-jcl-6.2.8.jar" com.cognizant.
  spring_learn.SpringLearnApplication
2
3
   /\\ / ___'_
4
5 ( ( )\__ | '_ | '_ | | '_ \/ _` | \ \ \
   \\/ ___)| |_)| | | | | | (_| | _ ) ) )
7
       8
   ======|_|======|__/=/_/_/
9
10
                                    (v3.5.3)
   :: Spring Boot ::
11
12 2025-07-12T21:53:29.655+05:30
                                INFO 8140 --- [spring-learn] [
   restartedMain] c.c.spring_learn.SpringLearnApplication
  Starting SpringLearnApplication using Java 21.0.7 with PID 8140
   (F:\Cognizant Digital Nurture\MySolutions\Cognizant Digital
   Nurture 4.0 Weekly Submissions\week 4\New folder\hands on 4\
   spring-learn\target\classes started by win 10 in F:\Cognizant
   Digital Nurture\MySolutions\Cognizant Digital Nurture 4.0
  Weekly Submissions\week 4\New folder\hands on 4\spring-learn)
13 2025-07-12T21:53:29.660+05:30 DEBUG 8140 --- [spring-learn] [
  restartedMain] c.c.spring_learn.SpringLearnApplication :
   Running with Spring Boot v3.5.3, Spring v6.2.8
14 2025-07-12T21:53:29.661+05:30 INFO 8140 --- [spring-learn] [
   restartedMain] c.c.spring_learn.SpringLearnApplication : No
   active profile set, falling back to 1 default profile: "default
15 2025-07-12T21:53:29.810+05:30
                                 INFO 8140 --- [spring-learn] [
   restartedMain] .e.DevToolsPropertyDefaultsPostProcessor :
```

```
15 Devtools property defaults active! Set 'spring.devtools.add-
  properties' to 'false' to disable
16 2025-07-12T21:53:29.810+05:30 INFO 8140 --- [spring-learn] [
  restartedMain] .e.DevToolsPropertyDefaultsPostProcessor : For
  additional web related logging consider setting the 'logging.
  level.web' property to 'DEBUG'
restartedMain] o.s.b.w.embedded.tomcat.TomcatWebServer
  Tomcat initialized with port 8080 (http)
18 2025-07-12T21:53:32.138+05:30
                                INFO 8140 --- [spring-learn] [
  restartedMain] o.apache.catalina.core.StandardService
  Starting service [Tomcat]
19 2025-07-12T21:53:32.140+05:30 INFO 8140 --- [spring-learn] [
  restartedMain] o.apache.catalina.core.StandardEngine
  Starting Servlet engine: [Apache Tomcat/10.1.42]
20 2025-07-12T21:53:32.215+05:30 INFO 8140 --- [spring-learn] [
  restartedMain] o.a.c.c.C.[Tomcat].[localhost].[/]
  Initializing Spring embedded WebApplicationContext
21 2025-07-12T21:53:32.218+05:30
                                INFO 8140 --- [spring-learn] [
  restartedMain] w.s.c.ServletWebServerApplicationContext : Root
  WebApplicationContext: initialization completed in 2405 ms
22 2025-07-12T21:53:33.053+05:30 INFO 8140 --- [spring-learn] [
  restartedMain] o.s.b.d.a.OptionalLiveReloadServer
  LiveReload server is running on port 35729
23 2025-07-12T21:53:33.103+05:30 INFO 8140 --- [spring-learn] [
  restartedMain] o.s.b.w.embedded.tomcat.TomcatWebServer :
  Tomcat started on port 8080 (http) with context path '/'
24 2025-07-12T21:53:33.119+05:30 INFO 8140 --- [spring-learn] [
  restartedMain] c.c.spring_learn.SpringLearnApplication :
  Started SpringLearnApplication in 4.376 seconds (process
  running for 5.663)
25 2025-07-12T21:53:33.125+05:30 DEBUG 8140 --- [spring-learn] [
  restartedMain] c.c.spring_learn.SpringLearnApplication :
  SpringLearnApplication main method finished.
26 2025-07-12T21:53:49.198+05:30
                               INFO 8140 --- [spring-learn] [
  nio-8080-exec-2] o.a.c.c.C.[Tomcat].[localhost].[/]
  Initializing Spring DispatcherServlet 'dispatcherServlet'
nio-8080-exec-2] o.s.web.servlet.DispatcherServlet
  Initializing Servlet 'dispatcherServlet'
28 2025-07-12T21:53:49.201+05:30 INFO 8140 --- [spring-learn] [
  nio-8080-exec-2] o.s.web.servlet.DispatcherServlet
  Completed initialization in 1 ms
29 2025-07-12T21:53:49.301+05:30 DEBUG 8140 --- [spring-learn] [
  nio-8080-exec-2] c.c.s.controller.CountryController
  Inside CountryController getAllCountries() method.
30 2025-07-12T21:53:49.743+05:30 DEBUG 8140 --- [spring-learn] [
  nio-8080-exec-2] c.cognizant.spring_learn.models.Country
```

```
30 Inside Country Constructor.
31 2025-07-12T21:53:49.744+05:30 DEBUG 8140 --- [spring-learn] [
   nio-8080-exec-2] c.cognizant.spring_learn.models.Country :
   Inside Country setCode() method. Setting code to: IN
32 2025-07-12T21:53:49.746+05:30 DEBUG 8140 --- [spring-learn] [
   nio-8080-exec-2] c.cognizant.spring_learn.models.Country :
   Inside Country setName() method. Setting name to: India
33 2025-07-12T21:53:49.747+05:30 DEBUG 8140 --- [spring-learn] [
  nio-8080-exec-2] c.cognizant.spring_learn.models.Country
   Inside Country Constructor.
34 2025-07-12T21:53:49.747+05:30 DEBUG 8140 --- [spring-learn] [
  nio-8080-exec-2] c.cognizant.spring_learn.models.Country
   Inside Country setCode() method. Setting code to: US
35 2025-07-12T21:53:49.748+05:30 DEBUG 8140 --- [spring-learn] [
   nio-8080-exec-2] c.cognizant.spring_learn.models.Country
   Inside Country setName() method. Setting name to: United States
36 2025-07-12T21:53:49.749+05:30 DEBUG 8140 --- [spring-learn] [
  nio-8080-exec-2] c.cognizant.spring_learn.models.Country :
   Inside Country Constructor.
37 2025-07-12T21:53:49.750+05:30 DEBUG 8140 --- [spring-learn] [
   nio-8080-exec-2] c.cognizant.spring_learn.models.Country
   Inside Country setCode() method. Setting code to: JP
38 2025-07-12T21:53:49.750+05:30 DEBUG 8140 --- [spring-learn] [
   nio-8080-exec-2] c.cognizant.spring_learn.models.Country
   Inside Country setName() method. Setting name to: Japan
39 2025-07-12T21:53:49.750+05:30 DEBUG 8140 --- [spring-learn] [
   nio-8080-exec-2] c.cognizant.spring_learn.models.Country
   Inside Country Constructor.
40 2025-07-12T21:53:49.750+05:30 DEBUG 8140 --- [spring-learn] [
   nio-8080-exec-2] c.cognizant.spring_learn.models.Country
   Inside Country setCode() method. Setting code to: DE
41 2025-07-12T21:53:49.750+05:30 DEBUG 8140 --- [spring-learn] [
   nio-8080-exec-2] c.cognizant.spring_learn.models.Country
   Inside Country setName() method. Setting name to: Germany
42 2025-07-12T21:53:49.755+05:30 DEBUG 8140 --- [spring-learn] [
  nio-8080-exec-2] c.cognizant.spring_learn.models.Country
   Inside Country Constructor.
43 2025-07-12T21:53:49.756+05:30 DEBUG 8140 --- [spring-learn] [
  nio-8080-exec-2] c.cognizant.spring_learn.models.Country
   Inside Country setCode() method. Setting code to: IN
44 2025-07-12T21:53:49.756+05:30 DEBUG 8140 --- [spring-learn] [
   nio-8080-exec-2] c.cognizant.spring_learn.models.Country
   Inside Country setName() method. Setting name to: India
45 2025-07-12T21:53:49.757+05:30 DEBUG 8140 --- [spring-learn] [
   nio-8080-exec-2] c.c.s.controller.CountryController
   Returning Countries: [Country [code=IN, name=India], Country [
   code=US, name=United States], Country [code=JP, name=Japan],
   Country [code=DE, name=Germany]]
```

```
46 2025-07-12T21:53:49.889+05:30 DEBUG 8140 --- [spring-learn] [
   nio-8080-exec-2] c.cognizant.spring_learn.models.Country
   Inside Country getCode() method.
47 2025-07-12T21:53:49.889+05:30 DEBUG 8140 --- [spring-learn] [
  nio-8080-exec-2] c.cognizant.spring_learn.models.Country
   Inside Country getName() method.
48 2025-07-12T21:53:49.890+05:30 DEBUG 8140 --- [spring-learn] [
   nio-8080-exec-2] c.cognizant.spring_learn.models.Country
   Inside Country getCode() method.
49 2025-07-12T21:53:49.890+05:30 DEBUG 8140 --- [spring-learn] [
  nio-8080-exec-2] c.cognizant.spring_learn.models.Country
   Inside Country getName() method.
50 2025-07-12T21:53:49.890+05:30 DEBUG 8140 --- [spring-learn] [
   nio-8080-exec-2] c.cognizant.spring_learn.models.Country
   Inside Country getCode() method.
51 2025-07-12T21:53:49.890+05:30 DEBUG 8140 --- [spring-learn] [
   nio-8080-exec-2] c.cognizant.spring_learn.models.Country
   Inside Country getName() method.
52 2025-07-12T21:53:49.891+05:30 DEBUG 8140 --- [spring-learn] [
   nio-8080-exec-2] c.cognizant.spring_learn.models.Country :
   Inside Country getCode() method.
53 2025-07-12T21:53:49.891+05:30 DEBUG 8140 --- [spring-learn] [
  nio-8080-exec-2] c.cognizant.spring_learn.models.Country :
   Inside Country getName() method.
54
```