

TUV INDIA PRIVATE LIMITED
INSPECTION VISIT REPORT
IVR-010101018325/5-1-Rev.0

General:							
TUV India Control Number:(SAP Number)		010101018325/5 (8100000123)		Branch:	Mumbai		
Notification Number:		email		Date(s) of Inspection:	01/01/2025		
Project Name & Location:		sdfasdf		Inspection Location:	DUMMY ADDRESS		
TUV India Client Name:		METADOC NDT SERVICES		End User Name:			
DEC / PMC / EPC Name:*(If applicable)		-		DEC / PMC / EPC Assignment Number: <small>(If applicable)</small>	-		
Vendor Name & Location:		DUMMY VENDOR		P.O. Number: <small>(Client PO on Vendor)</small>	123`` Dated 01/01/2025		
Sub Vendor Name & Location: <small>(If applicable)</small>				P.O. Number: <small>(If applicable - Vendor PO on Sub Vendor)</small>			
Stages Of Inspection:							
<input type="checkbox"/> Kick Off / Pre Inspection Meeting		<input checked="" type="checkbox"/> Material Identification		<input type="checkbox"/> Interim Stages			
<input type="checkbox"/> Document Review		<input type="checkbox"/> Final Inspection		<input type="checkbox"/> Re-Inspection			
Item Description:							
PO Item No.	Item Code	Item Description / Identification / MTC Number		UOM	P.O. Quantity	Offered Quantity	
						Acceptable Quantity	
Reference Documents:							
Sr. No.	Document Name	Client Document Number	Vendor Document Number	Approval Status			
Inspection Activities Carried Out:							
Stages Witnessed:							
Documents Reviewed:							
Details of Equipment(s) / Instrument(s) used for measuring / testing During Inspection:*(Refer Notes)							
Sr. No.	Detail of Equipment(s)/ Instrument(s)	Range	ID	Validity till Date	Calibration Certificate Number	NABL / OTHER CERT. BODIES / NABL Traceability	NON-NABL
						<small>Please tick or Write Yes (whichever is applicable)</small>	
						See Note 1 & 2	See Note 3
<small>Notes:</small>							
<small>1) Other Certifying bodies are: NPL-India, CIPM (International Committee for Weights & Measures), ILAC & APLAC MRA Signatories.</small>							
<small>2) Visiting inspector to ensure continued suitability for intended use, periodic maintenance, proper identification and valid calibration records and traceability to known National / International standards of the measuring Instrument(s) / testing equipment(s).</small>							
<small>3) Non NABL: If the calibration certificate(s) for the measuring instrument(s) / equipment(s) used during inspection do not have traceability to NABL / Other certifying bodies, then the scope of review is limited only to technical content in the calibration certificate.</small>							
<small>4) In lieu of table above inspectors may collect master list from manufacturer / vendor/ sub vendor with all above details clearly highlighting the details of instrument(s) / equipment(s) used during inspection.</small>							
Conclusion :							
Pending activities from this Visit:							
1. For PO item number 1 to 3 - painting balance							
Identification of inspected Item(s):							

IVR-010101018325/5-1-Rev.0

	Date: 17/01/2025	Name:
Client / End User <input type="checkbox"/> TUVI Executing Branch / TUV Originating Branch <input type="checkbox"/> Vendor / Sub Vendor		
cable) [0] : - es IVR No. :-		

Page 2 of 2
