## **TUV INDIA PRIVATE LIMITED INSPECTION VISIT REPORT**

IVR-010101197424/7/1-1-Rev.0

Gene	ral:														
TUV India Control Number:(SAP Number)				010101197424/7/1 (8109435843)			В	Branch:				Mumi	Mumbai		
Notification Number:				email			D	Date(s) of Inspection:				24/0	24/04/2024		
Project Name & Location:				End Customer Project name: *			In	Inspection Location:				Inspe	ction location		
TUV India Client Name:				TIIMES Limited			Е	End User Name:				TIIME	TIIMES Limited (30862)		
DEC / PMC / EPC Name:(# applicable)				DEC/ PMC/ EPC Name:			N	DEC / PMC / EPC Assignment Number: (If applicable)				DEC/	DEC/ PMC/ EPC No:		
Vendor Name & Location:				Vendor for TIIMES Trial				P.O. Number: (Client PO on Vendor)				ABCE	ABCDE Dated 01/05/2024		
Sub Vendor Name & Location:				sub Vendor for TIIMES Trial				P.O. Number: (If applicable - Vendor PO on Sub Vendor)				JHIK	JHIK Dated 02/05/2024		
Stage	es Of Inspectio	n:													
□ Ki	☐ Kick Off / Pre Inspection Meetin				ng Material Identificat				ion				ı Stages		
	☐ Document Review				☐ Final Inspection				☐ Re-Insp				pection		
Item Description:															
PO Item Item Description / Code No.				otion / Iden	n / Identification / MTC Number						P.O. antity	Offered Quantity	Acceptable Quantity		
Refer	ence Documei	nts:								<u>,                                    </u>			<u>'</u>		
Sr. No. Document Name Clien			nt Document Number V				endor Document Number				Approv	Approval Status			
Inspection Activities Carried Out:															
Stage	es Witnessed:														
Docu	ments Review	ed:													
Detai	ls of Equipmer	nt(s) / lı	nstrum	ent(s) used	for mea	asuring / tes	ting Du	uring Inspec	tion:(Refer	Notes)					
Sr. Detail of Equipment(s)/		ange	ID		Validity till Date		Calibration Certi Number		ficate			NABL / OTHER CERT. BODIES / NABL Traceability Please tick or Write Yes (	NON-NABL		
matrument(3)												See Note 1 & 2	See Note 3		
Notes:  1) Other Certifying bodies are: NPL-India, CIPM (International Committee for Weights & Measures), ILAC & APLAC MRA Signatories.  2) Visiting inspector to ensure continued suitability for intended use, periodic maintenance, proper identification and valid calibration records and traceability to known National / International standards of the measuring instrument(s) / testing equipment(s).  3) Non NABL: If the calibration certificate(s) for the measuring instrument(s) / equipment(s) used during inspection do not have traceability to NABL / Other certifying bodies, then the scope of review is limited only to technical content in the calibration certificate.  4) In lieu of table above inspectors may collect master list from manufacturer / vendor/ sub vendor with all above details clearly highlighting the details of instrument(s) / equipment(s) used during inspection.															
Conclusion:															
Pending activities from this Visit:															
None															
Identification of inspected Item(s):															

Disclaimer: This IVR shall not be considered as final acceptance of inspected item(s). The final acceptance will be given through Inspection Release Note.

The inspection by TUV India Pvt. Ltd., review of Test Certificates / Reports and issue of Inspection Visit Report does not relieve the Client / Supplier / Manufacturer / Stockiest from their responsibility towards the Client The inspection by ToV india PV. Etc., review of Test Certificates? Reports and issue of inspection visit Report oversities the client? Supplier / Manufacturer / Stockiest in their responsibility towards are client of the content of remis, and document(s). It the calibration certificate(s) for the measuring instrument(s) / equipment(s) used during inspection do not have trace only to technical content in the calibration certificate.

Copyright: This document is the property of TUV India Pvt. Ltd. and should not be reproduced, except in full without the consent of TUV India Pvt. Ltd.

TUV India Pvt. Ltd. (TÜV NORD GROUP): (REGD. & HEAD OFFICE)
801, Raheja Plaza - I, LBS Marg, Ghatkopar (West), Mumbai - 400086, Maharashtra, India.

Tel: + 91 22 66477000, Emali: inspection@tuv-nord.com; Website: www.tuv-nord.com/in.

Form No.: F / INSP / VR / 11 - R13 / TIIMES; Revision Date: 27.10.2023

Page 1 of 2

## **TUV INDIA PRIVATE LIMITED INSPECTION VISIT REPORT**

IVR-010101197424/7/1-1-Rev.0

Areas of Concerns:								
None								
Non Conformities raised / Discrepancies observed during inspection (If Arry, Mention TUV India NCR Number):								
None								
Attachments:								
Inspection records – Total Page Nos.		Master List of calibrated Instruments / equipment :						
Inspection Photos – Refer Page Nos.	-	□ Others (Specify):						
Authorised Signature:								
TUV India representative:		Vendor / Sub Vendor Representative (If Applicable):						
Name: Shrikant Patil	Date:23/05/2024	Name:						
<b>Distribution List:</b> ☐ TUVI Client / End User ☐ TUVI Executing Branch / TUV Originating Branch ☐ Vendor / Sub Vendor								
Revision Number (If Applicable) [0]: - This Document Supersedes IVR No.:-								

Disclaimer: This IVR shall not be considered as final acceptance of inspected item(s). The final acceptance will be given through Inspection Release Note.

The inspection by TUV India Pvt. Ltd., review of Test Certificates / Reports and issue of Inspection Visit Report does not relieve the Client / Supplier / Manufacturer / Stockiest from their responsibility towards the Client / End User to supply the genuine material / item(s) and document(s) in full compliance with applicable Order, Specification, Technical, Quality, Quantity, Warranty, Guarantee requirements. Supplier / Manufacturer / stockiest is wholly legally responsible for genuineness of the material / item(s) supplied and document(s) submitted TUV India's responsibility to solly limited to correctness of inspection results including review of the documents, within its agreed scope against written requirements and neither TUV India nor any of its group companies, associates or employees are in any way/ legally responsible for genuineness of the material / item(s) and document(s). If the calibration certificate(s) for the measuring instrument(s) / equipment(s) used during inspection do not have traceability to NABL / Other certifying bodies, then the scope of review is limited only to technical content in the calibration certificate. nemis, and accument(s). It the calibration certificate(s) for the measuring instrument(s) / equipment(s) used during inspection do not have trace only to technical content in the calibration certificate.

Copyright: This document is the property of TUV India Pvt. Ltd. and should not be reproduced, except in full without the consent of TUV India Pvt. Ltd.

TUV India Pvt. Ltd. (TÜV NORD GROUP): (REGD. & HEAD OFFICE)

801, Raheja Plaza - I, LBS Marg, Ghatkopar (West), Mumbai - 400086, Maharashtra, India.

Tel: + 91 22 66477000, Email: inspection@ituv-nord.com; Website: www.tuv-nord.com/in.

Form No.: F / INSP / VR / 11 - R13 / TIIMES; Revision Date: 27.10.2023

Page 2 of 2