

Commercial Insurance Policy Comparison & Risk Insights Platform

1. Executive Summary

Large commercial insurance brokers manage multiple policy quotations from different insurers while advising enterprise clients on coverage selection. Each insurer structures policy wording, exclusions, endorsements, deductibles, and coverage limits differently, making manual comparison time-consuming and prone to oversight.

The proposed platform digitizes the policy comparison process by extracting policy clauses, standardizing terminology, identifying coverage gaps, and generating structured comparison reports. It enables brokers to make faster, more consistent, and auditable recommendations while reducing operational effort and Errors & Omissions (E&O) risk.

2. Business Context

Commercial insurance brokers routinely evaluate multiple policy documents before recommending the most suitable coverage for corporate clients. The process involves reviewing hundreds of clauses across multiple insurers, each using different legal terminology and document structures.

Manual policy analysis creates several operational challenges:

- Time-intensive comparison of lengthy policy documents.
- Inconsistent interpretation of clauses across brokers.
- Difficulty identifying hidden exclusions and coverage gaps.
- Limited audit trail supporting recommendation decisions.
- Increased regulatory and professional liability exposure.

The objective is to create a centralized platform that assists brokers with policy comparison while preserving human decision-making for final recommendations.

3. Business Problem Statement

The existing policy comparison process relies heavily on manual document review and spreadsheet-based analysis.

As policy complexity increases, brokers spend significant time normalizing terminology, identifying exclusions, validating endorsements, and documenting recommendations.

This results in:

- Longer client turnaround times.
- Higher operational costs.
- Increased possibility of recommendation inconsistencies.
- Limited traceability of advisory decisions.
- Greater Errors & Omissions (E&O) exposure.

4. Project Objectives

The platform aims to:

- Reduce manual effort involved in policy comparison.
- Standardize policy clauses across multiple insurers.
- Improve identification of coverage gaps and exclusions.
- Provide transparent audit trails for advisory decisions.
- Enable faster, evidence-based client recommendations.
- Improve operational efficiency while supporting regulatory compliance.

5. Success Metrics (KPIs)

KPI	Illustrative Baseline	Target
Average Policy Comparison Time	4–6 hours	< 1 hour
Manual Review Effort	Reduced by 60%	Reduced
Coverage Gap Detection	Manual	Standardized
Policy Recommendation Turnaround	2–3 days	Same Day
Audit Traceability	100%	Complete audit trail
Manual Overrides with Justification	Not Tracked	100% Logged

Measurement distinction: The KPI measures end-to-end broker turnaround time, while the NFR measures system processing time for the automated comparison step.

6. Stakeholders

Stakeholder	Responsibility
Insurance Broker	Compare policies and recommend coverage
Enterprise Client	Review recommendations and select policy
Product Manager	Prioritize business requirements
Business Analyst	Gather requirements and define functional specifications
Underwriting Team	Validate policy terms and coverage
Compliance Team	Ensure regulatory and governance adherence
Engineering Team	Develop platform features and integrations
QA Team	Validate business requirements through testing

7. Project Scope

In Scope

- Multi-insurer policy upload.
- Policy clause extraction.
- Coverage comparison.
- Exclusion analysis.
- Recommendation workflow.
- Audit trail.
- Reporting dashboards.
- Comparison completion notifications and status updates

Out of Scope

- Policy issuance.
- Premium payment processing.
- Claims management.
- Underwriting decisions.
- Regulatory filing.

8. Assumptions

- Policy documents are available in supported digital formats.
- Standard clause taxonomy is maintained centrally.
- Brokers remain responsible for final advisory decisions.
- External integrations are available where required.

9. Dependencies

- Policy repository.
- Clause extraction service.
- Authentication platform.
- Reporting database.
- Notification service.

10. Current Process (AS-IS)

Existing Workflow

Client submits policy quotations

|



Broker receives and reviews policy documents manually

|



Coverage clauses and exclusions are extracted manually

|



Insurer terminology is normalized manually

|



Policies are compared using spreadsheets

|



Coverage gaps and critical exclusions are identified manually

|



Broker prepares recommendation

|



Recommendation is shared with client

|




Supporting records are maintained manually


Current Challenges

Challenge	Business Impact
Manual policy comparison	High turnaround time
Different insurer terminology	Inconsistent interpretation
Spreadsheet-based tracking	Version control issues
No standardized clause mapping	Missed coverage differences
Limited audit trail	Higher E&O exposure
Manual recommendation process	Reduced productivity

11. Future Process (TO-BE)

Proposed Workflow





12. Business Process Improvements

Current State	Future State
Manual comparison	Automated comparison support
Different clause terminology	Standardized clause taxonomy
Spreadsheet tracking	Centralized comparison platform
Manual gap identification	Automated gap highlighting
Limited traceability	Complete audit history
Manual reporting	Structured recommendation reports

13. Stakeholder Interaction Matrix

Stakeholder	Inputs	Outputs
Enterprise Client	Policy requirements	Final recommendation
Insurance Broker	Policy documents	Advisory report
Underwriter	Policy terms	Coverage validation
Compliance Team	Regulatory rules	Compliance review
Business Analyst	Business requirements	Functional specifications
Product Manager	Product roadmap	Prioritized backlog
Engineering Team	Technical implementation	Platform features
QA Team	Test scenarios	Release validation

14. Primary Personas

Persona 1 – Insurance Broker

Goals

- Compare policies efficiently
- Recommend optimal coverage
- Reduce manual effort

Pain Points

- Large policy documents
- Different insurer terminology
- Tight client timelines

Persona 2 – Enterprise Client

Goals

- Understand policy differences
- Select appropriate coverage
- Reduce business risk

Pain Points

- Complex legal wording
- Difficult comparison
- Limited visibility into exclusions

Persona 3 – Compliance Manager

Goals

- Ensure advisory compliance
- Maintain audit records
- Reduce regulatory exposure

Pain Points

- Missing audit history
- Manual oversight
- Inconsistent documentation

15. Expected Business Outcomes

Objective	Expected Outcome
Faster comparison	Reduced broker effort
Standardized clauses	Consistent recommendations
Better traceability	Improved audit readiness
Coverage visibility	Better client decisions
Centralized workflow	Improved operational efficiency

16. Functional Requirements (FR)

Module 1 – Policy Upload & Document Management

FR-01: The system shall allow brokers to upload one or more commercial insurance policy documents in PDF or DOCX format.

FR-02: The system shall validate supported file types and reject unsupported or corrupted documents.

FR-03: The system shall assign a unique Policy ID to every uploaded document.

Module 2 – Clause Extraction & Standardization

FR-04: The system shall extract coverage clauses, exclusions, deductibles, endorsements, and limits from uploaded policy documents.

FR-05: The system shall map insurer-specific terminology to a standardized clause taxonomy for consistent comparison.

FR-06: The system shall retain the original clause reference to support audit traceability.

Module 3 – Policy Comparison

FR-07: The system shall compare two uploaded insurance policies at a time and highlight differences.

FR-08: The system shall highlight differences in coverage, exclusions, deductibles, and limits.

FR-09: The system shall identify missing or additional coverages across policies.

Module 4 – Recommendation Workflow

FR-10: The system shall generate a structured comparison report summarizing key differences and identified coverage gaps.

FR-11: Brokers shall be able to review recommendations before sharing them with clients.

FR-12: Manual changes to recommendations shall require a justification and be recorded in the audit trail.

Module 5 – Reporting & Audit

FR-13: The system shall maintain an audit trail for all policy uploads, comparisons, report generation, manual overrides, and recommendations.

FR-14: Authorized users shall be able to filter reports by client, insurer, policy type, and comparison date.

FR-15: The system shall provide operational dashboards for tracking comparison requests and processing status.

FR-16: The system shall notify brokers when policy comparison processing is completed and provide the current processing status.

17. Non-Functional Requirements (NFR)

Category	Requirement
Performance	Automated policy comparison processing should complete within 60 seconds for supported document sizes, excluding broker review and other downstream workflow activities.
Availability	System availability target of 99.5% during business hours.
Security	Role-Based Access Control (RBAC) for brokers, compliance, and administrators.
Auditability	Every recommendation and manual override shall be timestamped and attributable to a user.
Scalability	Support concurrent comparison requests without impacting response times.
Usability	Interface should allow users to compare policies without requiring technical expertise.
Reliability	Failed uploads shall be logged with descriptive error messages.
Compliance	Sensitive client information shall be handled in accordance with applicable data privacy requirements.

18. Business Rules

BR-01 – Policy Comparison Eligibility

Only policies belonging to the same insurance product category (e.g., Property, Cyber, Professional Liability) can be compared.

BR-02 – Recommendation Approval

Only users with the Broker role may approve and share final recommendations with clients.

BR-03 – Manual Override

Any manual modification to an automatically generated recommendation must include a mandatory justification.

BR-04 – Audit Trail

Every significant action—including uploads, comparisons, overrides, and report generation—must be recorded with user ID and timestamp.

BR-05 – Critical Exclusion Flagging

Critical exclusions identified during policy comparison must be highlighted in the comparison report.

BR-06 – Document Integrity

Uploaded policy documents cannot be modified after successful processing. Any revised document must be uploaded as a new version.

BR-07 – Recommendation Versioning

Each recommendation shall maintain version history to preserve previous advisory decisions.

BR-08 – Access Control

Only authorized users may view client-specific policy documents and recommendation reports.

19. Assumptions & Constraints


Assumptions

- Policy documents are available in digital format.
- Standardized clause taxonomy is maintained.
- Users receive appropriate role-based permissions.

Constraints

- Comparison is limited to supported document formats.
- Final recommendations remain subject to broker approval.
- External document extraction services must be available for automated processing.

20. High-Level Solution Architecture



21. Entity Relationship Diagram (ERD)




Table Relationships

Parent	Child	Relationship
Corporate Clients	Insurance Policies	One-to-Many
Insurance Policies	Policy Coverages	One-to-Many
Insurance Policies	Policy Exclusions	One-to-Many
Insurance Policies	Policy Comparisons	One-to-Many
Policy Comparisons	Recommendations	One-to-Many

22. Data Dictionary

Corporate Clients

Field	Type	Description
client_id	INT (PK)	Unique client identifier
company_name	VARCHAR	Client organization
industry_sector	VARCHAR	Industry classification
risk_profile	VARCHAR	Risk tier

Insurance Policies

Field	Type	Description
policy_id	INT (PK)	Unique policy
client_id	INT (FK)	Client reference
underwriter_carrier	VARCHAR	Insurance carrier
policy_type	VARCHAR	Product category
annual_premium_amount	DECIMAL	Premium amount
document_upload_timestamp	TIMESTAMP	Upload timestamp
ai_extraction_status	VARCHAR	Policy extraction processing status

Policy Coverages

Field	Type	Description
coverage_id	INT (PK)	Coverage identifier
policy_id	INT (FK)	Policy reference
contract_clause_reference	VARCHAR	Original policy clause reference
coverage_term_raw	VARCHAR	Coverage wording extracted from policy
normalized_taxonomy_group	VARCHAR	Standardized coverage category
aggregate_coverage_limit	DECIMAL	Aggregate coverage limit
inner_sub_limit_cap	DECIMAL	Applicable inner sub-limit

Policy Exclusions

Field	Type	Description
exclusion_id	INT (PK)	Exclusion identifier
policy_id	INT (FK)	Policy reference
contract_clause_reference	VARCHAR	Original policy clause reference
exclusion_title_raw	VARCHAR	Exclusion wording extracted from policy
unmitigated_risk_severity	VARCHAR	Risk severity before mitigation

Policy Comparisons

Field	Type	Description
-------	------	-------------

comparison_id	INT (PK)	Comparison identifier
base_policy_id	INT (FK)	Primary policy
comparison_policy_id	INT (FK)	Compared policy
comparison_date	DATE	Execution date
comparison_status	VARCHAR	Completed / Pending
broker_user_id	INT	Authenticated broker user responsible for the comparison; user identity is managed by the Authentication Platform.
comparison_started_at	TIMESTAMP	Comparison processing start time
comparison_completed_at	TIMESTAMP	Comparison processing completion time

Recommendations

Field	Type	Description
recommendation_id	INT	Logical recommendation identifier
comparison_id	INT (FK)	Comparison reference
recommendation_version	INT	Version number of the recommendation
recommendation_type	VARCHAR	Best Match / Gap Identified
recommendation_status	VARCHAR	Draft / Approved
recommendation_started_at	TIMESTAMP	Timestamp when recommendation processing/review begins
recommendation_completed_at	TIMESTAMP	Timestamp when recommendation is completed/approved

Advisory Audit Logs

Field	Type	Description
audit_id	INT (PK)	Audit identifier
entity_type	VARCHAR	Policy / Comparison / Recommendation / Report
entity_id	INT	ID of the affected entity

action	VARCHAR	Upload / Compare / Report Generated / Manual Override / Approved / Shared
performed_by	VARCHAR	User
action_timestamp	TIMESTAMP	Audit timestamp

23. Requirement Traceability Matrix

Business Requirement	Functional Requirement	User Story	UAT
Upload policies	FR-01	US-01	TC-01
Validate documents	FR-02	US-02	TC-02
Assign Policy ID	FR-03	US-01	TC-01
Extract clauses	FR-04	US-03	TC-03
Standardize clauses	FR-05	US-04	TC-04
Retain clause reference	FR-06	US-03	TC-05
Compare policies	FR-07	US-05	TC-06
Highlight differences	FR-08	US-05	TC-06
Detect coverage gaps	FR-09	US-06	TC-07
Generate recommendation report	FR-10	US-07	TC-08
Review recommendations	FR-11	US-08	TC-09
Manual override	FR-12	US-09	TC-10
Maintain audit trail	FR-13	US-10	TC-11
Filter reports	FR-14	US-13	TC-12
Dashboard reporting	FR-15	US-12	TC-13
Completion notification	FR-16	US-11	TC-14

24. Product Backlog Structure & User Stories

EPIC 1 – Policy Upload & Document Management

US-01 – Upload Insurance Policies

As an Insurance Broker

I want to upload one or more insurance policy documents

So that I can compare multiple policy options for my client.

Acceptance Criteria (Gherkin)

Given valid policy documents are available
When the broker uploads the files
Then the system stores the documents
And assigns a unique Policy ID.

US-02 – Validate Policy Documents

As an Insurance Broker
I want the system to validate uploaded policy documents
So that unsupported or corrupted documents are rejected before processing.

Acceptance Criteria

Given the broker uploads a policy document
When the file type is unsupported or the document is corrupted
Then the system rejects the document
And displays a validation error.

EPIC 2 – Policy Analysis & Comparison

US-03 – Extract Policy Clauses

As a Broker
I want the system to extract policy clauses
So that manual review effort is reduced.

Acceptance Criteria

Given a valid policy document has been uploaded
When the extraction process runs
Then the system extracts coverage clauses, exclusions, deductibles, endorsements, and limits.

US-04 – Standardize Policy Clauses

As a Business User
I want insurer-specific terminology mapped to common business terms
So that policy comparisons remain consistent.

Acceptance Criteria

Given policy clauses have been extracted
When the standardization process runs
Then insurer-specific terminology is mapped to the standardized clause taxonomy.

US-05 – Compare Insurance Policies

As a Broker

I want policies displayed side-by-side
So that differences are easily
identified.

Acceptance Criteria

Given two valid policies are available

When the broker initiates a comparison

Then the system displays the policies side by side and highlights differences in coverage, exclusions, deductibles, and limits.

US-06 – Identify Coverage Gaps

As a Broker

I want missing or reduced coverage highlighted
So that I can recommend the most appropriate policy.

Acceptance Criteria

Given policies have been compared

When coverage analysis is completed

Then the system identifies and highlights missing or additional coverages.

EPIC 3 – Recommendation & Advisory

US-07 – Generate Recommendation Report

As a Broker

I want the system to generate a structured comparison report
So that I can discuss recommendations with the client.

Acceptance Criteria

Given a policy comparison has been completed

When the broker generates the report

Then the system produces a structured report containing key differences and identified coverage gaps.

US-08 – Review Recommendations

As a Broker

I want to review recommendations before sharing them
So that I remain responsible for the final advisory decision.

Acceptance Criteria

Given a recommendation has been generated

When the broker opens the recommendation
Then the broker can review it before sharing it with the client.

US-09 – Manual Override with Justification

As a Broker
I want to manually modify recommendations
So that business judgment can be applied where necessary.

Acceptance Criteria

Given a recommendation has been generated
When the broker edits the recommendation
Then the system requires a justification
And records the change in the audit log.

EPIC 4 – Governance & Compliance

US-10 – Maintain Audit Trail

As a Compliance Manager
I want significant policy and recommendation actions to be recorded
So that advisory activities remain fully traceable.

Acceptance Criteria

Given a significant policy or recommendation action occurs
When the action is completed
Then the system records the action with the user and timestamp.

US-11 – Notification & Status Updates

As a Broker
I want notifications when comparisons are complete
So that I can continue my workflow without repeatedly checking the system.

Acceptance Criteria

Given a policy comparison is being processed
When the comparison is completed
Then the system updates the processing status and notifies the broker.

EPIC 5 – Analytics & Reporting

US-12 – Executive Dashboard

As a Business Manager

I want operational KPIs displayed in a dashboard
So that I can monitor workload, turnaround time, and comparison quality.

Acceptance Criteria

Given comparison data is available

When a business manager opens the dashboard

Then the system displays the defined operational KPIs, workload, turnaround time, and comparison status.

US-13 – Filter Comparison Reports

As an authorized business user

I want to filter comparison reports by client, insurer, policy type, and comparison date

So that I can analyze relevant policy comparison results.

Acceptance Criteria

Given comparison reports are available

When an authorized business user applies filters

Then the system filters reports by client, insurer, policy type, and comparison date.

25. Definition of Ready (DoR)

A user story is considered ready when:

- Business objective is defined.
- Stakeholder is identified.
- Acceptance criteria are documented.
- Dependencies are known.
- Business value is understood.

26. Definition of Done (DoD)

A user story is considered complete when:

- Functional requirements are implemented.
- Acceptance criteria are satisfied.
- UAT is passed.
- Audit logging is validated.
- Product Manager signs off.

27. API Contract – Policy Upload API

Purpose

Allows brokers to upload commercial insurance policy documents for processing.

Method: POST /api/v1/policies/upload
Content-Type: multipart/form-data

Sample Request

```
{
  "clientId": 101,
  "policyType": "Commercial Property",
  "insurer": "ABC Insurance",
  "file": "ABC_Property_Policy_2026.pdf"
}
```

Sample Response

```
{
  "policyId": 501,
  "status": "Uploaded",
  "message": "Policy uploaded successfully"
}
```

28. API Contract – Policy Comparison API

Purpose

Compares two uploaded insurance policies and highlights differences.

Method: POST

/api/v1/policies/compare

Sample Request

```
{
  "basePolicyId": 501,
  "comparisonPolicyId": 502
}
```

Sample Response

```
{
  "comparisonId": "CMP-1001",
  "status": "Completed", "coverageGaps": 4,
  "criticalExclusions": 2
}
```

Note: coverageGaps and criticalExclusions are derived from the comparison results and related coverage/exclusion records; they are not stored as fields in the Policy Comparisons table.

29. API Contract – Notification API

Purpose

Sends notification once policy comparison is completed.

Method: POST

/api/v1/notifications/send

Sample Request

```
{  
  "brokerUserId": 205,  
  "comparisonId": "CMP-1001", "status": "Completed"  
}
```

Sample Response

```
{  
  "notificationStatus": "Sent"  
}
```

30. User Acceptance Testing (UAT)

Test ID	Scenario	Expected Result
TC-01	Upload valid policy	Policy uploaded successfully and a unique Policy ID is assigned
TC-02	Upload invalid file	Unsupported or corrupted file is rejected and validation error is displayed
TC-03	Extract policy clauses	Coverage clauses, exclusions, deductibles, endorsements and limits are extracted
TC-04	Standardize policy clauses	Insurer-specific terminology is mapped to the standardized clause taxonomy
TC-05	Retain original clause reference	Original clause reference is retained for audit traceability
TC-06	Compare two policies	Policies are compared and differences in coverage, exclusions, deductibles and limits are displayed
TC-07	Detect coverage gaps	Missing or additional coverages are identified and highlighted
TC-08	Generate comparison & recommendation report	Structured report containing key differences and identified coverage gaps is generated
TC-09	Review recommendation	Broker can review the generated recommendation before sharing it with the client

TC-10	Manual override	Broker can modify the recommendation only after providing mandatory justification, and the change is recorded
TC-11	Maintain audit trail	Policy uploads, comparisons, report generation, overrides and recommendations are recorded with user and timestamp.
TC-12	Filter comparison reports	Authorized user can filter reports by client, insurer, policy type and comparison date
TC-13	Dashboard reporting	Dashboard displays comparison requests, processing status and defined operational KPIs
TC-14	Comparison completion notification	Broker receives notification when the comparison is completed

31. Portfolio UAT Validation

Role	Name	Status
Business Owner	NA	Portfolio Case Study
Product Manager	NA	Portfolio Case Study
Business Analyst	Vaibhav Yadav	Case Study Validation Completed
QA Lead	NA	Portfolio Case Study

32. Governance & Compliance

Audit & Traceability

- Every recommendation is linked to its originating policy comparison.
- Manual overrides require mandatory justification.
- User actions are recorded with timestamp and user ID.

Role-Based Access Control

Role	Permissions
Broker	Upload, compare, review, approve, share

	recommendations
Compliance Manager	Review audit logs
Product Manager	View reports and KPIs
Administrator	Manage users and configurations

Data Governance

- Version control maintained for policy documents.
- Recommendation history preserved.
- Audit logs retained for compliance reviews.
- Sensitive client information accessible only to authorized users.

33. Project Risk Register

Risk	Impact	Mitigation
Poor document quality	Incorrect clause extraction	Validate uploaded documents before processing
Inconsistent policy wording	Comparison inaccuracies	Standardized clause taxonomy
Manual override misuse	Incorrect recommendations	Mandatory justification and audit trail
Delayed comparisons	SLA impact	Dashboard monitoring and workload tracking
Unauthorized access	Compliance risk	Role-Based Access Control (RBAC)

34. SQL Analytics Overview

The database supports operational reporting and decision-making by enabling analytics across policy comparison, exclusion analysis, broker productivity, recommendation turnaround, and audit activity.

The SQL scripts included in the repository demonstrate how business requirements can be translated into actionable insights for stakeholders.

Key Analytics Areas

- Policy Comparison Turnaround
- Coverage Exclusion Density
- Advisory Audit Activity
- Broker Productivity & Comparison Activity

- Audit & compliance reporting

35. Sample Business Analytics Queries

Query	Business Purpose
Policy Comparison Turnaround	Monitor comparison processing time and SLA performance
Coverage Exclusion Density	Identify exclusion concentration across policy types and insurers
Advisory Audit Activity	Monitor governance actions and audit activity
Broker Productivity & Comparison Activity	Track comparison workload and processing status by broker
Recommendation Turnaround	Monitor recommendation completion time

Repository Files

- insurance_schema.sql
- insurance_sample_data.sql
- insurance_analytics_queries.sql
- commercial_insurance_dataset.xlsx
- tableau_dashboard.png

36. Dashboard Design

Executive Dashboard

Key Metrics

- Comparison Turnaround
- Recommendation Turnaround
- Broker Productivity

Operational Visuals

- Exclusion & Risk Analysis
- Critical Exclusions
- Audit Ledger
- Comparison & Broker Activity
- Exclusion Density by Policy Type & Carrier

Dashboard Filters

- Comparison Status
- Unmitigated Risk Severity

37. Business KPIs

KPI	Business Value
Average Comparison Time	Operational efficiency
Coverage Gap Detection	Risk visibility
Manual Review Effort	Process efficiency
Audit Traceability	Governance effectiveness
Broker Productivity	Team performance
Recommendation Turnaround Time	Client responsiveness

38. Expected Business Benefits

Operational Benefits

- Reduced manual policy review effort.
- Faster comparison of multiple insurer policies.
- Standardized policy evaluation process.
- Improved broker productivity.

Business Benefits

- More consistent advisory recommendations.
- Better visibility into coverage gaps.
- Improved client confidence through structured comparisons.
- Enhanced decision support for brokers.

Governance Benefits

- Complete audit trail for recommendation changes.
- Improved regulatory readiness.
- Better traceability of advisory decisions.
- Reduced Errors & Omissions (E&O) exposure.

39. Future Roadmap

Phase 1

- Policy upload
- Clause extraction
- Policy comparison

Phase 2

- Recommendation workflow
- Executive dashboards
- Audit reporting

Phase 3

- AI-assisted recommendation suggestions
- Predictive risk insights
- Carrier benchmarking
- Client portfolio analytics

40. Project Deliverables

Documentation

- Business Requirements Document (BRD)
- Functional Requirements
- Non-Functional Requirements
- Business Rules
- User Stories
- Gherkin Acceptance Criteria
- API Contracts
- UAT
- Governance Documentation

Technical Assets

- ERD
- Data Dictionary
- SQL Schema
- Sample Dataset
- Analytics Queries
- Tableau Dashboard
- GitHub Repository

41. Project Summary

Business Problem

Commercial insurance brokers spend significant time manually comparing policy documents, resulting in inconsistent recommendations, limited traceability, and increased operational effort.

Proposed Solution

A centralized Policy Comparison & Risk Insights Platform that standardizes policy clauses, highlights coverage gaps, supports broker decision-making, and maintains a complete audit trail for governance and compliance.

Expected Business Value

- Reduced manual effort
- Faster policy comparison
- Improved recommendation quality
- Better governance and auditability
- Enhanced client decision support

