
Property Registration Application – Hyperledger Fabric

Start & Configuration Instructions

Run the following commands to bootstrap the network

 Verify whether all the required containers are UP and running using following command



Start the chaincode in DEV mode

```
SSH to chaincode container in new terminal/tab using the following command

docker exec -it chaincode /bin/bash

And then issue following command to start chaincode in DEV mode

npm run start-dev
```

Commands to Install & Instantiate the chaincode on to the network



Connect to cli node to verify various functions of chaincode

TAB 3: CLI - Connected to REGISTRARMSP: peer0.registrar.property-registration-network.com:7051 SSH to cli container in new terminal/tab using the following command docker exec -it cli /bin/bash root@842d74ef484f: /opt/gopath/src/github.com/hyperledger/fabric/peer coot@842d74ef484f:/opt/gopath/src/github.com/hyperledger/fabric/peer# echo \$CORE PEER LOCALMSPID root@842d74ef484f:/opt/gopath/src/github.com/hyperledger/fabric/peer# echo \$CORE_PEER_LOCALMSPID
registrarNSP
root@842d74ef484f:/opt/gopath/src/github.com/hyperledger/fabric/peer# echo \$CORE_PEER_ADDRESS
peer0.registrar.property-registration-network.com:7051
root@842d74ef484f:/opt/gopath/src/github.com/hyperledger/fabric/peer# echo \$CORE_PEER_MSPCONFIGPATH
/opt/gopath/src/github.com/hyperledger/fabric/peer/organizations/registrar.property-registration-network.com/users/Admin@registrar.propertyregistration-network.com/msp
root@842d74ef484f:/opt/gopath/src/github.com/hyperledger/fabric/peer# echo "NOW WE ARE CONNECTED TO REGISTRAR CLI"
NOW WE ARE CONNECTED TO REGISTRAR CLI TAB 4: CLI - Connected to USERMSP: peer0.users.property-registration-network.com: 9051 SSH to cli container in new terminal/tab using the following command docker exec -it cli /bin/bash Set ENV variables to connect to User's Node export CORE PEER LOCALMSPID=usersMSP export CORE PEER ADDRESS=peer0.users.property-registration-network.com:9051 export CORE PEER MSPCONFIGPATH =/opt/gopath/src/github.com/hyperledger/fabric/peer/crypto/peerOrganizations/users.propertyregistration-network.com/users/Admin@users.property-registration-network.com/msp root@842d74ef484f: /opt/gopath/src/github.com/hyperledger/fabric/peer upgradeupgrad-VirtualBox:-/Desktop/m. * | Tottest2074ertstr/opt/gopathyst/gt... * | Tottest2074ertstr/opt/gopathyst/gt... * | Tottest2074ertstr/opt/gopathyst/gt... * | Tottest2074ertstr/opt/gopathyst/gt... * | Tottest2074ertstr/opt/gopath/str/github.com/hyperledger/fabric/peer! export CORE_PEER_LOCALMSPID-usersMSP root8842d74eft84f:/opt/gopath/src/github.com/hyperledger/fabric/peer! export CORE_PEER_ADDRESS-peer0.users.property-registration-network.com/seerofspath/src/github.com/hyperledger/fabric/peer! export CORE_PEER_MSPCONFIGEATH-/opt/gopath/src/github.com/hyperledger/fabric/peer crypto/peerOrganizations/users.property-registration-network.com/users.property-registration-network.com/seerost8842d74eft848f:/opt/gopath/src/github.com/hyperledger/fabric/peer! coot8842d74eft848f:/opt/gopath/src/github.com/hyperledger/fabric/peer! coot8842d74eft848f:/opt/gopath/src/github.com/hyperledger/fabric/peer! peer chaincode invoke -o orderer property-registration-network.com:7050 -C regist ote842d74ef484f:/opt/g opath/src/github.com/hyperledger/fabric/peer# peer chaincode invoke -o orderer.property-registration-network.com:7050 -C regist -c '{"Args":["org.property-registration-network.regnet.usercontract:requestNewUser","Rajesh","v4u2chat@gmail.com","9866776600", coot@842d74ef484ff/opt/gopath/src/github.com/myperledge.ranio-per-rationchannel -n regnet -c '{"Args":["org.property-registration-network.regnet.usercontract:requestNewUser","Rajesh","v4u2chat@gmail.com","9866776600" '0000-0000-0000"])'

Proor: error getting endorser client for invoke: endorser client failed to connect to peer0.users.property-registration-network.com:7051: failed to crack the peer0.users.property-registration-network.com:7051: failed to crack the peer0.users.property-registration-network.com:9051: connection error: desc = "transport: error while dialing: dial tcp 172.18.0.9:7051: connect: connection refused"

root@842d74ef484ff/opt/gopath/src/github.com/hyperledger/fabric/peer# export CORE_PEER_ADDRESS=peer0.users.property-registration-network.com:9051

With the above – We are SET to verify our functionalities.

Transactions

requestNewUser

Execute the following command on TAB 4: CLI - Connected to USERMSP


peer chaincode invoke -o orderer.property-registration-network.com:7050 -C
registrationchannel -n regnet -c '{"Args":["org.property-registrationnetwork.regnet.usercontract:requestNewUser","Rajesh","yadukrishna1918@gmail.com","
908670660-0000-0000"]}'

```
root@842d74ef484f; /opt/gopath/src/github.com/hyperledger/fabric/peer

File Edit View Search Terminal Tabs Help


upgrad@upgrad=VirtualBox:-/Desktop/... × root@0ce069c83ef5:/opt/gopath/src/ch... × root@842d74ef484f; /opt/gopath/src/git... × root@842d74ef484f; /opt/gopath/src/github.com/hyperledger/fabric/peer export CORE_PEER_LOCALMSPID-usersMSP root@842d74ef484f; /opt/gopath/src/github.com/hyperledger/fabric/peer export CORE_PEER_LOCALMSPID-users.Property-registration-network.com:7051 root@842d74ef484f; /opt/gopath/src/github.com/hyperledger/fabric/peer* export CORE_PEER_ADDRESS=peer0.users.property-registration-network.com:7051 root@842d74ef484f; /opt/gopath/src/github.com/hyperledger/fabric/peer* export CORE_PEER_MSPCONFIDE/PATH=/opt/gopath/src/github.com/hyperledger/fabric/peer* root@842d74ef484f; /opt/gopath/src/github.com/hyperledger/fabric/peer* root@842d74ef484f; /opt/gopath/src/github.com/hyperledger/fabric/peer* root@842d74ef484f; /opt/gopath/src/github.com/hyperledger/fabric/peer* root@842d74ef484f; /opt/gopath/src/github.com/hyperledger/fabric/peer* root@842d74ef484f; /opt/gopath/src/github.com/hyperledger/fabric/peer* peer chaincode invoke -o orderer.property-registration-network.com:7050 -C regist rationchannel -n regnet -c '{Arga*:[*org.property-registration-network.com:7050 -C regist rationchannel -n regnet -c '(Arga*:[*org.property-registration-network.com:7050 -C regist root@842d74ef484f; /opt/gopath/src/github.com/hyperledger/fabric/peer* peer chaincode invoke -o orderer.property-registration-network.com:7051 rationchannel -n regnet -c '(Arga*:[*org.property-registration-network.com:7051 rationchannel
```

Validation Scenario: If we execute the above command from TAB 3: CLI – Connected to REGISTRARMSP, we will get Unauthorized message as shown below



TAB 3: CLI - Connected to REGISTRARMSP

peer chaincode invoke -o orderer.property-registration-network.com:7050 -C
registrationchannel -n regnet -c '{"Args":["org.property-registrationnetwork.regnet:approveNewUser","Rajesh","0000-0000-0000"]}'




Validation Scenario#1: Invalid User Details

```
with provided name & aadhaarNo combination."
root884274e4184f:/opt/gopath/src/github.com/hyperledger/fabric/peer#
root884274e4184f:/opt/gopath/src/github.com/speer#
root884274e4184f:/opt/gopath/src/github.com/speer#
root884274e4184f:/opt/gopath/src/github.com/hyperledger/fabric/peer#
root884274e4184f:/opt/gopath/src/github.com/hyperledger/fabric/peer#
root884274e4184f:/opt/gopath/src/github.com/hyperledger/fabric/peer#
root884274e4184f:/opt/gopath/src/github.com/hyperledger/fabric/peer#
root884274e4184f:/opt/gopath/src/github.com/hyperledger/fabric/peer#
root884274e4184f:/opt/gopath/src/github.com/hyperledger/fabric/peer#
root884274e4184f:/opt/gopath/src/github.com/hyperledger/fabric/peer#
```

Validation Scenario#2: Invalid Initiator

If we execute the above command from **TAB 4**: **CLI – Connected to USERMSP**, we will get Unauthorized message as shown below



rechargeAccount

TAB 4: CLI - Connected to USERMSP

peer chaincode invoke -o orderer.property-registration-network.com:7050 -C
registrationchannel -n regnet -c '{"Args":["org.property-registrationnetwork.regnet.usercontract:rechargeUserAccount","Rajesh","0000-00000000","upg1000"]}'

```
root#6def8a063b6c:/opt/gopath/src/github.com/hyperledger/fabric/peer# echo $CORE_PEER_LOCALMSPID

[usersMSP]

[root#6def8a063b6c:/opt/gopath/src/github.com/hyperledger/fabric/peer# echo $CORE_PEER_LOCALMSPID

[usersMSP]

[root#6def8a063b6c:/opt/gopath/src/github.com/hyperledger/fabric/peer# peer chaincode invoke -o orderer.property-registration-network.com::7050 -C


registrationchannel -n regnet -c '("Args":["org.property-registration-network.regnet.usercontract:rechargeUserAccount", "Rajesh", "0000-0000-0000",

"upg1000"])'

2020-05-01 23:02:47.490 UTC [chaincodeCmd] chaincodeInvokeOrQuery -> INFO 001 Chaincode invoke successful. result: status:200 payload:"("aadhaar


No\":\"0000-0000-00000\",\"name\":\"Rajesh",\"email\":\"*uuchategmail.com\",\"phoneNo\":\"9866776600\",\"state\":\"APPROVED\",\"created\",\"email\":\"2020-05-01723:01:43.482\",\"upgradcoins\":\"2020-05-01723:01:43.482\",\"upgradcoins\":\"2020-05-01723:01:43.0842\",\"upgradcoins\":\"2020-05-01723:01:43.482\",\"upgradcoins\":\"2020-05-01723:01:43.482\",\"upgradcoins\":\"2020-05-01723:01:43.0842\",\"upgradcoins\":\"2020-05-01723:01:43.0842\",\"upgradcoins\":\"2020-05-01723:01:43.0842\",\"upgradcoins\":\"2020-05-01723:01:43.0842\",\"upgradcoins\":\"2020-05-01723:01:43.0842\",\"upgradcoins\":\"2020-05-01723:01:43.0842\",\"upgradcoins\":\"2020-05-01723:01:43.0842\",\"upgradcoins\":\"2020-05-01723:01:43.0842\",\"upgradcoins\":\"2020-05-01723:01:43.0842\",\"upgradcoins\":\"2020-05-01723:01:43.0842\",\"upgradcoins\":\"2020-05-01723:01:43.0842\",\"upgradcoins\":\"2020-05-01723:01:43.0842\",\"upgradcoins\":\"2020-05-01723:01:43.0842\",\"upgradcoins\":\"2020-05-01723:01:43.0842\",\"upgradcoins\":\"2020-05-01723:01:43.0842\",\"upgradcoins\":\"2020-05-01723:01:43.0842\",\"upgradcoins\":\"2020-05-01723:01:43.0842\",\"upgradcoins\":\"2020-05-01723:01:43.0842\",\"upgradcoins\":\"2020-05-01723:01:43.0842\",\"upgradcoins\":\"2020-05-01723:01:43.0842\",\"upgradcoins\":\"2020-05-01723:01:43.0842\",\"upgradcoins\":\"2020-05-01723:01:43.0842\",\"upgradcoins\":\"2020-05
```

Validation Scenario#1: Invalid User Details



Validation Scenario#2: Invalid Initiator

If we execute the above command from **TAB 3: CLI – Connected to REGISTRARMSP**, we will get Unauthorized message as shown below



viewUser

TAB 4: CLI - Connected to USERMSP

peer chaincode invoke -o orderer.property-registration-network.com:7050 -C
registrationchannel -n regnet -c '{"Args":["org.property-registrationnetwork.regnet.usercontract:viewUser","Rajesh","0000-0000-0000"]}'


```
File Edit View Search Terminal Tabs Help

root@6def8a063b6c:/opt/gopath/src/github.com/hyperledger/fabric/peer


root@6def8a063b6c:/opt/gopath/src/github.com/hyperledger/fabric/peer*

root@6def8a063b6c:/opt/gopath/src/github.com/hyperledger/fabric/peer*
root@6def8a063b6c:/opt/gopath/src/github.com/hyperledger/fabric/peer*
root@6def8a063b6c:/opt/gopath/src/github.com/hyperledger/fabric/peer*
root@6def8a063b6c:/opt/gopath/src/github.com/hyperledger/fabric/peer*
root@6def8a063b6c:/opt/gopath/src/github.com/hyperledger/fabric/peer*
root@6def8a063b6c:/opt/gopath/src/github.com/hyperledger/fabric/peer*
root@6def8a063b6c:/opt/gopath/src/github.com/hyperledger/fabric/peer*
root@6def8a063b6c:/opt/gopath/src/github.com/hyperledger/fabric/peer*
root@6def8a063b6c:/opt/gopath/src/github.com/hyperledger/fabric/peer*
root@6def8a063b6c:/opt/gopath/src/github.com/hyperledger/fabric/peer*
root@6def8a063b6c:/opt/gopath/src/github.com/hyperledger/fabric/peer*
root@6def8a063b6c:/opt/gopath/src/github.com/hyperledger/fabric/peer*
root@6def8a063b6c:/opt/gopath/src/github.com/hyperledger/fabric/peer*
root@6def8a063b6c:/opt/gopath/src/github.com/hyperledger/fabric/peer*
root@6def8a063b6c:/opt/gopath/src/github.com/hyperledger/fabric/peer*
root@6def8a063b6c:/opt/gopath/src/github.com/hyperledger/fabric/peer*
root@6def8a063b6c:/opt/gopath/src/github.com/hyperledger/fabric/peer*
root@6def8a063b6c:/opt/gopath/src/github.com/hyperledger/fabric/peer*
root@6def8a063b6c:/opt/gopath/src/github.com/hyperledger/fabric/peer*
root@6def8a063b6c:/opt/gopath/src/github.com/hyperledger/fabric/peer*
root@6def8a063b6c:/opt/gopath/src/github.com/hyperledger/fabric/peer*
root@6def8a063b6c:/opt/gopath/src/github.com/hyperledger/fabric/peer*
root@6def8a063b6c:/opt/gopath/src/github.com/hyperledger/fabric/peer*
root@6def8a063b6c:/opt/gopath/src/github.com/hyperledger/fabric/peer*
root@6def8a063b6c:/opt/gopath/src/github.com/hyperledger/fabric/peer*
root@6def8a063b6c:/opt/gopath/src/github.com/hyperledger/fabric/peer*
root@6def8a063b6c:/opt/gopath/src/github.co
```

TAB 3: CLI - Connected to REGISTRARMSP



Validation Scenario#1: Invalid User Details



propertyRegistrationRequest

TAB 4: CLI – Connected to USERMSP

peer chaincode invoke -o orderer.property-registration-network.com:7050 -C
registrationchannel -n regnet -c '{"Args":["org.property-registrationnetwork.regnet.usercontract:propertyRegistrationRequest","1","500","REQUSET","Rajes
h","0000-0000-0000"]}'

```
root@7fb8e26ec5e2:/opt/gopath/src/github.com/hyperledger/fabric/peer

File Edit View Search Terminal Tabs Help

upgrad@upgrad-VirtualBox:-/Deskto... * root@ee485233bb4fr./opt/gopath/src... * root@7fb8e26ec5e2:/opt/gopath/src/... * root@7fb8e26ec5e2:/opt/gopath/src/... * root@7fb8e26ec5e2:/opt/gopath/src/github.com/hyperledger/fabric/peer# echo $CORE_PEER_LOCALMSPID

usersMSP

root@7fb8e26ec5e2:/opt/gopath/src/github.com/hyperledger/fabric/peer# peer chaincode invoke -o orderer.property-registration-network.com:7050 -c

registration-hannel -n regnet -c '(*Args*:[*org.property-registration-network.regnet.usercontract:_bropertyRegistrationReguest_","1","500","REQUEST

","Rajesh","0000-0000-0000"])

1020-05-01 22:39145.014 Urc [chaincodeCmd] chaincodeInvokeOrQuery -> INFO 001 Chaincode invoke successful result: status:200 payload:"\"root@7fb8e26ec5e2:/opt/gopath/src/."\"v"property-registration-network.regnet.user\u0000Rajesh\u00000000-0000\u00000\","createdBy

"1'\"x509::/c=US/ST=California/L=San Francisco/OU=client/CN=Admin@users.property-registration-network.com::/c=US/ST=California/L=San Francisco/Ou-client/CN=Admin@users.property-registration-network.com:/\"cuseddAt\":\"2020-05-01723:49:45.0072\\","sproperty-registration-network.com:/c=US/ST=California/L=San Francisco/Ou-client/CN=Admin@users.property-registration-network.com:/c=US/ST=California/L=San Francisco/Ou-use

"a.property-registration-network.com/CN=ca.users.property-registration-network.com:/c=US/ST=California/L=San Francisco/Ou-use


"a.property-registration-network.com/CN=ca.users.property-registration-network.com:/c=US/ST=California/L=San Francisco/Ou-use

"a.property-registration-network.com/CN=ca.users.property-registration-network.com:/c=US/ST=California/L=San Francisco/Ou-use


"a.property-registration-network.com/CN=ca.users.property-registration-network.com\",\"updatedAt\":\"2020-05-01723:49:45.0072\")*

Terminal_3e26ec5e2:/opt/gopath/src/... *
```

Validation Scenario#1: Invalid User Details




Validation Scenario#2: Invalid Initiator



approvePropertyRegistration

TAB 3: CLI - Connected to REGISTRARMSP


peer chaincode invoke -o orderer.property-registration-network.com:7050 -C
registrationchannel -n regnet -c '{"Args":["org.property-registrationnetwork.regnet:approvePropertyRegistration","1"]}'



Validation Scenario#1: Invalid Property ID

root@?fb8e26ec5e2:/opt/gopath/src/github.com/hyperledger/fabric/peer# peer chaincode invoke -o orderer.property-registration-network.com:7050 -C registrationchannel -n regnet -c '{"Args":["org.property-registration-network.regnet:approvePropertyRegistration","100"]}'
Error: endorsement failure during invoke. response: status:500 message:"transaction returned with failure: Error: Invalid Property Details. We al ready have a property registered with us for the given Property ID"
root@?fb8e26ec5e2:/opt/gopath/src/github.com/hyperledger/fabric/peer#


Validation Scenario#2: Invalid Initiator



viewProperty

TAB 3: CLI - Connected to REGISTRARMSP

peer chaincode invoke -o orderer.property-registration-network.com:7050 -C
registrationchannel -n regnet -c '{"Args":["org.property-registrationnetwork.regnet:viewProperty","1"]}'




Validation Scenario#1: Invalid Property ID

root@?fb8e26ec5e2:/opt/gopath/src/github.com/hyperledger/fabric/peer# echo \$CORE_PEER_LOCALMSPID
registrarMSP
root@?fb8e26ec5e2:/opt/gopath/src/github.com/hyperledger/fabric/peer# peer chaincode invoke -o orderer.property-registration-network.com:7050 -C
registrationchannel -n regnet -c '("Args":["org.property-registration-network.regnet:viewProperty","10"])'
Error: endorsement failure during invoke. response: status:500 message:"transaction returned with failure: Error: Invalid Property Details. We al
ready have a property registered with us for the given Property ID"
root@?fb8e26ec5e2:/opt/gopath/src/github.com/hyperledger/fabric/peer#

TAB 4: CLI - Connected to USERMSP

peer chaincode invoke -o orderer.property-registration-network.com:7050 -C
registrationchannel -n regnet -c '{"Args":["org.property-registrationnetwork.regnet.usercontract:viewProperty","1"]}'




Validation Scenario#1: Invalid Property ID

```
usersMSP
rooteff88e26ec5e2:/opt/gopath/src/github.com/hyperledger/fabric/peer# peer chaincode invoke -o orderer.property-registration-network.com;7050 -C registrationchannel -n regnet -c '("Args:["org.property-registration-network.regnet.usercontract:viewProperty","10"])'
Error: endorsement failure during invoke. response: status:500 message:"transaction returned with failure: Error: Invalid Property Details. We al ready have a property registered with us for the given Property ID"
rootef7b8e26ec5e2:/opt/gopath/src/github.com/hyperledger/fabric/peer#
```

updateProperty

TAB 4: CLI - Connected to USERMSP

peer chaincode invoke -o orderer.property-registration-network.com:7050 -C
registrationchannel -n regnet -c '{"Args":["org.property-registrationnetwork.regnet.usercontract:updateProperty","1","onSale","Rajesh","0000-00000000"]}'



Validation Scenario#1: Invalid Property ID


root@?fb8e26ec5e2:/opt/gopath/src/github.com/hyperledger/fabric/peer# peer chaincode invoke -o orderer.property-registration-network.com:7050 -C registrationchannel -n regnet -c '{^args}:["org.property-registration-network.regnet.usercontractiupdateProperty", "10", "onSale", "Rajesh", "0000-00 00-0001"])'
Error: endorsement failure during invoke. response: status:500 message: "transaction returned with failure: Error: Invalid Property Details. We al ready have a property registered with us for the given Property ID" root@?fb8e26ec5e2:/opt/gopath/src/github.com/hyperledger/fabric/peer#

Validation Scenario#2: Invalid Property Status


root#/fb8e26ec5e2;/opt/gopath/src/github.com/hyperledger/fabric/peer# peer chaincode invoke -o orderer.property-registration-network.com;7050 -C
registrationchannel -n regnet -c '{"Args":["org.property-registration-network.regnet.usercontract:updateProperty","1","TEST","Rajesh","0000-00000000"])'
Error: endorsement failure during invoke. response: status:500 message:"transaction returned with failure: Error: Invalid Property Status : TEST.

root@7fb8e26ec5e2:/opt/gopath/src/github.com/hyperledger/fabric/peer# peer chaincode invoke -o orderer.property-registration-network.com:7050 -C
registrationchannel -n regnet -c '{"Args":["org.property-registration-network.regnet.usercontract:updateProperty","1","onSale","Rajesh","0000-000
0-0001"]}
Brror: endorsement failure during invoke. response: status:500 message:"transaction returned with failure: Error: Invalid User Details. No user e
xists with provided name & aadhaarNo combination."
root@7fb8e26ec5e2:/opt/gopath/src/github.com/hyperledger/fabric/peer#

Validation Scenario#4: Update request by valid user. But, Not the owner of Property



Validation Scenario#5: Invalid Initiator



purchaseProperty

TAB 4: CLI - Connected to USERMSP

Before invoking the purchaseProperty command, we have created new User named **Prashanthi** and recharged her account with **2000** UpGrad coins.




TAB 4: CLI - Connected to USERMSP

peer chaincode invoke -o orderer.property-registration-network.com:7050 -C
registrationchannel -n regnet -c '{"Args":["org.property-registrationnetwork.regnet.usercontract:purchaseProperty","1","Prashanthi","1111-1111-1111"]}'


Please refer the comments on screenshot for the reflected changes on Property asset and User asset




Validation Scenario#1: Invalid Property Status - NOT FOR SALE




Validation Scenario#2: Invalid Property ID



Validation Scenario#3: Invalid User Details



Validation Scenario#4: Already Owner



Validation Scenario#5: Invalid Initiator

