S. B. JAIN INSTITUTE OF TECHNOLOGY, MANAGEMENT & RESEARCH, NAGPUR.

Practical No. 9

Aim: **Evaluate Bayes Rules for Rain predication from given scenario.**

Name of Student: _____

Roll No.: _____

Semester/Year: **V/III**

Academic Session: **2025-2026**

Date of Performance: _____

Date of Submission: _____

AIM: Evaluate Bayes Rules for Rain predication from given scenario.

OBJECTIVE/EXPECTED LEARNING OUTCOME:

The objectives and expected learning outcome of this practical are:

- To be able to understand the concept of Bayes theorem.
- To be able to solve problem based on Bayes theorem.

THEORY:

Bayes Theorem: - Bayes' Theorem states that the conditional probability of an event, based on the occurrence of another event, is equal to the likelihood of the second event given the first event multiplied by the probability of the first event.

Bayes theorem is used to find the reverse probabilities if we know the conditional probability of an event.

Bayes' Theorem states the following for any two events A and B:

$$P(A|B) = \frac{P(B|A)\,P(A)}{P(B)}$$

where:

· P(A|B): The probability of event A, given event B has occurred.

· P(B|A): The probability of event B, given event A has occurred.

· P(A): The probability of event A.

· P(B): The probability of event B.

Terms Related to Bayes' Theorem

After learning about Bayes theorem in detail, let us understand some important terms related to the concepts we covered in the formula and derivation.

- **Hypotheses:** Hypotheses refer to possible events or outcomes in the sample space; they are denoted as E1, E2, …, En.

Each hypothesis represents a distinct scenario that could explain an observed event.

- **Priori Probability:** Priori Probability P(Ei) is the initial probability of an event occurring before any new data is taken into account.

It reflects existing knowledge or assumptions about the event.

Example: The probability of a person having a disease before taking a test.

- **Posterior Probability:** Posterior probability (P(Ei|A) is the updated probability of an event after considering new information.

  It is derived using the Bayes Theorem.

Example: The probability of having a disease given a positive test result.

- **Conditional Probability:** The probability of an event A based on the occurrence of another event B is termed conditional Probability.

  It is denoted as P(A|B) and represents the probability of A when event B has already happened.

- **Joint Probability:** When the probability of two or more events occurring together and at the same time is measured, it is marked as Joint Probability.

  For two events A and B, it is denoted by joint probability is denoted as P(A∩B).

- **Random Variables:**

  Real-valued variables whose possible values are determined by random experiments are called random variables.

  The probability of finding such variables is the experimental probability.

Rain Prediction Example: Suppose the probability of the weather being cloudy is 40%. Also suppose the probability of rain on a given day is 20%.

Also suppose the probability of clouds on a rainy day is 85%.

If it's cloudy outside on a given day, what is the probability that it will rain that day? **Solution:**

· P(cloudy) = 0.40
· P(rain) = 0.20
· P (cloudy | rain) = 0.85 ·
Thus, we can calculate:
· (rain | cloudy) = P(rain) * P (cloudy | rain) / P(cloudy)
· P (rain | cloudy) = 0.20 * 0.85 / 0.40
· P (rain | cloudy) = 0.425
· If it's cloudy outside on a given day, the probability that it will rain that day is 42.5%.

PROGRAM CODE:

```
P_rain = 0.2
P_no_rain = 0.8
P_cloudy_given_rain = 0.9
P_cloudy_given_no_rain = 0.3
P_cloudy = (P_cloudy_given_rain * P_rain) + (P_cloudy_given_no_rain * P_no_rain)
P_rain_given_cloudy = (P_cloudy_given_rain * P_rain) / P_cloudy
print("P(Cloudy) =", P_cloudy)
print("P(Rain | Cloudy) =", P_rain_given_cloudy)
if P_rain_given_cloudy > 0.5:
    print("Prediction: It will likely Rain")
else:
    print("Prediction: Rain is less likely")
```

INPUT & OUTPUT:

P9.py

```
P_rain = 0.2
P_no_rain = 0.8
P_cloudy_given_rain = 0.9
P_cloudy_given_no_rain = 0.3
P_cloudy = (P_cloudy_given_rain * P_rain) + (P_cloudy_given_no_rain * P_no_rain)
P_rain_given_cloudy = (P_cloudy_given_rain * P_rain) / P_cloudy
print("P(Cloudy) =", P_cloudy)
print("P(Rain | Cloudy) =", P_rain_given_cloudy)
if P_rain_given_cloudy > 0.5:
    print("Prediction: It will likely Rain")
else:
    print("Prediction: Rain is less likely")
```

P9

```
C:\Users\LAB-112\AppData\Local\Programs\Python\Python313\python.exe C:\Users\LAB-112\Documents
P(Cloudy) = 0.42000000000000004
P(Rain | Cloudy) = 0.4285714285714286
Prediction: Rain is less likely
```

CONCLUSION: **Hence we understood the concept of Bayes Rule also we Evaluate Bayes Rules for Rain predication from given scenario.**

DISCUSSION QUESTIONS:

1. What is the correct formula for Bayes Theorem?

_____

_____

_____

2. Which algorithm uses Bayes theorem?

_____

_____

_____

3. When can we use Bayes theorem?

_____

_____

_____

4. How is Bayes theorem used in real life?

_____

_____

_____

REFERENCES:

- *https://www.geeksforgeeks.org/maths/bayes-theorem/*
- *https://discovery.cs.illinois.edu/learn/Prediction-and-Probability/Bayes-Theorem/*
- *https://blogs.cornell.edu/info2040/2021/11/05/sunny-with-a-chance-of-rain-usingbayes-theorem-to-predict-the-weather/*