


Architecture & Database Map

Full-stack LMS — on-demand courses, live sessions, and 1-on-1 consultations. Next.js 15 App Router · Prisma · PostgreSQL · NextAuth.

Generated 2026-06-26 · Source: prisma/schema.prisma + app/ route tree · main branch


System Architecture



Two payment rails. International learners pay USD via Lemon Squeezy (checkout → webhook → Order PAID → Enrollment). Moroccan learners pay MAD via bank transfer (Order PENDING → admin marks PAID → Enrollment). Free courses enroll directly. Prices are stored per-currency on each Course (*priceMadCents* / *priceUsdCents*).

Database — Entity Relationship Diagram

Auth & Users Courses Commerce & Enrollment Live Sessions Consultations Assessment CMS / System



Database — ERD (continued)

Live Sessions Consultations Assessment CMS / System

LiveSessionPK id slug @unique · title kind AMA WORKSHOP SEMINAR COHORT status · startsAt · seatsTotal meetingUrl · recordingUrl hostId → User ↳ bookings	BookingPK id userId → User liveSessionId → LiveSession status CONFIRMED @@unique(user, session)	ConsultantPK id userId → User @unique bio · ratePerSession · skills[] availability json avgRating · acceptsNew ↳ bookings
ConsultBookingPK id studentId → User consultantId → Consultant scheduledFor · durationMins status · notes	QuizPK id title · passThreshold · maxRetries shuffleQuestions · showAnswers ↳ lesson (1:1), questions, attempts	QuizQuestionPK id quizId → Quiz cascade type MC T/F SHORT prompt · options[] · correctAnswer
QuizAttemptPK id quizId → Quiz userId → User score · passed · answers json	AssignmentPK id title · instructions · passingGrade allowedFileTypes[] · maxFileSizeMb ↳ lesson (1:1), submissions	AssignmentSubmissionPK id assignmentId → Assignment userId → User fileUrl · grade · feedback · status
SiteSettingsPK "default" singleton row brand · colors · nav · hero urgency · trust · CTAs · footer · SEO bank* · lemonSqueezy*	PagePK id slug @unique · title · content metaTitle · metaDescription · published	FAQPK id question · answer · category order · published
ActivityLogPK id userId ? action · entity · entityId metadata json · createdAt		

Key Relationships & Cardinality

User as the hub

FROM	CARD.	TO
User	1 — N	Account / Session
User (instructor)	1 — N	Course (teaches)
User (host)	1 — N	LiveSession
User	1 — 1	Consultant
User (student)	1 — N	Enrollment / Order
User	1 — N	Booking / ConsultBooking
User	1 — N	Review / QuizAttempt

Course hierarchy

FROM	CARD.	TO
Category	1 — N	Course
Course	1 — N	Module → Lesson
Course	1 — N	CourseFAQ / Review
Lesson	1 — 1	Quiz (optional)
Lesson	1 — 1	Assignment (optional)

Commerce & progress

FROM	CARD.	TO
Order	1 — N	Enrollment
User x Course	1 — 1	Enrollment (unique)
Enrollment	1 — N	LessonProgress
Enroll x Lesson	1 — 1	LessonProgress (unique)


Live & consult

FROM	CARD.	TO
LiveSession	1 — N	Booking
Consultant	1 — N	ConsultBooking

Assessment

FROM	CARD.	TO
Quiz	1 — N	QuizQuestion / QuizAttempt
Assignment	1 — N	AssignmentSubmission

Core User Flows



RBAC enforced at the edge. middleware.ts gates `/dashboard` (any authenticated user) and `/admin` (ADMIN role only), redirecting non-admins to their dashboard. All public-site content (hero, CTAs, footer, nav, pages, FAQ) is database-driven via **SiteSettings** + **Page** + **FAQ** — editable from the admin panel, never hardcoded.